

Dust Extraction and Specialty

Tools and Accessories



Section Guide

Tools

Dust Extraction	238
Foam Cutter	240
Heat Guns	240
Tap & Die Threading Tools	241-245

Accessories

Dust Extraction Accessories	238-239
Foam Cutter Accessories	240
Heat Gun Accessories	240

Dust Extraction/Specialty

Dust Extraction and Accessories

3931A-PB – Airsweep™ 13 Gallon Wet/Dry Vacuum Cleaner with Plastic Bag Capability



- 4 Modes of Operation for Maximum Vacuuming Versatility - Regular vacuum, Power Tool Activation, Pulse-Clean™, Pulse-Clean™ with Power Tool Activation
- Activation by Power Tool - Allows power tool's switch to turn vac on and off. 7-second run-on to clear hose of remaining debris
- Power Broker™ Dial - For allocating power (15 amps on a 15 amp circuit, 20 amps on a 20 amp circuit) between vacuum cleaner and connected power tool to optimize usage of the available power and avoid blown circuits. Also allows suction control for other purposes
- Bosch Exclusive Pulse-Clean™ Electromagnetic Filter Cleaning System - Shakes the dual filter cartridges to remove dust and maintain maximum suction power
- 4 Collection Systems - Tank-only, plastic bag, paper bag or slurry bag
- VAC023 Plastic Bag with 10 Gallon Capacity - Holds 20x more concrete dust than paper bags
- New VAC0PB Tank includes special air valve to equalize pressure inside and outside of plastic bag and hose port cap to contain dust after hose is removed
- Fine Dust Filtration Capabilities - Captures 99.93% particles of 3.0 microns and larger in diameter
- Large Rear Wheels and Front Casters with Rubber Tires, Plus Push Handle and Carrying Handle - For easy transportation
- 6.5 Max HP/11.1 - Amp Motor with Soft-start and Bypass Cooling - Powerful suction with features to protect motor and extend its life
- Wet Vacuuming Capability with Water Level Sensor and Drain Valve
- Rugged Construction/Polypolypropylene Tank - Durable and rust free
- Compact Size - Fits in crowded storage vans and tight storage areas

Includes: 35mm 9.85 Ft. Locking Hose, (2) Polyester Filters, Paper Bag, Plastic Bag

Abrasive Cut-off Grinder Dust Compatibility Charts, see page 165

Circular Saws Dust Compatibility Charts, see page 64

Drills Dust Compatibility Charts, see page 182

Grinders Dust Compatibility Charts, see page 163

Hammers Dust Compatibility Charts, see page 38

Jig Saws Dust Compatibility Charts, see page 61

Miter Saws Dust Compatibility Charts, see page 68

Routers Dust Compatibility Charts, see page 116

Sanders Dust Compatibility Charts, see page 145

Table Saw Dust Compatibility Charts, see page 71

Woodworker's Journal **Best Buy**

Vacuum Hoses

Airsweep™ Friction-Fit Vacuum Hoses

- Connect many Bosch power tools and dust extraction hood accessories to vacuum cleaners that have openings for standard 2-1/4" hoses
- Standard 2-1/4" friction fit



Item #	Description
VAC001	Lightweight, flexible 19mm, 15-ft. hose
VAC005	Swivel nozzle 35mm, 5-meter (16.4 ft.) hose

Airsweep™ Locking Vacuum Hoses

- Connect many Bosch power tools and dust extraction hood accessories to Bosch 3931 and 3931A Vacuum Cleaners
- For use ONLY with Bosch 3931 and 3931A Vacuum Cleaners (Not compatible with other vacuum cleaners)
- Anti-static model hoses prevent static shock and cling



Item #	Description
VAC006	35mm 5-Meter (16.4 ft.) - swivels at both ends of hose
VAC007	Anti-static 35mm 3-meter (9.85 ft.) - swivels at tool end of hose
VAC008	Anti-static 35mm 5-meter (16.4 ft.) - swivels at tool end of hose
VAC009	Anti-static 19mm 3-meter (9.85 ft.) - swivels at tool end of hose
VAC010	Anti-static 19mm 5-meter (16.4 ft.) - swivels at tool end of hose

Specifications

Model#	Rating	Max. Motor HP	Frequency	Canister Volume (gross)	Canister (net)	Dust Bag Volume (net)	Air Flow	Static Water Lift	Vacuum Suction Pressure	Filter Cartridge Surface Area (ea.)	No. of Filter Cartridges	Total Filter Surface Area	Sound Pressure Level	Weight (lbs.)	Cord Length (ft.)	Hose Length	Hose Port Inside Diameter
3931A	120V	6.5	50-60 Hz	13.3 gal. (50ltr.)	11.35 gal. (45ltr.)	5.5 gal. (21ltr.)	130 CFM (61 ltr./sec.)	100 in.	248 millibars	4,300 cm ²	2	8,600 cm ²	69 db	45.7 with handle	25	9.85ft. (2 meters)	2-1/4"



BOSCH

For more details visit
Boschtools.com

Vacuum Hose Adapters

VAC002 Airsweep™ Vacuum Hose Adapter

- Connects 1-1/4" and 1-1/2" hoses to tools or attachments that have ports for 35mm hoses or 19mm hoses
- Fits inside 35mm ports on Bosch router, planer, grinder, and circular saw tools & accessories
- Fits over 19mm ports on Bosch sander, jigsaw, and hammer tools & accessories



VAC003 Airsweep™ Vacuum Hose Adapter

- Connects 35mm hoses to tools that have ports for 1-1/4" hoses



VAC004 Airsweep™ Vacuum Hose Adapter

- Connects 35mm hoses to tools that have ports for 2-1/2" hoses



VAC020 Airsweep™ Vacuum Hose Adapter

- Connects 2-1/2" hoses to tools that have ports for 35mm hoses



Vacuum Attachments

VAC011 Airsweep™ 6-pc. Vacuum Wand and Nozzle Kit

- Fits 35mm hoses and most 1-1/2" vacuum hoses
- 2 Straight Wands, 1 Curved Wand, 1 Floor Nozzle Set with 3 Inserts (smooth floor, carpet & squeegee) - VAC016, 1 Crevice Tool - VAC017, 1 Brush - VAC018



VAC016 Airsweep™ 3-pc. Vacuum Floor Nozzle Set

- Fits 35mm wands, hoses, and most 1-1/2" wands and hoses
- 1 Smooth-floor Nozzle, 1 Carpet Nozzle, 1 Squeegee Insert



Airsweep™ Vacuum Attachments

- Fits 35mm wands, hoses and most 1-1/2" wands and hoses



Item #	Description
VAC015	Universal Vacuum Floor Nozzle - for carpet or smooth surfaces
VAC017	Vacuum Crevice Tool - for clean-up in tight spaces
VAC018	Vacuum Brush

VAC014 Airsweep™ Wire Attachment Basket

- Stores Bosch 3931 and 3931A Vacuum Cleaner attachments
- Fits on the rear of 3931 and 3931A Vacuum Cleaners



Vacuum Filters & Bags

Airsweep™ Vacuum Filters

- Square filter geometry makes dust less likely to get trapped - High suction power is maintained
- Cartridge design makes filter installation extremely easy
- Filters stay in the vacuum cleaner even when wet vacuuming



Item #	Description
VAC012	Polyester Filter Cartridges (2 pack) - capture 99.93% of particles 3.0 microns or larger in diameter
VAC019	HEPA Filter Cartridges (2 pack) - capture 99.997% of particles 0.3 microns in diameter or larger Not for use when vacuuming water or wet materials

VAC013 Airsweep™ Paper Dust Bags (5 pack)

- Replacement dust bags for Bosch 3931 and 3931A Vacuum Cleaner
- For easier, cleaner disposal of vacuumed materials
- Only for use when vacuuming dry materials
- Recommended for vacuuming fine particles like drywall dust, plaster, cement, soot



VAC022 Airsweep™ Heavy-Duty Slurry Bags for Dry or Wet Material (3 pack)

- Heavy-duty dust bags for Bosch 3931 and 3931A Vacuum Cleaner, for easier, cleaner disposal of wet or dry vacuumed materials
- 2-layer, water-proof plastic fleece plus fine-pore cellulose filter paper
- Exceptionally tear-resistant
- Ideally suited for slurry-suction applications



VAC023 Airsweep™ Heavy-Duty Plastic Bags (3 pack)

- Heavy-duty plastic bag for use with Bosch 3931 and 3931A Vacuum Cleaners only when used with new VAC0PB Large Canister with Air Valve
- 10 gallons capacity - Holds more than 20x the amount of concrete dust than paper bags
- Ideal for concrete work - Unlike paper bags, there are no pores for dust to pass through or clog
- Exceptionally tear-resistant
- Includes attached cable tie for sealing bag when ready for disposal

NEW


Dust Extraction/Specialty

Specialty Tools and Accessories

1575A – Foam Rubber Cutter



- Heavy-duty for Fast, Production Cutting of All Densities of Foam Rubber and Flexible Plastic Foams
- Versatile - Will cut all types of carpeting
- Quick Tool-free Blade Change
- Long, Paddle-type Switch and Slim Motor Housing Are Easy to Grip

Includes: Tool Body/Motor Unit Only - Order Blades, Guides & Footplate Separately

Accessories

Size	Blade Pair	Guide	Item #
3"	Blade Pair		2 607 018 013
3"		Guide	2 608 135 023
5"	Blade Pair		2 607 018 010
5"		Guide	2 608 135 020
8"	Blade Pair		2 607 018 011
8"		Guide	2 608 135 021
12"	Blade Pair		2 607 018 012
12"		Guide	2 608 135 022
Fits All Sizes	Footplate		2 608 000 908

1944LCDK – Programmable Heat Gun Kit



- 4 Easily-Storable Temperature and Airflow Combinations - Provide one-button access to the exact settings needed for key applications
- Liquid Crystal Display - For precise setting of temperature and airflow
- 109 Temperature Settings - Precision temperature control with setting every 10° from 120° - 1200° F
- 10 Blower Air Volume Settings - Precision airflow control from 3.6 to 17.6 CFM (cubic feet per minute)
- Cool Air Setting - Allows heating element to cool down
- Ergonomic Soft Grip Handle - For comfort and control

Includes: Carrying Case

This tool not available in Canada

Accessories

Item #	Item Description
HG010	Heat Spreader
HG030	Deflector
HG040	Reflector
HG020	Heat Concentrator

1942 – Heat Gun



- Powerful Blower - Provides a high volume of air needed for industrial applications
- Air Intake Regulator - Adjusts the temperature to the requirements of the job
- Cool Air Setting - Allows heating element to cool down
- Integral Adjustable Stand - Allows stationary use with multi-position holder

This tool not available in Canada

Accessories

Item #	Item Description
3 609 390 500	Small Reflector
3 609 390 501	Large Reflector
3 609 390 502	Heat Concentrator

Specifications

Model#	Rating	Amperage	Available Blade Lengths	No Load Strokes/Min	Temperature Range	Temperature Adjustment Steps	Temperature Precision	Blower Air Volume	Length (in.)	Weight (lbs.)
1575A	120VAC	3.2	3", 5", 8" or 12"	3,200	N/A	N/A	N/A	N/A	9.75"	3.3
1944LCDK	120 V-60 Hz	13	N/A	N/A	120 - 1,200° F	10° F	+/-10° F	3.6 to 17.6 C.F.M.	9.875"	2
1942	120VAC	14.3	N/A	N/A	750 - 1000°F	N/A	N/A	23 C.F.M.	8"	3.5



BOSCH



For more details visit
Boschtools.com

Tap & Dies

Heat Treated Carbon Steel
Long life and clean accurate threads

Rolled Threads
More accurate than machined threads

Black Oxide Coating
Corrosion resistance

Laser Etched Marking
Size identification won't wear off

Product Info - Tap Point Styles

Taper

- 8-10 chamfered threads at the tip ideal for starting threads in tough materials
- Longest chamfer of all three types
- Commonly used in through holes and with materials where a guide is necessary
- Requires less torque because of more working teeth

Plug (most widely used)

- General purpose tap, with 3-5 chamfered threads
- Used when there is sufficient room on a blind hole & tapping to the bottom is not important

Bottoming

- Used after the threads have been started
- 1-3 chamfered threads at the tip is just enough to start the hole and taps all the way to the bottom

8 - 10 threads



3 - 5 threads



1 - 2 threads



Tap & Die

Threading Tools

Black Oxide Plug Taps (bulk)



Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity	Corresponding Drill Size (if applicable)
95397	4-40 NC Plug Tap Black Oxide	5	5	100	#43
95406	6-32 NC Plug Tap Black Oxide	5	5	100	#36
95409	8-32 NC Plug Tap Black Oxide	5	5	100	#29
95412	10-24 NC Plug Tap Black Oxide	5	5	100	#25
95415	10-32 NF Plug Tap Black Oxide	5	5	100	#21
95418	12-24 NC Plug Tap Black Oxide	5	5	100	#16
95421	14-20 NS Plug Tap Black Oxide	5	5	100	#10
95432	1/4-20 NC Plug Tap Black Oxide	5	5	100	#7
95435	1/4-28 NF Plug Tap Black Oxide	5	5	100	#3
95438	5/16-18 NC Plug Tap Black Oxide	5	5	100	Ltr. F
95441	5/16-24 NF Plug Tap Black Oxide	5	5	100	Ltr. I
95444	3/8-16 NC Plug Tap Black Oxide	5	5	100	5/16
95447	3/8-24 NF Plug Tap Black Oxide	5	5	100	Ltr. Q
95450	7/16-14 NC Plug Tap Black Oxide	5	5	100	Ltr. U
95453	7/16-20 NF Plug Tap Black Oxide	5	5	100	25/64
95456	1/2-13 NC Plug Tap Black Oxide	5	5	100	27/64
95459	1/2-20 NF Plug Tap Black Oxide	5	5	100	29/64
95462	9/16-12 NC Plug Tap Black Oxide	1	1	50	31/64
95465	9/16-18 NF Plug Tap Black Oxide	1	1	50	33/64
95468	5/8-11 NC Plug Tap Black Oxide	1	1	50	17/32
95469	5/8-18 NF Plug Tap Black Oxide	1	1	50	37/64
95471	3/4-10 NC Plug Tap Black Oxide	1	1	50	21/32
95477	7/8-9 Plug Tap Black Oxide	1	1	25	49/64
95480	7/8-14 Plug Tap Black Oxide	1	1	25	13/16
95483	1-8 Plug Tap Black Oxide	1	1	25	7/8
96303	3mm x .50 Plug Tap Black Oxide	5	5	100	#40
96304	3mm x .60 Plug Tap Black Oxide	5	5	100	#39
96305	4mm x .70 Plug Tap Black Oxide	5	5	100	1/8
96306	4mm x .75 Plug Tap Black Oxide	5	5	100	1/8
96307	5mm x .80 Plug Tap Black Oxide	5	5	100	11/64
96308	5mm x .90 Plug Tap Black Oxide	5	5	100	#20
96309	6mm x 1.00 Plug Tap Black Oxide	5	5	100	13/64
96310	7mm x 1.00 Plug Tap Black Oxide	5	5	100	15/64
96311	8mm x 1.25 Plug Tap Black Oxide	5	5	100	17/64
96314	10mm x 1.25 Plug Tap Black Oxide	5	5	100	11/32
96315	10mm x 1.50 Plug Tap Black Oxide	5	5	100	11/32
96316	11mm x 1.50 Plug Tap Black Oxide	5	5	100	3/8
96317	12mm x 1.50 Plug Tap Black Oxide	5	5	100	13/32
96318	12mm x 1.75 Plug Tap Black Oxide	5	5	100	27/64

Black Oxide Taper Taps (bulk)



Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity	Corresponding Drill Size (if applicable)
95399	4-40 NC Taper Tap Black Oxide	5	5	100	#43
95408	6-32 NC Taper Tap Black Oxide	5	5	100	#36
95411	8-32 NC Taper Tap Black Oxide	5	5	100	#29
95414	10-24 NC Taper Tap Black Oxide	5	5	100	#25
95417	10-32 NF Taper Tap Black Oxide	5	5	100	#21
95420	12-24 NC Taper Tap Black Oxide	5	5	100	#16
95424	14-20 NS Taper Tap Black Oxide	5	5	100	#10
95434	1/4-20 NC Taper Tap Black Oxide	5	5	100	#7
95437	1/4-28 NF Taper Tap Black Oxide	5	5	100	#3
95440	5/16-18 NC Taper Tap Black Oxide	5	5	100	Ltr. F
95443	5/16-24 NF Taper Tap Black Oxide	5	5	100	Ltr. I
95446	3/8-16 NC Taper Tap Black Oxide	5	5	100	5/16
95458	1/2-13 NC Taper Tap Black Oxide	5	5	100	27/64
95461	1/2-20 NF Taper Tap Black Oxide	5	5	100	29/64



Black Oxide Bottoming Taps (bulk)



Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity	Corresponding Drill Size (if applicable)
95407	6-32 NC Bottoming Tap Black Oxide	5	5	100	#36
95410	8-32 NC Bottoming Tap Black Oxide	5	5	100	#29
95413	10-24 NC Bottoming Tap Black Oxide	5	5	100	#25
95416	10-32 NF Bottoming Tap Black Oxide	5	5	100	#21
95419	12-24 NC Bottoming Tap Black Oxide	5	5	100	#16
95423	14-20 NS Bottoming Tap Black Oxide	5	5	100	#10
95433	1/4-20 NC Bottoming Tap Black Oxide	5	5	100	#7
95436	1/4-28 NF Bottoming Tap Black Oxide	5	5	100	#3
95439	5/16-18 NC Bottoming Tap Black Oxide	5	5	100	Ltr. F
95442	5/16-24 NF Bottoming Tap Black Oxide	5	5	100	Ltr. I
95445	3/8-16 NC Bottoming Tap Black Oxide	5	5	100	5/16
95448	3/8-24 NF Bottoming Tap Black Oxide	5	5	100	Ltr. Q
95451	7/16-14 NC Bottoming Tap Black Oxide	5	5	100	Ltr. U
95457	1/2-13 NC Bottoming Tap Black Oxide	5	5	100	27/64

Black Oxide Pipe Taps (bulk)



Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity	Corresponding Drill Size (if applicable)
95492	1/8-27 NPT Pipe Tap Black Oxide	5	5	100	Ltr. R
95495	1/4-18 NPT Pipe Tap Black Oxide	5	5	100	7/16
95498	3/8-18 NPT Pipe Tap Black Oxide	5	5	100	37/64
B44504	1/2-14 NPT Pipe Tap Black Oxide	1	1	20	45/64
B44505	3/4-14 NPT Pipe Tap Black Oxide	1	1	10	59/64
B44506	1-11 1/2 NPT Pipe Tap Black Oxide	1	1	24	1-5/32

Black Oxide Pipe Dies (bulk)



Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity	Corresponding Drill Size (if applicable)
95739	1/8-27 Pipe Die Black Oxide	5	5	100	—
95738	1/4-18 Pipe Die Black Oxide	5	5	100	—
95740	1/4-18 1 7/16 Pipe Die Black Oxide	1	1	25	—
95722	3/8-18 1 7/8 Pipe Die Black Oxide	1	1	25	—
95735	1/2-14 1 7/8 Pipe Die Black Oxide	1	1	25	—
96336	1/8-28 Metric Pipe Die Black Oxide	5	5	100	—

Black Oxide Hex Dies (bulk)



Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity	Corresponding Drill Size (if applicable)
95680	4-40 Hex Die Black Oxide	5	5	100	—
95683	6-32 Hex Die Black Oxide	5	5	100	—
95686	8-32 Hex Die Black Oxide	5	5	100	—
95689	10-24 Hex Die Black Oxide	5	5	100	—
95692	10-32 Hex Die Black Oxide	5	5	100	—
95695	12-24 Hex Die Black Oxide	5	5	100	—
95706	3/16-32 Hex Die Black Oxide	5	5	100	—
95709	1/4-20 Hex Die Black Oxide	5	5	100	—
95712	1/4-28 Hex Die Black Oxide	5	5	100	—
95715	5/16-18 Hex Die Black Oxide	5	5	100	—
95718	5/16-24 Hex Die Black Oxide	5	5	100	—
95721	3/8-16 Hex Die Black Oxide	5	5	100	—
95724	3/8-24 Hex Die Black Oxide	5	5	100	—
95727	7/16-14 Hex Die Black Oxide	5	5	100	—
95730	7/16-20 Hex Die Black Oxide	5	5	100	—
95733	1/2-13 Hex Die Black Oxide	5	5	100	—
95737	1/2-20 1 7/16 Hex Die Black Oxide	1	1	25	—
95736	1/2-20 Hex Die Black Oxide	5	5	100	—
95734	1/2-13 1 7/16 Hex Die Black Oxide	1	1	25	—
B46022	9/16-12 1 7/16 Hex Die Black Oxide	1	1	100	—
B46023	9/16-18 1 7/16 Hex Die Black Oxide	1	1	100	—
B46024	5/8-11 1 7/16 Hex Die Black Oxide	1	1	100	—
B46025	5/8-18 1 7/16 Hex Die Black Oxide	1	1	100	—
B46026	3/4-10 1 7/16 Hex Die Black Oxide	1	1	100	—
B46027	3/4-16 1 7/16 Hex Die Black Oxide	1	1	100	—
B46028	7/8-9 1 13/16 Hex Die Black Oxide	1	1	100	—
B46029	7/8-14 1 13/16 Hex Die Black Oxide	1	1	100	—

Tap & Die

Threading Tools

Black Oxide Hex Dies (bulk) continued

Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity	Corresponding Drill Size (if applicable)
B46030	1-8 1 13/16 Hex Die Black Oxide	1	1	100	—
95772	1-12 1-7/8 Hex Die Black Oxide	1	1	100	—
96320	3mm x .50 Hex Die Black Oxide	5	5	100	—
96321	3mm x .60 Hex Die Black Oxide	5	5	100	—
96322	4mm x .70 Hex Die Black Oxide	5	5	100	—
96323	4mm x .75 Hex Die Black Oxide	5	5	100	—
96324	5mm x .80 Hex Die Black Oxide	5	5	100	—
96325	5mm x .90 Hex Die Black Oxide	5	5	100	—
96326	6mm x 1.00 Hex Die Black Oxide	5	5	100	—
96327	7mm x 1.00 Hex Die Black Oxide	5	5	100	—
96328	8mm x 1.25 Hex Die Black Oxide	5	5	100	—
96330	9mm x 1.25 Hex Die Black Oxide	5	5	100	—
96331	10mm x 1.25 Hex Die Black Oxide	5	5	100	—
96332	10mm x 1.50 Hex Die Black Oxide	5	5	100	—
96333	11mm x 1.50 Hex Die Black Oxide	5	5	100	—
96334	12mm x 1.50 Hex Die Black Oxide	5	5	100	—
96335	12mm x 1.75 Hex Die Black Oxide	5	5	100	—

Black Oxide Screw Extractors (bulk)



Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity	Corresponding Drill Size (if applicable)
95785	#1 Sp. Screw Extractor Black Ox	5	5	500	5/64
95788	#2 Sp. Screw Extractor Black Ox	5	5	500	7/64
95791	#3 Sp. Screw Extractor Black Ox	5	5	500	5/32
95794	#4 Sp. Screw Extractor Black Ox	5	5	500	1/4
95797	#5 Sp. Screw Extractor Black Ox	5	5	500	17/64
95800	#6 Sp. Screw Extractor Black Ox	1	1	50	13/32
95803	#7 Sp. Screw Extractor Black Ox	1	1	50	17/32
95806	#8 Sp. Screw Extractor Black Ox	1	1	20	13/16
95809	#9 Sp. Screw Extractor Black Ox	1	1	20	1-1/8
B46212	(#1-5) 5 pc. Sp. Screw Extractor Black Ox (Carded)	5	1	20	—
95786	#1 Str. Screw Extractor Black Ox	5	5	500	1/8
95789	#2 Str. Screw Extractor Black Ox	5	5	500	3/16
95792	#3 Str. Screw Extractor Black Ox	5	5	500	15/64
95795	#4 Str. Screw Extractor Black Ox	5	5	500	5/16
95798	#5 Str. Screw Extractor Black Ox	5	5	500	3/8
95801	#6 Str. Screw Extractor Black Ox	1	1	50	15/32
95804	#7 Str. Screw Extractor Black Ox	1	1	50	9/16
B44815	(#1-5) 5 pc. Str. Screw Extractor Black Ox (Carded)	5	1	20	—

Black Oxide Tap & Die Case Sets

Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity
B46215	12pc Sp. Scr. Ex/Drill Set Black Ox	12	1	25
B44710	11pc Tap & Drill Set Black Oxide	11	1	10
B44711	12pc Tap Set Black Oxide	12	1	25
B44712	19pc. Tap & Die Set Black Oxide	19	1	5
B44713	58pc Tap & Die Set Black Oxide	58	1	1
B44714	19pc Met Tap & Die Set Black Ox	19	1	5
B44715	27pc Tap & Die Set Black Oxide	27	1	5
B44717	40pc Tap & Die Set Black Oxide	40	1	5
B44718	40pc Metric Tap & Die Black Oxide	40	1	5
B44716	77pc Tap & Die Set Black Oxide	58	1	1

12pc. Tap Set
Black Oxide



B44711

40pc. Tap &
Die Set Black Oxide



B44717

Black Oxide Tap & Die Accessories (Bulk)

Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity
395908	3/8" SQ T- Handle	1	5	—
95893	Tap & Reamer Wrench, 1/4-3/4"	1	5	5
B44719	Tap & Reamer Wrench, 1/2 - 1-1/8"	1	—	—
B44724	Tap & Die Reamer Wrench, 1/4-3/4"	1	1	—
95895	Tap & Reamer Wrench, 0 to 1/2"	1	5	5
95930	Die Stock, Solid, 1"	1	5	5
95926	Die Stock, Adj., 1 Round or Hex	1	5	5
95934	Die Stock Adj., 1-7/16" Hex Dies	1	5	5
95951	Screw Pitch Gauge, US Thread, 10-40"	1	5	100
95952	Screw Pitch Gauge, Metric	15	5	100



BOSCH

For more details visit
Boschtools.com

High Speed Steel Taps



Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity
396400	4-40 Plug Tap High Speed Steel	1	5	100
396401	6-32 Plug Tap High Speed Steel	1	5	100
396402	8-32 Plug Tap High Speed Steel	1	5	100
396403	10-24 Plug Tap High Speed Steel	1	5	100
396404	10-32 Plug Tap High Speed Steel	1	5	100
396405	12-24 Plug Tap High Speed Steel	1	5	100
396410	1/4 -20 Plug Tap High Speed Steel	1	5	100
396411	1/4 -28 Plug Tap High Speed Steel	1	5	100
396412	5/16-18 Plug Tap High Speed Steel	1	5	100
396413	5/16-24 Plug Tap High Speed Steel	1	5	50
396414	3/8 -16 Plug Tap High Speed Steel	1	5	100
396415	3/8 -24 Plug Tap High Speed Steel	1	5	50
396416	7/16-14 Plug Tap High Speed Steel	1	5	50
396417	7/16-20 Plug Tap High Speed Steel	1	5	50
396418	1/2 -13 Plug Tap High Speed Steel	1	5	50
396419	1/2 -20 Plug Tap High Speed Steel	1	5	50
396420	9/16-12 Plug Tap High Speed Steel	1	5	50
396421	9/16-18 Plug Tap High Speed Steel	1	5	50
396422	5/8 -11 Plug Tap High Speed Steel	1	5	50
396423	5/8 -18 Plug Tap High Speed Steel	1	5	50
396424	3/4-10 Plug Tap High Speed Steel	1	5	50
396425	3/4-16 Plug Tap High Speed Steel	1	5	50
396430	1/8-27 Plug Tap High Speed Steel	5	5	100
396431	1/4-18 Plug Tap High Speed Steel	5	5	50



High Speed Steel Dies

Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity
396450	4-40 1" Hex Die High Speed Steel	1	5	100
396451	6-32 1" Hex Die High Speed Steel	1	5	100
396452	8-32 1" Hex Die High Speed Steel	1	5	50
396453	10-24 1" Hex Die High Speed Steel	1	5	100
396454	10-32 1" Hex Die High Speed Steel	1	5	50
396455	12-24 1" Hex Die High Speed Steel	1	5	50
396458	1/8-27 1" Hex Die High Speed Steel	1	5	50
396460	1/4-20 1" Hex Die High Speed Steel	1	5	50
396461	1/4-28 1" Hex Die High Speed Steel	1	5	100
396462	5/16-18 1" Hex Die High Speed Steel	1	5	50
396463	5/16-24 1" Hex Die High Speed Steel	1	5	100
396464	3/8 -16 1" Hex Die High Speed Steel	1	5	50
396465	3/8-24 1" Hex Die High Speed Steel	1	5	50
396466	7/16-14 1" Hex Die High Speed Steel	1	5	50
396467	7/16-20 1" Hex Die High Speed Steel	1	5	50
396468	1/2 -13 1" Hex Die High Speed Steel	1	5	100
396469	1/4-18 1-7/16" Hex Die High Speed Steel	1	5	25
396469	1/2 -20 1" Hex Die High Speed Steel	1	5	100
396470	9/16-12 1-7/16" Hex Die High Speed Steel	1	1	25
396471	9/16-18 1-7/16" Hex Die High Speed Steel	1	1	25
396472	5/8-11 1-7/16" Hex Die High Speed Steel	1	1	25
396473	5/8-18 1-7/16" Hex Die High Speed Steel	1	1	25
396474	3/4-10 1-7/16" Hex Die High Speed Steel	1	1	25
396475	3/4-16 1-7/16" Hex Die High Speed Steel	1	1	25
396478	1/2-13 1-7/16" Hex Die High Speed Steel	1	1	25
396479	1/2-20 1-7/16" Hex Die High Speed Steel	1	1	25

Tap Wrenchs

Item #	Description	# Pieces/Pack	Order in Multiples of	Master Pack Quantity
395908	3/8" SQ DR T-Handle Tap Wrench	1	5	-

