

Sanders and Planers

Tools and Accessories



Section Guide

Tools

Belt Sanders.....	145
Orbital Sanders.....	144-145
Random Orbit Sanders.....	142-144
Planers.....	146

Accessories

Sander Accessories	147
Planer Accessories	147
Sanding & Polishing Pads & Belts	148-152

Sanders/Planers

Random Orbit Sanders/Polishers

ROS10 – 5" Palm Random Orbit Sander/Polisher



NEW



- Multi-purpose sander with pad that both orbits and rotates, duplicating natural hand sanding action and delivering a well-blended, ultra-smooth surface finish with fast removal rate
- Comfortable Soft-grip Top and Body - Multiple grip positions to prevent hand fatigue
- Low-vibration Design - Engineered for smooth running and user comfort
- High-performance Soft Microcellular Backing Pad - Provides a fine finish on flat or contoured surfaces
- Hook-Tight™ hook-&-loop disc attachment - Over 35,000 long-life hooks ensure firm grip of disc, (up to 2x the standard number of hooks.)
- Uses industry-standard 8-hole 5" hook-&-loop discs
- Integral pad dampening system - Helps prevent swirl marks
- Bosch Microfilter Dust Canister with integrated paper filter - Optimal system for filtering fine dust

Includes: Soft Backing Pad, Microfilter Dust Canister, Vacuum Hose Adapter for 1-1/4", 1 1/2" and Bosch Vacuum Hoses, Sanding Disc

ROS20VSK – 5" Variable Speed Palm Random Orbit Sander/Polisher Kit



NEW



- Multi-purpose sander with pad that both orbits and rotates, duplicating natural hand sanding action and delivering a well-blended, ultra-smooth surface finish with fast removal rate
- Comfortable Soft-grip Top and Body - Multiple grip positions to prevent hand fatigue
- Low-vibration Design - Engineered for smooth running and user comfort
- High-performance Soft Microcellular Backing Pad - Provides a fine finish on flat or contoured surfaces
- Hook-Tight™ hook-&-loop disc attachment - Over 35,000 long-life hooks ensure firm grip of disc, (up to 2x the standard number of hooks.)
- Uses industry-standard 8-hole 5" hook-&-loop discs
- Integral pad dampening system - Helps prevent swirl marks
- Bosch Microfilter Dust Canister with integrated paper filter - Optimal system for filtering fine dust
- Variable-Speed Dial

Includes: Soft Backing Pad, Microfilter Dust Canister, Vacuum Hose Adapter for 1-1/4", 1 1/2" and Bosch Vacuum Hoses, Sanding Disc, Carrying Case

ROS20VS Woodworker's Journal

Woodworker's Journal completed a comprehensive random orbit sander review testing 19 different sanders. The **Bosch ROS20VS** was picked as the **Best Bet** - "Very smooth operating machine at a good price."



Specifications

Model#	Rating	Amperage	No Load OPM	Eccentric Offset	Disc Size	Length (in.)	Height (in.)	Width (in.)	Weight (lbs.)
ROS10	120V	2.5	12,000	3/64" (1.25mm)	5" (125mm)	9"	6"	5"	3.5
ROS20VSK	120V	2.5	7,500-12,000	3/64" (1.25mm)	5" (125mm)	9"	6"	5"	3.5


BOSCH

For more details visit
Boschtools.com



See pages 147-152 for
sanders/polishers
accessories.

Sanders/Planers

Random Orbit Sanders/Polishers



143

3107DVS – 5" Variable-Speed Random Orbit Sander/Polisher



- Multi-purpose sander with pad that both orbits and rotates, duplicating natural hand sanding action and delivering a well-blended, ultra-smooth surface finish with fast removal rate
- Enhanced Random Orbit Sanding Action - Eccentric orbit diameter of 3/16" (3/32" offset) plus free rotation for fast, swirl-free fine finishing or for aggressive stock removal
- High-performance Soft Microcellular Backing Pad - Conforms to contours, provides a fine finish
- Integral Pad Dampening System - Helps prevent swirl marks
- Bosch Microfilter Dust Canister with integrated paper filter - Optimal system for filtering fine dust
- Multi-position Front Handle Design - Easily folds up or detaches for sanding in tight spots

Includes: 5mm Hex Pad Wrench, Soft Backing Pad, Microfilter Dust Canister, Sanding Disc

3725DEVS – 5" Electronic Variable-Speed Random Orbit Sander/Polisher



- Multi-purpose sander with pad that both orbits and rotates, duplicating natural hand sanding action and delivering a well-blended, ultra-smooth surface finish with fast removal rate
- Enhanced Random Orbit Sanding Action - Eccentric orbit diameter of 3/16" (3/32" offset) plus free rotation for fast, swirl-free fine finishing or for aggressive stock removal
- Soft-Start - Reduces start-up torque
- Constant Response™ Circuitry - Maintains constant speed under load, provides overload protection
- High-performance Soft Microcellular Backing Pad - Conforms to contours, provides a fine finish
- Integral Pad Dampening System - Helps prevent swirl marks
- Rugged Die-cast Aluminum Gear Housing with exclusive dual-bearing pad mount - Long-life design eliminates wobble and vibration
- Bosch Microfilter Dust Canister with Integrated Paper Filter - Optimal system for filtering fine dust

Includes: 5mm Hex Pad Wrench, Soft Backing Pad, Microfilter Dust Canister, Sanding Disc

3727DEVS – 6" Electronic Variable-Speed Random Orbit Sander/Polisher



- Multi-purpose sander with pad that both orbits and rotates, duplicating natural hand sanding action and delivering a well-blended, ultra-smooth surface finish with fast removal rate
- Enhanced Random Orbit Sanding Action - Eccentric orbit diameter of 5/32" (5/64" offset) plus free rotation for fast, swirl-free fine finishing or for aggressive stock removal
- Soft-Start - Reduces start-up torque
- Constant Response™ Circuitry - Maintains constant speed under load, provides overload protection
- High-performance Soft Microcellular Backing Pad - Conforms to contours, provides a fine finish
- Integral Pad Dampening System - Helps prevent swirl marks
- Rugged Die-cast Aluminum Gear Housing with exclusive dual-bearing pad mount - Long-life design eliminates wobble and vibration
- Bosch Microfilter Dust Canister with Integrated Paper Filter - Optimal system for filtering fine dust

Includes: 5mm Hex Pad Wrench, Soft Backing Pad, Microfilter Dust Canister, Sanding Disc

Fine Wood Working **Author's Best Value Choice 2008**

Specifications

Model#	Rating	Amperage	No Load OPM	Eccentric Offset	Disc Size	Length (in.)	Height (in.)	Width (in.)	Weight (lbs.)
3107DVS	120V	3.3	4,500-13,000	3/32" (2.5mm)	5" (125mm)	10.25"	7.625"	5"	5.0
3725DEVS	120V	3.3	4,500-12,000	3/32" (2.5mm)	5" (125mm)	12"	5.25"	5"	5.1
3727DEVS	120V	3.3	4,500-12,000	5/64" (2.0mm)	6" (150mm)	12"	5.25"	6"	5.2



See pages 147-152 for
sanders/polishers
accessories.



Toll free: **877-BOSCH-99**



BOSCH

Sanders/Planers

Orbital Sanders and Random Orbit Sander/Polisher

1250DEVS – 6" Dual-Mode Electronic Random Orbit Sander/Polisher



- Multiple-purpose Sander with Two Sanding Modes: Random orbit mode for normal stock removal or fine finishing and "Turbo" driven eccentric orbit mode for aggressive stock removal at 5x random orbit sander removal rate!
- Mode Selector Switch - Quickly change between random orbit mode and "Turbo" mode
- Soft-Start - Reduces start-up torque
- Constant Response™ Circuitry - Maintains pad speed under heavy loads and protects against overloads
- High-performance Soft Microcellular Backing Pad - Conforms to contours, provides a fine finish
- Integral Pad Dampening System - Helps prevent swirl marks
- Rugged Die-cast Aluminum Gear Housing with Exclusive Dual-bearing Pad Mount - Long-life design eliminates wobble and vibration
- Built-In Dust Port - Passive Dust Collection System. Vacuum cleaner and hose required. Accepts Bosch VAC001, VAC009 and VAC010 vacuum hoses or VAC002 hose adapter

Includes: Dust Tube, Soft Backing Pad, Ambidextrous Auxiliary Handle, 5mm Pad Wrench, Sanding Disc

1294VSK – Corner/Detail Orbital Sander Kit



- Uniform sanding in corners and tight spaces
- True orbital finishing sander motion, not inferior arcing or pivoting motion
- Tool-free Pad Changes - Makes pad changes quick and hassle-free
- Low-vibration Design - Engineered for smooth running and operator comfort
- Ergonomic Soft-grip Top
- 3-position Pad - Extends paper and pad life
- Built-In Dust Port - Passive Dust Collection System. Vacuum cleaner and hose required. Accepts Bosch VAC001, VAC009 and VAC010 vacuum hoses or VAC002 hose adapter

Includes: (20) Sanding Sheets, Extension Plates, Narrow Extensions, Regular Sanding Pad, Carrying Case

1297DK – 1/4 Sheet Orbital Finishing Sander Kit with SheetLoc™



SheetLoc™

- SheetLoc™ Sandpaper Attachment System - Pulls regular sandpaper flat and tight, giving it the benefits of adhesive "stick-on" paper – fast and easy installation; efficient, uniform sanding, and longer paper life, but without stick-on paper's nearly twice-the-price cost
- Rubberized Paper Clamps - For firm, no-slip grip
- Also accepts stick-on paper
- Bosch Microfilter Dust Canister with Integrated Paper Filter - Optimal filtering system of fine dust
- Flush Sanding Ability - Sands close to vertical surfaces on three sides
- 3-point Counterbalance - Low vibration for maximum comfort
- Dust-sealed Rocker Switch - Convenient, easy off and on, keeps dust out
- Ergonomic, Soft Grip Top - For comfort and control

Includes: Paper Punchplate, Sandpaper Sheet, Microfilter Dust Canister, 1/4-Sheet Sanding Pad, Vacuum Hose Adaptors for 1-1/4", 1-1/2" and Bosch Vacuum Hoses, Carrying Bag

Specifications

Model#	Rating	Amperage	No Load OPM	No Load RPM (in Turbo Mode)	Eccentric Offset	Disc Size	Sanding Plate Size (in.)	Paper Size	Stick-on (PSA) Sandpaper Size	Orbit Diameter (in.)	Length (in.)	Height (in.)	Width (in.)	Weight (lbs.)
1250DEVS	120V	6.5	3,100-6,650	270-600	3/32" (2.5mm)	6" (150mm)	6"	N/A	N/A	3/16"	12"	6"	6"	5.3
1294VSK	120V	2.3	13,000-19,000	N/A	N/A	N/A	3-3/4"	N/A	N/A	3/32"	11"	4-3/8"	3-7/8"	2.4
1297DK	120V	2.0	12,000	N/A	N/A	N/A	4-1/2" x 4"	4-1/2" x 5-1/2" (Std. 1/4 sheet)	4-1/2" x 4-1/2" (Std. 1/4 sheet)	1/16"	10"	5-3/4"	4-1/2"	2.7



BOSCH



For more details visit
Boschtools.com



See pages 147-152 for
sanders/polishers
accessories.

145 BOSCH



- Includes:** Allen Key, Paper Punchplate, Microfilter Dust Canister, Sanding Sheet, 1/2-Sheet Sanding Pad


11



- Includes:** Dust Bag Assembly, Graphite Platen Pad, Sanding Belt, Vacuum Hose Adaptor for 1-1/4", 1-1/2" and Bosch Vacuum Hoses

1274DVSK also includes carrying case

Sanders/Planners



**Includes RS006 and VAC002 Adaptors.

Model#	Rating	Amperage	Belt Size (in.)	No Load SFPM	No Load OPM	Paper Size	Orbit Diameter (in.)	Length (in.)	Height (in.)	Width (in.)	Weight (lbs.)
1293D	120V	3.2	N/A	N/A	13,000	4-1/2" x 11" (1/2 sheet)	3/16"	13-1/4"	7-5/8"	4-1/2"	6.3
1274DVS(K)	120V	6.6	3"x 21"	550-1,100	N/A	N/A	N/A	17-3/8"	5-1/8"	5-1/2"	7.25

Sanders/Planers

Planers

3365 – 3-1/4" Planer



- Electronically-Counterbalanced Single-Blade System Automatically Positions Blade at Ideal Cutting Angle - Eliminates uneven planing caused by misaligned blades
- Equipped with Bosch Woodrazor® Micrograin Carbide Blades, which resist fractures from nail and staple strikes - Last up to 2 times longer on 3365 than standard carbide blades on other planers
- Ratcheting Depth Knob - Allows fool-proof setting of depth increments from 0" to 5/64" (2.0mm) within one revolution. No need to re-zero the depth
- Chip Ejection Switch - Directs shavings left or right
- Guide Fence - Ensures consistent planing through entire workpiece
- Park Rest Stand - Protects blade and workpiece
- Lock-off Release Button - Helps avoid accidental starts

Includes: (2) Woodrazor® Blades, Chip Bag, Guide Fence, Blade Wrench

PL1682 – 3-1/4" Planer



NEW



- Electronically-Counterbalanced Single-Blade System Automatically Positions blade at ideal cutting angle - Eliminates uneven planing caused by misaligned blades
- Equipped with Bosch Woodrazor™ Micrograin Carbide Blade, which resist fractures from nail and staple strikes - Lasts up to 2 times longer on PL1682 than standard carbide blades on other planers
- Ratcheting Depth Knob - Allows fool-proof setting of depth increments from 0 to 1/16" (1.5mm) within one revolution. So there is no need to re-zero the depth
- Aluminum front and rear shoes machined together after assembly to ensure accuracy
- Spring-Loaded Park Rest Stand - Protects blade, workpiece, and tool resting spot; special shape allows easy start-up in middle of workpiece
- Edge Guide Fence - Ensures consistent planing through entire workpiece
- Optimally-Angled Handle Design - For comfort and forward motion of tool
- Lock-off Release Button - Helps avoid accidental starts

Includes: (2) Woodrazor® Blades, Chip Bag, Guide Fence, Blade Wrench

1594K – 3-1/4" Planer Kit



- Versatile 2-blade System
 - Equipped with Bosch Woodrazor® Micrograin Carbide Blades - Woodrazors last up to 30% longer than standard carbide blades and resist fractures from nail and staple strikes
 - Can be converted for use with large high-speed steel blades (optional accessories required)
 - Ratcheting Depth Knob - Allows fool-proof setting of depth increments from 0" to 3/32" (2.6mm) within one revolution. No need to re-zero the depth
 - Chip Ejection Switch - Directs shavings left or right
 - Aluminum front and rear shoes machined together after assembly to ensure accuracy
 - Spring-Loaded Park Rest Stand - Protects blade and workpiece; special shape allows easy start-up in middle of workpiece
 - Ambidextrous Lock-off Release Button - Helps avoid accidental starts
 - Optimally-Angled Handle Design - For comfort and forward motion of tool
- Includes:** (2) Woodrazor® Blades, Chip Bag, Bevel Guide Fence, Blade Wrench, Carrying Case

Specifications

Model#	Rating	Amperage	No Load RPM	Planing Depth	Rabbeting Depth (in.)	Maximum Planing Width (in.)	Shoe Length (in.)	Cord Length (ft.)	Weight (lbs.)
3365	120V	5.0	18,000	0 - 5/64" (2.0mm)	0 - 5/16"	0" to 3-1/4"	10-3/4"	10'	5.0
PL1682	120V	6.0	16,500	0 - 1/16" (1.5mm)	0 - 5/16"	0" to 3-1/4"	11-1/8"	10'	6.0
1594K	120V	6.5	16,500	0 - 3/32" (2.5mm)	0 - 5/16"	0" to 3-1/4"	11-1/8"	10'	6.0



BOSCH

For more details visit
Boschtools.com



See pages 147 for
planer accessories.



Sander Attachments

2 608 005 057 Sanding Frame

- Raises sander, reducing sanding pressure
- Adds depth control to belt sander
- Helps prevent gouging of workpiece
- Allows use of belt sander's linear motion for fine finishing
- Fits models 1276D, 1276DVS



SA1051 Sanding Frame

- Raises sander, reducing sanding pressure
- Adds depth control to belt sander
- Helps prevent gouging of workpiece
- Allows use of belt sander's linear motion for fine finishing
- Fits model 1274DVS



Microfilter Dust Canisters

- The optimal on-tool system for collecting fine dust
- Integrated paper filter traps particles as small as a 1/2 micron in diameter
- Easy to empty and clean
- 2609199179: Fits models ROS20VS and ROS10
- RS024: Fits model 1297D
- RS025: Fits models 1295D, 1295DH, 1295DP, 1295DVS
- RS026: Fits models 3107DVS, 3725DVS, 3727DVS, 3725DEVS, 3727DEVS, 1293D



2609199179



RS025

1 608 030 024 Sanding Stand

- Turns your portable belt sander into a stationary sander
- Professional accessory eliminates makeshift solutions
- Clamps sander in horizontal or vertical position
- Use only in conjunction with Sanding Fence 2607001079 (sold separately)
- Fits model 1274DVS



2 607 001 079 Sanding Fence

- Use with sanding stand to shape stock held against belt
- Fences can be mounted alongside belt or across sander
- Use without stand to guide sander on edges
- Fits model 1274DVS



RS006 Hose Adapter for Various Sanders

- Used on Vacuum Hose VAC001, VAC005, VAC006, VAC007, VAC008, VAC009, VAC010, VAC021 or Vacuum Hose Adapter VAC002
- Fits models 1293D, 1295D, 1295DH, 1295DP, 1295DVS, 1297D, 3107DVS, 3725DVS, 3727DVS, 3725DEVS, 3727DEVS



Planer Attachments

PA1202 Woodrazor® Micrograin Carbide Planer Blades

- Toughest, most durable planer blade available
- Lasts up to 30% longer than standard tungsten carbide blades
- 10% sharper than standard carbide blades
- Double-edged, reversible
- Made with micrograin tungsten carbide
- Fits Bosch and most competitive planers



PA1204 HSS Blades with Retainers

- For use with 1594 Planer
- Factory leveled for immediate installation on planer
- Resharpenable
- Bosch PA1206 Blade leveling fixture is required for installation and reinstallation after resharping



PA1205 High-Speed Steel Blades

- For use with 1594 Planer and many competitors' models
- Resharpenable
- HSS blade retainers required
- Bosch PA1206 Blade leveling fixture is required for installation and reinstallation after resharping



2 607 001 077 Bevel Guide Fence

- Allows bevel cutting from 0°-45°
- Two lock knobs and cast bracket for rigidity
- Ensures consistent planing through entire workpiece
- Protective shield covers section of blade not in use
- Fits 3365, 1594, 53514, 53518, and PL1682



PA1203 Guide Fence

- Ensures consistent planing through entire workpiece
- Protective shield covers section of blade not in use
- Fits 3365, 1594, 53514, 53518, and PL1682



PA1206 HSS Blade Leveling Fixture

- For use with 1594 Planer
- Required for installation of new and resharpened PA1205 and PA1204 HSS blades



Rabbeting Depth Stops for Planers

- 2 607 000 073 Fits models 3365, 53514, 53518
- 1 608 132 006 Fits model 1594, PL1682



2 605 411 035 Chip Bag

- Extra-large chip bag keeps work area clean
- Fits 3365, 1594, 53514, 53518, and PL1682



2 610 906 281 Metal Case

- For use with Bosch Planers



Sandpaper

Paint Sanding Discs

Sanding Color Coding Guide



Premium resin bonded aluminum oxide

- Long lasting performance.
- Best for sanding wood, wood composites and other materials.




Stearate coating over double resin bonded aluminum oxide

- Resists clogging for fast / efficient sanding.
- Best for sanding painted, finished or soft surfaces.

Grit Guide

40	Heavy sanding and stripping
60, 80	Moderate sanding and smoothing
100, 120	Light sanding and cleaning
180	Fine sanding/before first coat
240	Very fine sanding/before finish coat
320	Sanding between finish coats

Sanding Discs for Random Orbit Sanders



Sanding Discs for Paint

Ideal for paint and finish removal or sanding softer materials. Features aluminum oxide with special non-stick coating designed to eliminate the dust that often clogs other sandpapers rendering them ineffective. Lasts up to 4X longer than standard sandpaper.

- Superior performance and long life
- Cleanly pre-punched with 6 or 8 holes for uniform dust extraction through the pad without creating unwanted swirl marks or scratches on the work surface
- Available in 5" or 6" discs with hook & loop backing

Item #	Diameter	Grit	Description	Quantity
SR5W000	5"	60-120-240	Hook & loop, 8 holes	6
SR5W040	5"	40	Hook & loop, 8 holes	5
SR5W042	5"	40	Hook & loop, 8 holes	25
SR5W060	5"	60	Hook & loop, 8 holes	5
SR5W062	5"	60	Hook & loop, 8 holes	25
SR5W065	5"	60	Hook & loop, 8 holes	50
SR5W080	5"	80	Hook & loop, 8 holes	5
SR5W082	5"	80	Hook & loop, 8 holes	25
SR5W085	5"	80	Hook & loop, 8 holes	50
SR5W120	5"	120	Hook & loop, 8 holes	5
SR5W122	5"	120	Hook & loop, 8 holes	25
SR5W125	5"	120	Hook & loop, 8 holes	50
SR5W180	5"	180	Hook & loop, 8 holes	5
SR5W240	5"	240	Hook & loop, 8 holes	5
SR5W242	5"	240	Hook & loop, 8 holes	25
SR5W245	5"	240	Hook & loop, 8 holes	50
SR6W000	6"	60-120-240	Hook & loop, 6 holes	6
SR6W040	6"	40	Hook & loop, 6 holes	5
SR6W060	6"	60	Hook & loop, 6 holes	5
SR6W062	6"	60	Hook & loop, 6 holes	25
SR6W080	6"	80	Hook & loop, 6 holes	5
SR6W120	6"	120	Hook & loop, 6 holes	5
SR6W180	6"	180	Hook & loop, 6 holes	5





Sandpaper

Wood/Zirconium Sanding Discs



149



NEW

HEAVY DUTY
Zirconium

Sanding Discs for Wood

Perfect for multi-purpose sanding projects and hard woods such as oak and maple or building boards like plywood. Industrial strength, this paper provides users with the highest quality aluminum oxide grit and resin bonding agent.


- Superior performance and long life
- Bosch sanding discs are cleanly pre-punched with 6 or 8 holes for uniform dust extraction through the pad without creating unwanted swirl marks or scratches on the work surface
- Available in 5" or 6" discs with hook & loop backing

Item #	Diameter	Grit	Description	Quantity
SR5R000	5"	60-120-240	Hook & loop, 8 holes	6
SR5R040	5"	40	Hook & loop, 8 holes	5
SR5R042	5"	40	Hook & loop, 8 holes	25
SR5R045	5"	40	Hook & loop, 8 holes	50
SR5R060	5"	60	Hook & loop, 8 holes	5
SR5R062	5"	60	Hook & loop, 8 holes	25
SR5R065	5"	60	Hook & loop, 8 holes	50
SR5R080	5"	80	Hook & loop, 8 holes	5
SR5R082	5"	80	Hook & loop, 8 holes	25
SR5R085	5"	80	Hook & loop, 8 holes	50
SR5R105	5"	100	Hook & loop, 8 holes	50
SR5R120	5"	120	Hook & loop, 8 holes	5
SR5R122	5"	120	Hook & loop, 8 holes	25
SR5R125	5"	120	Hook & loop, 8 holes	50
SR5R180	5"	180	Hook & loop, 8 holes	5
SR5R182	5"	180	Hook & loop, 8 holes	25
SR5R185	5"	180	Hook & loop, 8 holes	50
SR5R240	5"	240	Hook & loop, 8 holes	5
SR5R242	5"	240	Hook & loop, 8 holes	25
SR5R245	5"	240	Hook & loop, 8 holes	50
SR5R320	5"	320	Hook & loop, 8 holes	5
SR5R322	5"	320	Hook & loop, 8 holes	25
SR5R325	5"	320	Hook & loop, 8 holes	50
SR6R000	6"	60-120-240	Hook & loop, 6 holes	6
SR6R040	6"	40	Hook & loop, 6 holes	5
SR6R042	6"	40	Hook & loop, 6 holes	25
SR6R060	6"	60	Hook & loop, 6 holes	5
SR6R062	6"	60	Hook & loop, 6 holes	25
SR6R080	6"	80	Hook & loop, 6 holes	5
SR6R082	6"	80	Hook & loop, 6 holes	25
SR6R102	6"	100	Hook & loop, 6 holes	25
SR6R120	6"	120	Hook & loop, 6 holes	5
SR6R122	6"	120	Hook & loop, 6 holes	25
SR6R180	6"	180	Hook & loop, 6 holes	5
SR6R182	6"	180	Hook & loop, 6 holes	25
SR6R240	6"	240	Hook & loop, 6 holes	5
SR6R242	6"	240	Hook & loop, 6 holes	25
SR6R320	6"	320	Hook & loop, 6 holes	5
SR6R322	6"	320	Hook & loop, 6 holes	25

Premium Zirconium Sanding Discs

- Self-sharpening Zirconia Alumina abrasive cuts 3X faster and lasts 3X longer than standard aluminum oxide
- Grit is resin bonded to resist heat and humidity
- Heavy "F" weight backing resists tearing
- The harder it is worked, the better it performs on wood, metal and other surfaces

Item #	Diameter	Grit	Description	Quantity
ZR5B000	5"	60-120-220	Hook & Loop 8 Holes, Assortment	5
ZR5B040	5"	40	Hook & Loop 8 Holes	5
ZR5B042	5"	40	Hook & Loop 8 Holes	25
ZR5B044	5"	40	Hook & Loop 8 Holes	50
ZR5B060	5"	60	Hook & Loop 8 Holes	5
ZR5B062	5"	60	Hook & Loop 8 Holes	25
ZR5B064	5"	60	Hook & Loop 8 Holes	50
ZR5B080	5"	80	Hook & Loop 8 Holes	5
ZR5B082	5"	80	Hook & Loop 8 Holes	25
ZR5B084	5"	80	Hook & Loop 8 Holes	50
ZR5B120	5"	120	Hook & Loop 8 Holes	5
ZR5B122	5"	120	Hook & Loop 8 Holes	25
ZR5B124	5"	120	Hook & Loop 8 Holes	50
ZR5B220	5"	220	Hook & Loop 8 Holes	5
ZR5B222	5"	220	Hook & Loop 8 Holes	25
ZR5B224	5"	220	Hook & Loop 8 Holes	50



PSA (Self-adhesive) Sanding Discs

Item #	Diameter	Grit	Description	Quantity
RSP060	5"	60	PSA general purpose sanding disc	25
RSP080	5"	80	PSA general purpose sanding disc	25
RSP120	5"	120	PSA general purpose sanding disc	25
RSP240	5"	240	PSA general purpose sanding disc	25

Sanders/Planers



Toll free: 877-BOSCH-99



BOSCH

Sandpaper

Belts/Detail Sheets

Sanding Belts



Bi-directional sanding belts feature butt-splice construction for smooth running in both directions.

- Designed for superior performance on wood, metal, plastic, fiberglass and other materials
- Open coat aluminum oxide abrasive resists loading for high removal rates and a great finish
- Double resin bonding and x-weight backings provide durability and longer belt life
- Anti static coating backing for highest removal and consistent finish

Item #	Size	Grit	Quantity
SCBR000	1-1/2" x 12"	Assorted	3
SCBR040	1-1/2" x 12"	40	3
SCBR041	1-1/2" x 12"	40	10
SCBR060	1-1/2" x 12"	60	3
SCBR061	1-1/2" x 12"	60	10
SCBR080	1-1/2" x 12"	80	3
SCBR081	1-1/2" x 12"	80	10
SCBR120	1-1/2" x 12"	120	3
SCBR121	1-1/2" x 12"	120	10
SCBR180	1-1/2" x 12"	180	3
SCBR240	1-1/2" x 12"	240	3
SB3R000	3" x 18"	Assorted	3
SB3R040	3" x 18"	40	3
SB3R041	3" x 18"	40	10
SB3R060	3" x 18"	60	3
SB3R061	3" x 18"	60	10
SB3R080	3" x 18"	80	3
SB3R081	3" x 18"	80	10
SB3R100	3" x 18"	100	3
SB3R101	3" x 18"	100	10
SB3R120	3" x 18"	120	3
SB3R121	3" x 18"	120	10
SB4R000	3" x 21"	Assorted	3
SB4R040	3" x 21"	40	3
SB4R041	3" x 21"	40	10
SB4R060	3" x 21"	60	3
SB4R061	3" x 21"	60	10
SB4R080	3" x 21"	80	3
SB4R081	3" x 21"	80	10
SB4R100	3" x 21"	100	3
SB4R101	3" x 21"	100	10
SB4R120	3" x 21"	120	3
SB4R121	3" x 21"	120	10
SB5R000	3" x 24"	Assorted	3
SB5R040	3" x 24"	40	3
SB5R041	3" x 24"	40	10
SB5R060	3" x 24"	60	3
SB5R061	3" x 24"	60	10
SB5R080	3" x 24"	80	3
SB5R081	3" x 24"	80	10
SB5R100	3" x 24"	100	3
SB5R101	3" x 24"	100	10
SB5R120	3" x 24"	120	3
SB5R121	3" x 24"	120	10
SB6R040	4" x 24"	40	3
SB6R041	4" x 24"	40	10
SB6R060	4" x 24"	60	3
SB6R061	4" x 24"	60	10

Sanding Belts (Continued)

Item #	Size	Grit	Quantity
SB6R080	4" x 24"	80	3
SB6R081	4" x 24"	80	10
SB6R100	4" x 24"	100	3
SB6R101	4" x 24"	100	10
SB6R120	4" x 24"	120	3
SB6R121	4" x 24"	120	10

Detail Sanding Sheets for Corner / Detail Sanders & Multi-X™



Detail Sanding Sheets for Paint

Ideal for paint and finish removal or sanding softer materials. Features a special non-stick coating designed to eliminate the dust that often clogs other sandpapers rendering them ineffective. Lasts up to 4X longer than standard sandpaper.

- Premium resin-bonded aluminum oxide open coat with stearate coating
- Front-side punching enhances dust control
- When used with sanders such as the Bosch 1294VSK Corner / Detail Sander Kit, professionals can access corners and edges otherwise difficult to reach
- Fits Bosch 1294VSK and other detail sanders with 6 hole pattern
- Also fits Bosch Multi-X™ and similar oscillating tools

Item #	Grit	Description	Quantity
SDTW000	60-120-240	Assorted grits, hook & loop, 6 holes	6
SDTW040	40	Hook & loop, 6 holes	5
SDTW042	40	Hook & loop, 6 holes	25
SDTW060	60	Hook & loop, 6 holes	5
SDTW062	60	Hook & loop, 6 holes	25
SDTW080	80	Hook & loop, 6 holes	5
SDTW082	80	Hook & loop, 6 holes	25
SDTW120	120	Hook & loop, 6 holes	5
SDTW122	120	Hook & loop, 6 holes	25
SDTW180	180	Hook & loop, 6 holes	5
SDTW182	180	Hook & loop, 6 holes	25
SDTW240	240	Hook & loop, 6 holes	5
SDTW242	240	Hook & loop, 6 holes	25





Detail Sanding Sheets for Wood

Perfect for multi-purpose sanding projects and hard woods such as oak and maple or building boards like plywood. Industrial strength, this paper provides users with the highest quality aluminum oxide grit and resin bonding agent.

- Premium resin-bonded aluminum oxide open coat
- Front-side punching enhances dust control
- When used with sanders such as the Bosch 1294VSK Corner / Detail Sander Kit, professionals can access corners and edges otherwise difficult to reach
- Also fits Bosch Multi-X™ and similar oscillating tools

Item #	Grit	Description	Quantity
SDNR000	60-120-240	Assorted grits, hook & loop, narrow	6
SDTR000	60-120-240	Assorted grits, hook & loop, 6 holes	6
SDNR040	40	Hook & loop, narrow	5
SDTR040	40	Hook & loop, 6 holes	5
SDTR042	40	Hook & loop, 6 holes	25
SDNR060	60	Hook & loop, narrow	5
SDTR060	60	Hook & loop, 6 holes	5
SDTR062	60	Hook & loop, 6 holes	25
SDNR080	80	Hook & loop, narrow	5
SDTR080	80	Hook & loop, 6 holes	5
SDTR082	80	Hook & loop, 6 holes	25
SDNR120	120	Hook & loop, narrow	5
SDTR120	120	Hook & loop, 6 holes	5
SDTR122	120	Hook & loop, 6 holes	25
SDTR180	180	Hook & loop, 6 holes	5
SDTR182	180	Hook & loop, 6 holes	25
SDNR240	240	Hook & loop, narrow	5
SDTR240	240	Hook & loop, 6 holes	5
SDTR242	240	Hook & loop, 6 holes	25



Surface Conditioning Abrasive Triangle Pad

Fits Bosch 1294VSK, Multi-X™, and similar sanders plus oscillating tools

Item #	Description	Quantity
CS101	Coarse for rust, corrosion and finish removal or scuffing	1

Sanding Sheets for Orbital (Finishing) Sanders



Sanding Sheets for Paint

Ideal for paint and finish removal or sanding softer materials. Features a special non-stick coating designed to eliminate the dust that often clogs other sandpapers rendering them ineffective. Lasts up to 4X longer than standard sandpaper.

- Premium resin-bonded aluminum oxide open coat with stearate coating
- Ideal for orbital sanders but also other applications, even hand sanding

Item #	Size	Grit	Quantity
SS4W000	4-1/4" x 5-1/2"	60-120-180	6
SS4W060	4-1/4" x 5-1/2"	60	5
SS4W080	4-1/4" x 5-1/2"	80	5
SS4W120	4-1/4" x 5-1/2"	120	5
SS4W180	4-1/4" x 5-1/2"	180	5
SS1W060	9" x 11"	60	5
SS1W080	9" x 11"	80	5
SS1W120	9" x 11"	120	5
SS1W180	9" x 11"	180	5



Sandpaper Sheets/Backing Pads



Sanding Sheets for Wood

Perfect for multi-purpose sanding projects and hard woods such as oak and maple or building boards like plywood. Industrial strength, this paper provides users with the highest quality aluminum oxide grit and resin bonding agent.

- Premium resin-bonded aluminum oxide open coat
- Ideal for orbital sanders but also other applications, even hand sanding

Item #	Size	Grit	Quantity
SS4R000	4-1/4" x 5-1/2"	60-120-180	6
SS4R060	4-1/4" x 5-1/2"	60	5
SS4R062	4-1/4" x 5-1/2"	60	25
SS4R080	4-1/4" x 5-1/2"	80	5
SS4R082	4-1/4" x 5-1/2"	80	25
SS4R120	4-1/4" x 5-1/2"	120	5
SS4R122	4-1/4" x 5-1/2"	120	25
SS4R180	4-1/4" x 5-1/2"	180	5
SS4R182	4-1/4" x 5-1/2"	180	25
SS1R060	9" x 11"	60	5
SS1R065	9" x 11"	60	Bulk, 50*
SS1R080	9" x 11"	80	5
SS1R085	9" x 11"	80	Bulk, 50*
SS1R120	9" x 11"	120	5
SS1R125	9" x 11"	120	Bulk, 50*
SS1R180	9" x 11"	180	5
SS1R185	9" x 11"	180	Bulk, 50*

*Bulk sheets are individually UPC bar coded.

Backing Pads



RS033

For use with abrasive discs and polishing bonnets on random orbital sanders. The flexible rubber pad allows flat or contour sanding without gouging.

5", 8 hole pads for models ROS10 and ROS20VS

Item #	Description
RS033	Extra Soft, Hook & Loop
RS034	Soft, Hook & Loop
RS035	Hard, Hook & Loop
RS036	Soft, PSA (self-adhesive) sanding disc



RS030

5", 8 hole pads for models 1295DP, 1295D, 1295DH, 1295DVS, 3107DVS, 3725DVS and 3725DEVS

Item #	Description
RS030	Extra Soft, Hook & Loop
RS031	Soft, Hook & Loop
RS032	Hard, Hook & Loop
RSP019	Medium, PSA (self-adhesive disc) sanding disc

6", 6 hole pads for models 1250DEVS and 3727DEVS

Item #	Description
RS6044	Extra Soft, Hook & Loop
RS6045	Soft, Hook & Loop
RS6046	Medium, Hook & Loop
2 600 099 005	6" PSA (self-adhesive) disc adaptor

6", 6 hole pads for model 1370DEVS

Item #	Description
RS6034	Medium, Hook & Loop

Polishing Bonnets & Discs



RS013



RS014

A broad range of polishing and buffing accessories to handle every job. Includes pads, bonnets and buffs in a variety of sizes, pile heights and materials for professional use.

Item #	Diameter	Description	Quantity
RS013	5"	Sponge applicator pad	1
RS014	5"	Buffing pad	1
RS6029	6"	Buffing pad	1
RS6030	6"	Sponge applicator pad	1
RS6031	6"	Hard felt polishing disc for flat surfaces	2
RS6032	6"	Soft felt polishing disc for contoured surfaces	2



BOSCH

For more details visit
Boschtools.com