



Auto Tools Series - Undercar / Engine / Body / General Tools

Automotive

specialty tools for auto mechanical repairs & maintenance.

89

www.toptul.com

AUTO TOOLS SERIES



the choice of professionals

PROFESSIONAL HAND TOOLS

YOUR BEST WORKING PARTNERS

Auto Tools - Undercar Series

90

Ball Joint Separator **-NEW** Black Phosphate Finish (CR-MO)



Drop forged steel body and bolt for long and rough usage.
Suitable for most small cars and light vans.

ITEM NO.	JAW SIZE	MAX. JAW OPENING	L
JEAB0116	19 mm	50 mm	160 mm

Fork Type Ball Joint Separator **-NEW** Black Phosphate Finish



Tempered drop forged steel with one piece construction for long and rough usage.
Robust fork with long length stem replaces worn out ball joints easily with a hammer striking

ITEM NO.	FORK OPENING	L
JEAB0330	24 mm	300 mm
JEAB0440	18 mm	400 mm

Wheel Balancing Weight Pliers **-NEW** With Invisible Spring (CR-V)



Special tool for balancing automotive tires and wheels; installs, removes, trims, levers, hammers and tightens all type of click-on wheel weights

ITEM NO.	SIZE (inch)
JEAA1010	10

Universal Ball Joint Separator **-NEW** (CR-V)



Drop forged steel body and bolt for long and rough usage.
Special design two stage operation provides 30mm & 55mm maximum opening.
Suitable for most small cars and light trucks ball joints in steering and suspension.

ITEM NO.	JAW SIZE	MAX. JAW OPENING	L
JEAB0216	22 mm	55 mm	160 mm

Tire Lever



For tire mounting and removing
With replaceable plastic fixed by screw

ITEM NO.	SIZE (inch)
JCAB2821	21

18PCS Universal Caliper Wind Back Tool Kit **-NEW**



This tool is designed to wind back brake caliper pistons when servicing brake calipers or replacing brake pads.
Expert Quality, left hand and right hand threaded rewind tools allow the easy return of the brake piston into the caliper to provide clearance for new brake pads.
Application for most cars, such as Audi, Ford, Nissan, Alfa Romeo, Saab, Subaru, BMW, Toyota, Jaguar, VW, GM and etc.

ITEM NO.	CONTENTS
JGAI1801	2 Left and right hand threaded rewind tools 1 Reaction plate 16 Brake piston adapters


Universal Ball Joint Separator **-NEW** (CR-V)



For splitting tuck-rod ends, anti-roll bar mountings, ball joints and etc.

ITEM NO.	JAW SIZE	MAX. JAW OPENING	L
JEAB0606	22 mm	50 mm	100 mm


2PCS Coil Spring Compressor Set **-NEW** Black Phosphate Finish



Drop forged chrome molybdenum steel jaws and lead screws (270mm).
Jaw design is suitable for use in confined areas under wheel arch. The tool is designed to wrap coil claws for safety.

ITEM NO.	MAX. JAW OPENING
JEAC0127	270 mm


2PCS Coil Spring Compressor Set **-NEW** Black Phosphate Finish



Drop forged chrome molybdenum steel jaws and lead screws (370mm).
Jaw design is suitable for use in confined areas under wheel arch. The tool is designed to wrap coil claws for safety.

ITEM NO.	MAX. JAW OPENING
JEAC0137	370 mm

FEATURE



Brake Spring Pliers **-NEW** Satin Chrome Finished



Use to remove and install shoe return springs on most drum brakes.
Special socket end design removes spring from anchor stud; notched end installs spring on anchor.

ITEM NO.	SIZE (inch)
JDAL0133	12-3/4



Auto Tools - Undercar Series

Click-R Collar Pliers


NEW

Bearing Separator Set

NEW

Disc Brake Piston Spreader

NEW




For releasing and refitting the new style Clic and Clic-R reusable hose clamp clips
Spring actuated joint, soft grip handles
Overall Length: 180mm (7")
Black Phosphate Finish

ITEM NO.	SIZE
JEAE0107	L=180 mm (7")

CV Boot Clamp Pliers Earless - Type

NEW



Designed to install & remove earless type clamps
Quickly remove CV joint boot clamps
Grips clamp in various position to tighten clamp around
Works on earless-type clamps including GM inboard CV joints
Length: 240mm (9-1/2")
Black Phosphate Finish

ITEM NO.	SIZE
JEAE0209	L=240 mm (9-1/2")

CV Boot Clamp Pliers - Ear Type

NEW



Designed to crimp the ear-type CV boot clamps used on front-wheel drive vehicles
Pliers serve as a hose clamp installer for easy installation of Perma-Quick type hose clamps on fuel filters, water pumps, other cooling system hoses and CV joint boot clamps
Comfort grip handle
Overall Length: 265mm (10-1/2")
Black Phosphate Finish

ITEM NO.	SIZE
JEAE0310	L=265 mm (10-1/2")



ITEM NO.	SIZE(mm)	Extension Rod
JEAD0305	30~50	3/8" x 16T
JEAD0508	50~75	3/8" x 16T
JEAD0811	75~105	M12 x 1.75P
JEAD1115	105~150	5/8" x 11T

8PCS Pressure Screw Bearing Separator Puller Set

NEW



Pull out the bearing with the H-type beam and bolts.

ITEM NO.	CONTENTS
JGAD0801	1 Bearing Separator & Bolt 1 set (Capacity 75~105mm) 2 Main Rod 2 Extension Rod 1 Beam 1 Central Bolt 1 Central Nut

12PCS Bearing Separator Kit

NEW



Pull out the bearing with the H-type beam and bolts.

ITEM NO.	CONTENTS
JGAD1201	1 Bearing Separator & Bolt 1 set (Capacity 30~50mm) 1 Bearing Separator & Bolt 1 set (Capacity 50~75mm) 2 Main Rod 2 Extension Rod 1 Beam 1 Central Bolt



Chemically blacken steel spreader plates
Fits in brake caliper to push back pistons for new brake pads installation
For installing pads on most domestic and import cars and light trucks
Maximum pusher width: 70mm (2-3/4")


ITEM NO.	SIZE
JEAF0107	0~70 mm (2-3/4")

Oil Filter Master Plier


High quality Chrome Vanadium Alloy Steel
Professional heat treated and machined
Adjustable locking pliers design filter wrench
Nickel plated finish
Jaws Opening Range: 2-1/8" to 4-5/8" (53mm~118mm)



ITEM NO.	SIZE (inch)
DMAC1A10	10



Multi-Purpose Plier
Suitable for installing, removing and tightening objects of any shape.



This plier can be adjusted and fastened for applications at any angle.

Pulley Removing Wrench

To lock the pulley during removing or assembling any type of pulley retaining bolt.
High flexibility outperforms the traditional standard strap or chain wrench, and will not damage components.
Ideal for water pump, alternator pulleys and various electric motor pulleys of compressors, washing machines, tool machines and etc.
Also suitable to rotate the cam shaft when timing the engine and to remove oil and gasoline filters.

JDAF1437: V-Belt Pulleys



1. Cord Tension
Low elongation stiff cord is highly resistant to tension and resulting in better power transmission.
2. Rib Rubber
Fiber-contained rubber is greatly resistant to abrasion and breakage.

JDAG1437: Poly-V Belt Pulleys



1. Cover Fabric
Flexible fabric material is resistant to breakage and high temperature and oil-based substances.
2. Cord Tension
Low elongation stiff cord is highly resistant to tension and resulting in better power transmission.
3. Rib Rubber
Fiber-contained rubber is greatly resistant to abrasion and breakage.

ITEM NO.	SIZE	Ø (mm)
JDAF1437	L=365mm (14-3/8")	40-140
JDAG1437	L=365mm (14-3/8")	40-140

Valve Stem Seal Pliers

NEW



High quality metal Seal Removal Tool removes valve stem seals from overhead camshaft engines
Valve pliers reach down around the valve stem into the confined area of the seal for easy removal
Gripping serration in the pliers tip easily grabs both original equipment and aftermarket seals regardless of their configuration
Jaws are serrated for a secure grip on the seal

ITEM NO.	SIZE
JDAT0109	L=245mm (9-1/2")

4PCS

NEW


Miniature Hook & Picks Set



ITEM NO.	CONTENTS
GAAR0401	Mini - Awl Mini - Hook Mini - Bent Tip 45° Mini - Bent Tip 90°

Hook & Pry Tools


NEW



ITEM NO.	CONTENTS
JJAK0201	Radiator hose remover - 80mm(L)
JJAK0101	Cotter pin puller - 125mm(L)
JJAE1011	Door upholstery panel remover - 110mm(L)
JJAJ0813	Scraper - 125mm(L)

AUTO TOOLS - ENGINE SERIES

Valve Spring Compressor -NEW



Reversible jaw adaptor for multi-valve engines
Dual size in adapter 25mm & 30mm adapter

ITEM NO.	CAPACITY
JDAN0143	35~200mm

Piston Ring Compressor



ITEM NO.	HEIGHT (inch)	CAPACITY
JAAA1303	3	53~125mm
JAAA1804	4	90~175mm
JAAA1806	6	90~175mm

3/8" DR. Oxygen Sensor Socket -NEW



Made of Chrome Molybdenum Steel, Heat Treated, Black Oxide Finish
Remove & install sensors on computerized engine control vehicles
3/8" Dr. 7/8" (22mm) 6PT socket with cutaway length 30mm
Portion for wire clearance
Offset design for confined areas

ITEM NO.	SIZE
JDAR1222	22mm

1/2" DR. Oxygen Sensor Socket -NEW



Made of Chrome Vanadium Steel, Heat Treated, Black Oxide Finish
Remove & install sensors on computerized engine control vehicles
1/2" Dr. 1-1/16" (27mm) 12PT socket with cutaway length 78mm
Portion for wire clearance
Offset design for confined areas

ITEM NO.	SIZE
JDAQ1627	27mm

3-Legged Oil Filter Wrench -NEW



Filter Capacity: 65-120mm (2-1/2" to 4-3/4")
Removes all sizes of oil filters from 65 to 120mm in diameter
Use with 1/2" or 3/8" square drive tool or 21mm wrench/socket
Suitable for most cars and light trucks

ITEM NO.	FILTER CAPACITY
JDAI65A2	65~120mm / 2-1/2"~4-3/4"

Oil Filter Wrench - Cup Type



ITEM NO.	CONTENTS
JDAH6606	66mm (2-19/32") - 6 Flutes
JDAH7615	74~76mm (2-29/32"~3") - 15 Flutes
JDAH7608	76mm (3") - 8 Flutes
JDAH7612	76mm (3") - 12 Flutes
JDAH7614	76mm (3") - 14 Flutes
JDAH8616	86mm (3-3/8") - 16 Flutes
JDAH8618	86mm (3-3/8") - 18 Flutes
JDAH9210	92mm (3-40/64") - 10 Flutes
JDAH9315	93mm (3-21/32") - 15 Flutes
JDAH9345	93mm (3-21/32") - 45 Flutes
JDAH9618	96mm (3-3/4") - 18 Flutes
JDAHA615	106mm (4-11/64") - 15 Flutes
JDAHA816	108mm (4-9/32") - 15 Flutes
JDAHA818	108mm (4-8/32") - 18 Flutes

16PCS

Automotive Cup Type Oil Filter Wrench Set



ITEM NO.	CONTENTS
JGA11601	166mm (2-19/32") - 6 Flutes-1 Step 174~76mm (2-29/32"~3") - 15 Flutes-1 Step 176mm (3") - 8 Flutes-1 Step 176mm (3") - 12 Flutes-1 Step 176mm (3") - 14 Flutes-1 Step 186mm (3-3/8") - 16 Flutes-1 Step 186mm (3-3/8") - 18 Flutes-1 Step 192mm (3-40/64") - 10 Flutes-1 Step 193mm (3-21/32") - 15 Flutes-1 Step 193mm (3-21/32") - 45 Flutes-1 Step 196mm (3-3/4") - 18 Flutes-1 Step 106mm (4-11/64") - 15 Flutes-1 Step 108mm (4-8/32") - 15 Flutes-1 Step 108mm (4-8/32") - 18 Flutes-1 Step 3 Legged Oil Filter Tool 2-1/2"~4-3/4"(65~120mm) 1/2" Drive Adaptor 1/2"(F)x3/8"(M)


Two Way Oil Filter Wrench -NEW



Remove oil filters from 66-94 mm diameter
Use with 3/8" square drive tool or 17 mm wrench

ITEM NO.	FILTER SIZE
JDA0808	66~94 mm

Flexible Hose Clamp Pliers -NEW



For replacement of fuel, oil and water hose
Hose clamp with flexible 630 mm wire
Suitable to work in hidden areas and long distance

ITEM NO.	L1 (mm)	L2 (mm)	Max. Ø (mm)
JDAM0163	630	225	53

Straight Tip Lock Ring Pliers -NEW




Used to spread snap rings found on brakes, pedal shaft, transmissions, clutch shafts, machine tools, and some piston rings
Jaws are scored on outside for secure gripping
Drop forged alloy steel, spring loaded joint, comfort grip handle

ITEM NO.	SIZE	SPREAD
JDAP0109	L=215mm (8-1/2")	25mm (1")


Angle Tip Lock Ring Pliers -NEW



ITEM NO.	SIZE	SPREAD
JDAP0209	L=215mm (8-1/2")	25mm (1")




Curved Hose Clamp Pliers -NEW



Finger tip "position lock" design for easy replacement of lower radiator hose
45° bending design to fit clamps in deep position

ITEM NO.	SIZE (inch)
JDAM039C	9-1/4




Finger tip "position lock" design for easy replacement of lower radiator hose.

Hose Clamp Pliers -NEW



ITEM NO.	SIZE (inch)
JDAM028E	8-1/2


Professional Swivel Handle Oil Filter Wrench



Heavy duty oil filter wrench
Swivel handle allows user to reach filters in hard to reach places
Wide band securely grips filters without crushing
Easy grip comfortable handle


ITEM NO.	DIA. CAPACITY
JDAU6073	60 ~ 73mm (2-3/8" ~ 2-7/8")
JDAU7385	73 ~ 85mm (2-7/8" ~ 3-3/8")
JDAU8595	85 ~ 95mm (3-3/8" ~ 3-3/4")
JDAU95B0	95 ~ 110mm (3-3/4" ~ 4-3/8")

Heavy Duty Seal Puller -NEW



Removes Oil & Grease Seals
Two Tips Fit Most Application

ITEM NO.	SIZE (inch)
JDAK0132	12-1/2



NOTE

Check the diameter of the oil filters before obtaining a filter wrench. To ensure using the proper size wrench to best perform the jobs. All oil filters have different diameter capacity included in the description..

95 Auto Tools - Body Series

Stainless Steel Putty Knife



ITEM NO.	SIZE (mm)
JDAB3205	32x100x0.5 mm Flexible Scraper
JDAB5005	50x100x0.5 mm Flexible Scraper
JDAB7605	76x100x0.5 mm Flexible Scraper

Stainless Steel Bolstered Scraper



ITEM NO.	SIZE (mm)
JDAD3218	32x100x1.8 mm Straight Blade
JDAE3218	32x100x1.8 mm Bent Blade
JDAD5018	50x100x1.8 mm Straight Blade

Stainless Steel Pinchweld Scraper



ITEM NO.	SIZE (mm)
JDAD3225	32x100x2.5 mm
JDAC2012	20x50x1.2 mm
JDAC2025	20x50x2.5 mm
JDAD3212	32x100x1.2 mm

3PCS

Stainless Steel Putty Knife Set



ITEM NO.	SIZE (mm)
JGAT0301	76x100x0.5 mm 50x100x0.5 mm 32x100x0.5 mm Flexible Scraper / Putty Knife

3PCS

Stainless Steel Bolstered Scraper Set



ITEM NO.	SIZE (mm)
JGAT0302	150x100x1.8 mm Straight Blade Bolstered Scraper 132x100x1.8 mm Bent Blade 132x100x1.8 mm Straight Blade

4PCS


Stainless Steel Pinchweld Scraper Set



ITEM NO.	SIZE (mm)
JGAT0401	32x100x2.5 mm 20x50x1.2 mm 20x50x2.5 mm 32x100x1.2 mm

Heavy Shrinking Hammer


- Flat Face + Shrink Milled Square Face



ITEM NO.	A(mm)	B(mm)	L(mm)	L1(mm)
JFAB0133	Ø40	38x38	325	100

Light Shrinking Hammer

- Flat Face + Milled Square Face



ITEM NO.	A(mm)	B(mm)	L(mm)	L1(mm)
JFAB0233	Ø40	38x38	325	100

Standard Bumping Hammer



ITEM NO.	A(mm)	B(mm)	L(mm)	L1(mm)
JFAA0133	Ø40	38x38	325	100
JFAA0233	Ø40	38x38	325	98.5

Light Bumping Hammer



ITEM NO.	A(mm)	B(mm)	L(mm)	L1(mm)
JFAA0333	Ø30	27.5x27.5	325	96.5
JFAA0433	Ø30	27.5x27.5	325	97

Pick & Finishing Hammer

- Crowned Face



ITEM NO.	A(mm)	L(mm)	L1(mm)
JFAC0333	Ø40	325	138

Reverse Curve Hammer

- Crowned Face



ITEM NO.	A(mm)	B(mm)	L(mm)	L1(mm)
JFAA0533	Ø29.5	25.5x25.5	325	120

Curved Pein & Finishing Hammer

- Crowned Face



ITEM NO.	A(mm)	L(mm)	L1(mm)
JFAC0233	Ø40	325	140

Straight Pein & Finishing Hammer

- Crowned Face



ITEM NO.	A(mm)	L(mm)	L1(mm)
JFAC0133	Ø40	325	141

Curved Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBA0108	80	58	70

Double End Hand Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBD0208	66.3	61.6	74.6

Angle Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBF0111	110	59	17

Anvil Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBB0110	102	72	62

Large End Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBE0113	90	70	125

Toe Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBG0112	121	58.5	29

Round Peen End Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBC0113	125	Ø54	

Anvil Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBE0215	139	67	146.5

Thin Toe Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBG0212	118	55	24

Double End Round Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBD0106	58	Ø56	

Dome Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBE0315	155	61	30

Grid Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBG0312	121	58.5	30

Shrinking Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBG0412	122	59.5	30

Utility Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBH0107	76	73	66

Curved Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBI0113	132	58.5	44

Heel Dolly



ITEM NO.	L(mm)	W(mm)	H(mm)
JFBJ0108	79	61	30

Drip Moulding Spoon



ITEM NO.	L(mm)	W(mm)	H(mm)
JFCD0124	240	48.8	69.5

Light Dinging Spoon



ITEM NO.	L(mm)	W(mm)	H(mm)
JFCA0127	250	48.4	57.5

Double Blade Spoon



ITEM NO.	L(mm)	W(mm)	H(mm)
JFCC0140	401	58.5	171.5

Flat Spoon



ITEM NO.	L(mm)	W(mm)	H(mm)
JFCB0126	250	19.5	88
JFCB0229	286	51	68.5

7PCS Professional Grade Auto Body Repair Tool Set



Professional quality meets industrial standards. Drop forged tool steel dollies, heat treated, includes Utility Dolly, Curved Dolly, Heel Dolly and Toe Dolly. Drop forged tool steel hammers, selected hickory, includes Pick & Finishing Hammer, Shrinking Hammer and Standard Bumping Hammer. Easy latch case holds all tools securely in place and provides excellent tool protection.

ITEM NO. GAAI0702

CONTENTS

- 1 JFAB0233 - Light Shrinking Hammer (Flat Face + Milled Square Face)
- 1 JFAA0133 - Standard Bumping Hammer
- 1 JFAC0333 - Pick & Finishing Hammer(Crowned Face)
- 1 JFBI0113 - Curved Dolly
- 1 JFBG0112 - Toe Dolly
- 1 JFBJ0108 - Heel Dolly
- 1 JFBH0107 - Utility Dolly

5PCS

Handy Remover Set



For plastic upholstery fasteners. Place tool under edge of door panel and insert into fastener as fast as possible, and then simply pry up. Large support area to protect clips and pad.

ITEM NO.	SIZE
JGAS0501	1 JJAP0516 Remover Wide Type - 60x160mm
	1 JJAP0421 Upholstery Clip Remover - 20x210mm
	1 JJAP0318 Remover Narrow Type - 20x180mm
	1 JJAP0220 Handy Remover - 30x200mm
	1 JJAP0118 Remover Pull Type - 30x180mm



Remover Wide Type



Remover Narrow Type



Handy Remover



Upholstery Clip Remover

NEW Magnetic Car Fender Cover W/Pockets



Perfect for engine repair jobs to avoid paintwork damages. 8 pieces high powered magnets for sure grip. 4 tool holding pockets with a maximum loading weight up to 1.5kg.

ITEM NO.	SIZE
JJAQ1106	1070(W)x600(L) mm (42"x23-1/2")

NEW Trim Clip Removal Pliers



For quick removing staples, clips, door panels, fascia and trim supports without damage. Wide nose design to prevent breaking or tearing panels when undoing facings. Designed for accessing difficult to reach places. Made of Chrome Molybdenum Steel, Black pliers head, comfort grip handle. Total length: 240mm (9-1/2").

ITEM NO.	SIZE
JJAN0109	L=240 mm (9-1/2")

