

Kraftform Stainless Series





Have you ever noticed extraneous rust on stainless steel?

The use of stainless steel tools prevents the formation of extraneous rust on stainless steel screws or surfaces. Extraneous rust on stainless steel is usually caused by carbon steel particles cross contaminating from the use of conventional tools. A galvanic process begins when these particles logged in the screw head come into contact with oxygen.




The Kraftform Stainless blade is made from 100 % stainless steel and prevents extraneous rust on stainless steel screws.



The stainless steel used by Wera has the necessary hardness and rigidity for industrial applications.



Kraftform Stainless is corrosion-resistant even under extreme conditions.



Laser treatment creates a microrough surface on the tip of the blade. The drive end literally bites into the head of the screw. The advantages: less slipping, fewer scratches, higher torque transfer and less screwdriving effort. For slotted, Phillips and Pozidriv screws.



The Kraftform handle has been designed to fit snugly in your hand, and prevents blisters and calluses.



Handle markings include a screw symbol and the size of the tip to help you easily find the right screwdriver in your tool bag or at the workplace.

Kraftform Stainless Series

Keeps rust at bay.

3335 Screwdriver for slotted screws, stainless



Application: For slotted screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05032001002 ¹⁾	0.5	3.0	3.0	80	81	1/8"	3 1/8"	10
05032002002	0.6	3.5	3.5	100	81	9/64"	4"	10
05032003002	0.8	4.0	4.0	100	98	5/32"	4"	10
05032004002	1.0	5.5	5.5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3355 PZ Screwdriver for Pozidriv screws, stainless



Application: Suitable for Pozidriv[®]-screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05032030003 ¹⁾	PZ 0	60	81	3.0	2 3/8"			5
05032031005	PZ 1	80	98	4.5	3 1/8"			10
05032032005	PZ 2	100	105	6.0	4"			10
05032033003	PZ 3	150	112	8.0	6"			5

¹⁾ without Lasertip

²⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

3334 Screwdriver for slotted screws, stainless



Application: For slotted screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05032005002	1.2	6.5	6.0	150	105	1/4"	6"	10
05032006002	1.2	8.0	7.0	175	112	5/16"	7"	10
05032007002	1.6	10.0	9.0	200	112	3/8"	8"	5

3367 Screwdriver for TORX® screws, stainless



Application: For TORX[®] socket screws
Blade: Round
Design: Stainless steel
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05032050002	TX 8	60	81	3.5	2 3/8"			10
05032051002	TX 9	60	81	4.0	2 3/8"			10
05032052002	TX 10	80	81	4.0	3 1/8"			10
05032053002	TX 15	80	98	4.0	3 1/8"			10
05032054002	TX 20	100	98	4.5	4"			10
05032055002	TX 25	100	105	5.0	4"			10
05032056002	TX 27	115	105	5.5	4 9/16"			10
05032057002	TX 30	115	105	6.0	4 9/16"			10
05032058002	TX 40	130	112	7.0	5 3/16"			10

3350 PH Screwdriver for Phillips screws, stainless



Application: For Phillips screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05032020002 ¹⁾	PH 0	60	81	3.0	2 3/8"			5
05032021002	PH 1	80	98	4.5	3 1/8"			10
05032022002	PH 2	100	105	6.0	4"			10
05032023002	PH 3	150	112	8.0	6"			5

¹⁾ without Lasertip

3368 Screwdriver for Square Socket Head screws, stainless



Application: For square socket head screws
Blade: Round
Design: Stainless steel
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05032070002	# 1	80	98	4.5	3 1/8"			10
05032071002	# 2	100	105	6.0	4"			10
05032072002	# 3	150	112	8.0	6"			5

3334/6 Screwdriver Set, stainless + Rack



Application: For slotted and Phillips screws
Content: 6 pieces set in display carton + Rack

Code			
05032060002	● 3334	1 x 1.2x6.5x150	1
	● 3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	⊕ 3350 PH	1 x PH 1x80; 1 x PH 2x100	

¹⁾ without Lasertip


Application: For slotted, Phillips and Pozidriv¹⁾ screws
Content: 6 pieces set in display carton + Rack

Code			
05032063005	● 3334	1 x 1.2x6.5x150	1
	● 3335	1 x 0.5x3.0x80 ¹⁾	
	⊕ 3350 PH	1 x PH 1x80; 1 x PH 2x100	
	⊕ 3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	

¹⁾ without Lasertip

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

3334/3355/6 Screwdriver Set, stainless + Rack



Application: For slotted and Pozidriv¹⁾ screws
Content: 6 pieces set in display carton + Rack

Code			
05032061003	● 3334	1 x 1.2x6.5x150	1
	● 3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	⊕ 3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	

¹⁾ without Lasertip

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

Application: TORX®- and Pozidriv¹⁾-screws
Content: 6 pieces set in display carton + Rack


Code			
05032062005	⊕ 3355 PZ	1 x PZ 1x80; 1 x PZ 2x100	1
	⊕ 3367 TORX®	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100	

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

Kraftform Stainless Series

Keeps rust at bay.

3160 i VDE Screwdriver for slotted screws, stainless



Application: For slotted screws

Blade: Insulated, individually inspected as per IEC 60900 : 2004

Design: Conical edge, Lasertip, Stainless steel for minimizing extraneous rust

Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05022729002 ¹⁾	0.5	3.0	80	81	1/8"	3 1/8"	10
05022730002	0.6	3.5	100	81	9/64"	4"	10
05022731002	0.8	4.0	100	98	5/32"	4"	10
05022732002	1.0	5.5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3162 i VDE PH Screwdriver for Phillips screws, stainless



Application: For Phillips screws

Blade: Insulated, individually inspected as per IEC 60900 : 2004

Design: Lasertip, Stainless steel for minimizing extraneous rust

Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05022733002	PH 1	80	98	3 1/8"			10
05022734002	PH 2	100	105	4"			10

3160 i/7 Screwdriver Set, stainless + Rack



Kraftform Stainless: the safety screwdriver for stainless steel

screws, with Lasertip blade + voltage tester + rack


Application: Slotted and Phillips screws

Contents: Stainless steel, 7 parts set in display box + Rack

Code							
05022728002	3160 i VDE	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125					1
	3162 i VDE	1 x PH 1x80; 1 x PH 2x100					
	3247	1 x 0.5x3.0x70					

¹⁾ without Lasertip

Rack for Kraftform screwdrivers



Code	mm	mm					
05134001002	50.0	190.0					1



How do I prevent extraneous rust when working with stainless steel?



Stainless steel does not rust. However, if conventional steel tools are used on stainless steel elements or stainless steel screws the wear debris of these tools can adhere to the surface and begin to rust. This effect, known as extraneous rust, can impair the visual impact and even cause structural damage, resulting in high costs for the necessary repair work.

Wear debris that causes extraneous rust can be prevented through the use of stainless steel tools.

Kraftform Plus Series 300



Have you ever had blisters on your hands?

Kraftform Plus screwdrivers transfer more torque with less effort, relieving physical stress even during intensive use. Combined with other practical and technical product advantages, such as the Lasertip for a secure fit in the screw, and anti cam-out slip, Kraftform screwdrivers are the perfect choice for manual work. The Kraftform Plus range includes the following profiles: slotted, Phillips, Pozidriv*, TORX®, TORX PLUS®, hexagon socket, hexagon headed, square socket, TRI-WING® and TORQ-SET®. Available in a variety of lengths, from stubby screwdrivers to 250-mm blades.



The Kraftform handle has been designed to fit snugly in your hand and prevents blisters and calluses.



The integral hex shoulder stops the tool from rolling away at the workplace.



The handle hard zones allow the hand to easily glide during hand repositioning. The softer, anti-slip zones ensure full force transfer through the grip.



Laser treatment creates a microrough surface on the tip of the blade. The drive end literally bites into the head of the screw. The advantages: less slipping, fewer scratches, higher torque transfer and less screwdriving effort. For slotted, Phillips and Pozidriv screws.



Handle markings include a screw symbol and the size of the tip to help you easily find the right screwdriver in your tool bag or at the workplace.



The optimised flank base and wedging effect of Wera's TORX® HF profile (HF = holding function) hold TORX® screws securely on the drive tip. Perfect when working in difficult-to-access areas.



More torque can be transferred by attaching an open-jawed or ring spanner to the integrated hexagon bolster.



Many Wera Kraftform Plus screwdrivers sets are sold with a rack for convenient storage and tool retrieval. The rack can be wall-mounted.

Kraftform Plus – Series 300

The right tool for every application.

335 Slotted Screwdriver



Application: For slotted screws
Blade: Round
Design: Mat nickel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05008006002 ¹⁾	0.4	2.0	60	70	2.5	5/32"	2 3/8"	10	
05110000004 ¹⁾	0.4	2.5	60	70	2.5	3/32"	2 3/8"	10	
05008007003 ¹⁾	0.4	2.5	75	70	2.5	3/32"	3"	10	
05008008002 ¹⁾	0.5	3.0	150	81	4.0	1/8"	6"	10	
05008009002 ¹⁾	0.5	3.0	200	81	4.0	1/8"	8"	5	
05110001004 ¹⁾	0.5	3.0	80	81	3.0	1/8"	3 1/8"	10	
05008015003	0.6	3.5	100	81	3.5	9/64"	4"	10	
05110002002	0.6	3.5	125	81	3.5	9/64"	5"	10	
05110003002	0.6	3.5	200	81	3.5	9/64"	8"	5	
05110004004	0.8	4.0	100	98	4.0	5/32"	4"	10	
05110005002	0.8	4.0	150	98	4.0	5/32"	6"	10	
05110006002	0.8	4.0	200	98	4.0	5/32"	8"	5	
05008027004 ¹⁾	0.8	4.0	300	98	4.0	5/32"	12"	2	
05110007003	1.0	5.5	125	98	5.5	7/32"	5"	10	
05008055002	1.0	5.5	150	98	5.5	7/32"	6"	10	
05110008002	1.0	5.5	200	98	5.5	7/32"	8"	5	
05008060002 ¹⁾	1.0	5.5	300	98	5.5	7/32"	12"	2	
05008061002	1.2	6.0	100	105	6.0	5/16"	4"	10	

¹⁾ without Lasertip

334 Slotted Screwdriver



Application: For slotted screws
Blade: Round
Design: Mat nickel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component, sizes: 2.0 x 12.0; 2.5 x 14.0 Kraftform with anti-roll protection, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05007610002	0.8	5.0	100	98	5.0	3/16"	4"	10	
05007620002	1.0	6.0	125	105	6.0	1/4"	5"	10	
05340330003	1.0	6.0	150	105	6.0	1/4"	6"	10	
05110010003	1.2	6.5	150	105	6.0	1/4"	6"	10	
05007635002	1.2	7.0	150	105	7.0	9/32"	6"	10	
05007621002	1.2	6.5	200	105	7.0	9/32"	8"	5	
05110011005	1.2	7.0	175	112	7.0	5/16"	7"	5	
05007640002	1.6	8.0	175	112	7.0	5/16"	7"	5	
05110104004	1.6	10.0	200	112	9.0	3/8"	8"	5	
05110105003 ¹⁾	2.0	12.0	250	117	10.0	1/2"	10"	2	

¹⁾ without Lasertip

334 SK Slotted Screwdriver



Application: For slotted screws
Blade: Hexagonal, with bolster from 0.8 x 4.5
Design: Mat nickel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05007670003	0.6	3.5	4	-	75	81	9/64"	3"	10
05007671003	0.8	4.0	4	-	90	81	5/32"	3 1/2"	10
05007672002	0.8	4.5	5	8	90	98	0.178"	3 1/2"	10
05007673003	1.0	5.5	6	10	100	98	7/32"	4"	10
05007674002	1.2	6.5	6	10	125	105	1/4"	5"	10
05007675003	1.2	7.0	6	10	125	105	9/32"	5"	10
05007676003	1.6	9.0	8	13	150	112	11/32"	6"	10
05007677002	1.6	10.0	8	13	175	112	3/8"	7"	5



Why do some Wera screwdrivers have a gold tip?



Some Kraftform Plus screwdrivers can do more than other similar products. The Lasertip prevents the screwdriver from slipping out of the screw and the holding function of TORX® screwdrivers holds the screw on the screwdriver like a third hand.

These Wera Kraftform Plus screwdrivers have gold tips for easy identification.

350 PH Screwdriver for Phillips screws



Application: For Phillips screws
Blade: Round
Design: Mat nickel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm
05008705004 ¹⁾	PH 0	60	81	3.0	2 3/8"		5
05008706002 ¹⁾	PH 0	100	81	3.0	4"		5
05008710003	PH 1	80	98	4.5	3 1/8"		10
05008712003	PH 1	200	98	4.5	8"		2
05008715002 ¹⁾	PH 1	300	98	4.5	12"		2
05008720003	PH 2	100	105	6.0	4"		10
05008725002	PH 2	200	105	6.0	8"		2
05008730006 ¹⁾	PH 2	300	105	6.0	12"		2
05008735003	PH 3	150	112	8.0	6"		5
05008740002 ¹⁾	PH 4	200	112	10.0	8"		2

¹⁾ without Lasertip

350 SK PH Screwdriver for Phillips screws



Application: For Phillips screws
Blade: Hexagonal, sizes 1 - 3 with bolster
Design: Mat nickel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm
05008750003 ¹⁾	PH 0	4		60	81	2 3/8"	5
05008751003	PH 1	5	8	80	98	3 1/8"	10
05008752003	PH 2	6	10	100	105	4"	10
05008753002	PH 3	8	13	150	112	6"	5

¹⁾ without Lasertip

? How can I prevent the screwdriver from slipping out of the screw?



Screwdrivers can easily slip out of the screw, sometimes damaging expensive or important surfaces. The tip of Wera Lasertip screwdrivers has been microscopically roughened by a laser. This rough surface literally "bites" into the head of the screw. Accidental slipping becomes a thing of the past.

355 PZ Screwdriver for Pozidriv screws



Application: Suitable for Pozidriv¹⁾-screws
Blade: Round
Design: Mat nickel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm
05009305003 ¹⁾	PZ 0	60	81	3.0	2 3/8"		10
05009310003	PZ 1	80	98	4.5	3 1/8"		10
05009312002	PZ 1	200	98	4.5	8"		2
05009313002 ¹⁾	PZ 1	300	98	4.5	12"		2
05009315003	PZ 2	100	105	6.0	4"		10
05009317002	PZ 2	200	105	6.0	8"		2
05347743002	PZ 2	250	105	6.0	10"		2
05009319002 ¹⁾	PZ 2	300	105	6.0	12"		2
05009320002	PZ 3	150	112	8.0	6"		5
05009325002 ¹⁾	PZ 4	200	112	10.0	8"		2

¹⁾ without Lasertip

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

355 SK PZ Screwdriver for Pozidriv screws



Application: Suitable for Pozidriv¹⁾-screws
Blade: Hexagonal, sizes 1 - 3 with bolster
Design: Mat nickel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm
05009340002 ¹⁾	PZ 0	4		60	81	2 3/8"	5
05009341003	PZ 1	5	8	80	98	3 1/8"	10
05009342003	PZ 2	6	10	100	105	4"	10
05009343002	PZ 3	8	13	150	112	6"	5

¹⁾ without Lasertip

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

Kraftform Plus – Series 300

The right tool for every application.

354 Hexagon Screwdriver Hex-Plus

Hex-Plus



Application: For hexagon socket screws
Blade: Round
Design: Hex-Plus, mat nickel
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm		
05023105002	2.0	75	70	3.0	3"	5
05023107002	2.5	75	81	3.0	3"	10
05023110003	3.0	75	81	4.0	3"	10
05023115003	4.0	75	98	5.0	3"	10
05023120003	5.0	80	105	6.0	3 1/8"	10
05023125004	6.0	80	105	7.0	3 1/8"	5
05023130004	8.0	100	112	10.0	4"	5
05023135002	10.0	100	112	12.0	4"	5

352 Ballhead Hexagon Screwdriver



Application: For hexagon socket screws
Blade: Hexagonal
Design: Ball head hexagon, mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component, sizes: W/F 12.0, W/F 1 1/2", Kraftform with anti-roll protection, Weralit II, one component

Code	mm	mm	mm		
05022795005	1.5	60	70	2 3/8"	10
05022800004	2.0	100	70	4"	10
05138070003	2.5	100	81	4"	10
05022805005	3.0	100	81	4"	10
05022810006	4.0	100	98	4"	10
05022815005	5.0	100	105	4"	10
05022820005	6.0	125	105	5"	5
05022825005	8.0	150	112	6"	5
05022830004	10.0	150	112	6"	5
05022835003	12.0	150	117	6"	5
05022905002	5/32"	100	98	4"	5
05022910002	3/16"	100	105	4"	5
05022915002	7/32"	100	105	4"	5
05022920002	1/4"	125	105	5"	5
05022925002	5/16"	150	112	6"	5
05022930002	3/8"	150	112	6"	5
05022935002	1/2"	150	117	6"	5

367 TORX® HF Screwdriver with holding function

TORX® HF



Application: For TORX® socket screws
Blade: Round
Design: With holding function for TORX® screws according to Acument Global Technologies Inc. specifications, mat nickel
Handle: Kraftform with anti-roll protection, multi-component

							
Code		mm	mm	mm			
05028050004	TX 10	80	81	4.0	3 1/8"		10
05028051004	TX 15	80	98	4.0	3 1/8"		10
05028052004	TX 20	100	98	4.5	4"		10
05028053004	TX 25	100	105	5.0	4"		10
05028054002	TX 27	115	105	5.5	4 9/16"		10
05028055004	TX 30	115	105	6.0	4 9/16"		10
05028056002	TX 40	130	112	7.0	5 3/16"		10

TORX® with holding function



The optimised profile wedges the screw to the tool. This is very important in situations where a magnetic screw holder cannot or must not be used (for instance, jobs involving power tools where metal filings attracted by a magnet could affect the screwdriving process, or jobs requiring wedging forces and stainless steel tools, which are non-magnetic because of the nature of the material). The wedging effect can be guaranteed only for tools made to Acument Global Technologies Inc. specifications.

367 TORX® Screwdriver



Application: For TORX® socket screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component

Code		mm	mm	mm		
05028000003	TX 5	60	70	3.5	2 3/8"	10
05028001003	TX 6	60	70	3.5	2 3/8"	10
05028002003	TX 7	60	70	3.5	2 3/8"	10
05028003003	TX 8	60	81	3.5	2 3/8"	10
05028004003	TX 9	60	81	4.0	2 3/8"	10
05028005004	TX 10	80	81	4.0	3 1/8"	10
05028008004	TX 15	80	98	4.0	3 1/8"	10
05028010004	TX 20	100	98	4.5	4"	10
05028012004	TX 25	100	105	5.0	4"	10
05028013004	TX 27	115	105	5.5	4 9/16"	10
05028015004	TX 30	115	105	6.0	4 9/16"	10
05028020005	TX 40	130	112	7.0	5 1/8"	10
05028025004	TX 45	130	112	8.0	5 1/8"	10

367 K Ballpoint-TORX® Screwdriver



Application: For TORX® socket screws
Blade: Round
Design: Ballpoint, mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component

Code		mm	mm	mm		
05027950004	TX 15	80	98	4.0	3 1/8"	5
05027952004	TX 20	100	98	4.5	4"	5
05027954005	TX 25	100	105	5.0	4"	5
05027956004	TX 27	115	105	5.5	4 9/16"	5
05027958004	TX 30	115	105	6.0	4 9/16"	5
05027960003	TX 40	130	112	7.0	5 3/16"	5
05027962002	TX 45	130	112	8.0	5 3/16"	5

367 TORX® B0 Screwdriver



Application: For socket TORX® screws with safety pin
 (B0 = with bore hole)
Blade: Round
Design: With bore hole in TORX® section, mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component

Code		mm	mm	mm		
05138257002	TX 7	60	70	3.5	2 3/8"	5
05138258002	TX 8	60	81	3.5	2 3/8"	5
05138259002	TX 9	60	81	4.0	2 3/8"	5
05138267002	TX 9	300	81	4.0	12"	5
05138260002	TX 10	80	81	4.0	3 1/8"	5
05138268002	TX 10	300	81	4.0	12"	5
05138261004	TX 15	80	98	4.0	3 1/8"	5
05138269002	TX 15	300	98	4.0	12"	2
05138262004	TX 20	100	98	4.5	4"	5
05138270002	TX 20	300	98	4.5	12"	2
05138263002	TX 25	100	105	5.0	4"	5
05138264002	TX 27	115	105	5.5	4 9/16"	5
05138265002	TX 30	115	105	6.0	4 9/16"	5
05138266002	TX 40	130	112	7.0	5 3/16"	5

TORX® with borehole



TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® B0 tools allowing safety screws to be unfastened.

Kraftform Plus – Series 300

The right tool for every application.

367 TORX PLUS® Screwdriver



Application: For TORX PLUS® socket screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm
05028029003	5 IP	60	70	3.5	2 3/8"	5
05028030003	6 IP	60	70	3.5	2 3/8"	5
05028031003	7 IP	60	70	3.5	2 3/8"	5
05028032003	8 IP	60	70	3.5	2 3/8"	5
05028033003	9 IP	60	81	4.0	2 3/8"	5
05028034003	10 IP	80	81	4.0	3 1/8"	5
05028035003	15 IP	80	98	4.0	3 1/8"	5
05028036003	20 IP	100	98	4.5	4"	5
05028037003	25 IP	100	105	5.0	4"	5
05028028002	27 IP	115	105	5.5	4 9/16"	5
05028038003	30 IP	115	105	6.0	4 9/16"	5
05028039002	40 IP	130	112	7.0	5 3/16"	5

371 TORQ-SET® Mplus Screwdriver



Application: TORQ-SET®-screws
Blade: Round
Design: Mplus for greater fracture torque and longer service life, mat nickel
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm
05028130002	6	80	98	4.5	3 1/8"	5
05028132002	8	100	105	6.0	4"	5
05028134002	10	100	105	6.0	4"	5
05028136002	1/4"	125	112	8.0	5"	5


TORX PLUS®



Compared with the "normal", round TORX® profile the elliptical profile of TORX PLUS® tools makes it possible to increase the size of the 6 flanks that transfer torque between the tool and the screw. The force applied by the user is distributed across a larger surface area allowing more torque to be transferred and extending the service life of both the screw and the tool.



How can I prevent frequent breakages of TORQ-SET® bits?



Wera developed the Mplus profile with stronger flanks compared with tools with a conventional TORQ-SET® profile. This results in approximately 70 % extra torsional strength and greatly extends the service life of Wera Mplus tools.

368 Screwdriver for Square Socket Head screws



Application: Square Socket Head Screws
Blade: Round
Design: Mat nickel, Black Point except for sizes 01+02
Handle: Kraftform with anti-roll protection, multi-component, # 2/300;
 # 01/25; # 02/25; Weralit II, one component

Code			mm	mm	mm		
05117680003		# 00	60	81	3.5	2 3/8"	5
05117681003		# 0	60	81	4.0	2 3/8"	5
05117682003		# 1	80	98	4.5	3 1/8"	5
05117683003		# 1	200	98	4.5	8"	5
05117684003		# 2	100	105	6.0	4"	5
05117685003		# 2	200	105	6.0	8"	5
05117691003		# 2	300	105	6.0	12"	2
05117686003		# 3	150	112	8.0	6"	5
05117687004		# 4	200	112	8.0	8"	5
05117688002		# 01	25	54	4.5	1"	5
05117689002		# 02	25	54	6.0	1"	5

375 TRI-WING®-Screwdriver



Application: TRI-WING®-screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component

Code		mm	mm	mm		
05028116003	0	80	81	3.5	3 1/8"	5
05028118003	1	80	81	3.5	3 1/8"	5
05028120004	2	80	98	4.5	3 1/8"	5
05028122004	3	80	98	4.5	3 1/8"	5
05028124004	4	100	98	6.0	4"	5
05028126003	5	100	98	6.0	4"	5

395 H0 Nutspinner



Application: For hexagon headed bolts, nuts and screws
Blade: Round
Design: Hollow shaft for projecting threaded rods, mat nickel
Handle: Kraftform with anti-roll protection, multi-component
TIP: The hollow shaft facilitates tightening and loosening of seized screws and screws on long threaded rods.

							
Code		mm	mm	mm			
05029460002	5.0	70	98	7.2	2 ²⁵ / ₃₂ "		5
05029461002	5.5	70	98	7.2	2 ²⁵ / ₃₂ "		5
05029462002	6.0	70	98	7.2	2 ²⁵ / ₃₂ "		5
05029463002	7.0	80	105	7.2	3 ⁵ / ₃₂ "		5
05029464002	8.0	80	105	9.3	3 ⁵ / ₃₂ "		5
05029465002	10.0	80	112	9.3	3 ⁵ / ₃₂ "		5
05029466002	13.0	80	112	11.0	3 ⁵ / ₃₂ "		5

Kraftform 395 H0



Due to their shape and multi component structure, Kraftform screwdrivers guarantee fast, powerful and ergonomically correct screwdriving. Because of its hollow shaft the article 395 H0 is ideal for applications with drop rods.

395 H0 Nutspinner, Imperial



Application: For hexagon headed bolts, nuts and screws
Blade: Round
Design: Mat nickel, hollow shaft for projecting threaded rods
Handle: Kraftform with anti-roll protection, multi-component
TIP: The hollow shaft facilitates tightening and loosening of seized screws and screws on long threaded rods.

							
Code		mm	mm	mm			
05029501002	3/16"	70	98	7.2	2 25/32"		5
05029502002	1/4"	70	98	7.2	2 25/32"		5
05029503002	5/16"	80	105	9.3	3 5/32"		5
05029504004	11/32"	80	105	9.3	3 5/32"		5
05029505002	3/8"	80	112	9.3	3 5/32"		5
05029506002	7/16"	80	112	11.0	3 5/32"		5
05029507002	1/2"	80	112	11.0	3 5/32"		5

Kraftform Plus – Series 300

The right tool for every application.

334/6 Rack Screwdriver set Kraftform Plus Lasertip + Rack



Application: with Lasertip round blades + rack
For slotted and Phillips screws
Content: 6 pieces set in display carton + rack

Code			
05105650006	● 334	1 x 1.2x6.5x150	1
	● 335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	⊕ 350 PH	1 x PH 1x80; 1 x PH 2x100	

¹⁾ without Lasertip

334 SK/6 Rack Screwdriver set Kraftform Plus Lasertip + Rack



Lasertip hexagon blades

Application: with Lasertip hexagon blades + rack
For slotted and Phillips screws
Content: 6 pieces set in display carton + rack

Code			
05007680003	● 334 SK	1 x 0.6x3.5x75; 1 x 0.8x4.0x90; 1 x 1.0x5.5x100; 1 x 1.2x6.5x125	1
	⊕ 350 SK PH	1 x PH 1x80; 1 x PH 2x100	

334/335/350/7 Rack Screwdriver set Kraftform Plus Lasertip + Rack




Application: with Lasertip blades + rack
For slotted and Phillips screws
Content: 7 pieces set in display carton + rack

Code			
05346278001	● 334	1 x 1.2x6.5x150	1
	● 334 SK	1 x 1.2x6.5x125	
	● 335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 1.0x5.5x150; 1 x 1.2x6.0x100	
	⊕ 350 PH	1 x PH 1x80; 1 x PH 2x100	

¹⁾ without Lasertip



Why do many Wera Kraftform Plus screwdriver sets come with a rack?



Many Wera Kraftform Plus screwdrivers sets are sold with a rack for convenient storage and tool retrieval. The rack can be wall-mounted.

334/368/6 Screwdriver Set + Rack



001



Application: For slotted, Phillips and square-head screws
Content: 6 piece set in display carton + rack

Code			
05347778001	334	1 x 1.2x6.5x150	1
	335	1 x 0.8x4.0x100	
	350 PH	1 x PH 1x80; 1 x PH 2x100	
	368	1 x # 1x80; 1 x # 2x100	

TORX® with holding function



The optimised profile wedges the screw to the tool. This is very important in situations where a magnetic screw holder cannot or must not be used (for instance, jobs involving power tools where metal filings attracted by a magnet could affect the screwdriving process, or jobs requiring wedging forces and stainless steel tools, which are non-magnetic because of the nature of the material). The wedging effect can be guaranteed only for tools made to Acument Global Technologies Inc. specifications.

367/7 HF TORX® HF Kraftform Plus Screwdriver set, with holding function + Rack



Application: TORX®
Content: 7 pieces set in display carton + rack

Code			
05223161002	367 TORX® HF	1 x TX 8x60; 1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100; 1 x TX 27x115; 1 x TX 30x115	1

367/6 TORX® HF Kraftform Plus Screwdriver set, with holding function + Rack



Application: TORX®
Content: 6 pieces set in display carton + rack

Code			
05028059003	367 TORX® HF	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100; 1 x TX 30x115; 1 x TX 40x130	1



Kraftform Plus – Series 300

The right tool for every application.

367/6 Screwdriver Set Kraftform Plus TORX® + Rack



Application: TORX®

Content: 6 pieces set in display carton + rack

Code			
05028062004	367 TORX®	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100; 1 x TX 30x115; 1 x TX 40x130	1

367/6 TORX® B0 Kraftform Plus Safety TORX® Screwdriver Set + Rack



Application:

Content: 6 pieces set in display carton + Rack

Code			
05138250004	367 TORX® B0	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100; 1 x TX 30x115; 1 x TX 40x130	1

395 H0/7 SM Nutspinner Screwdriver Set



Application: For hexagon headed bolts, nuts and screws

Content: 7 pieces set in display carton

Code			
05029510002	395 H0	1 x 5.0x70; 1 x 5.5x70; 1 x 6.0x70; 1 x 7.0x80; 1 x 8.0x80; 1 x 10.0x80; 1 x 13.0x80	1

Kraftform 395 H0



Due to their shape and multi component structure, Kraftform screwdrivers guarantee fast, powerful and ergonomically correct screwdriving. Because of its hollow shaft the article 395 H0 is ideal for applications with drop rods.

Rack for Kraftform screwdrivers



Code			
05134001002	50.0	190.0	1

Stubby Series

The right tool for every application.

336 Stubby/Carburettor Screwdriver



Application: For slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, Weralit II, one component

								
Code	mm	mm	mm	mm	mm			
05110068002	0.6	3.5	25	54	3.5	$\frac{9}{64}$ "	1"	5
05110069003	0.8	4.0	25	54	4.0	$\frac{5}{32}$ "	1"	5
05110070003	1.0	5.5	25	54	5.5	$\frac{7}{32}$ "	1"	5
05110075003	1.2	6.5	25	54	6.5	$\frac{1}{4}$ "	1"	5
05110078002	1.2	8.0	25	54	8.0	$\frac{5}{16}$ "	1"	5

Stubby/Carburettor screwdriver



Application: For Phillips screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform, with anti-roll protection, Weralit II, one component

								
Code		mm	mm	mm				
05008775003	PH 01	25	54	4.5	1"			5
05008780005	PH 02	25	54	6.0	1"			5
05008782002	PH 03	25	54	6.0	1"			5

Accessories

Indispensable aids for screwdrivers.

Wera Star - Magnetizer



									
Code	mm								
05003300008	48,0								20

1427 Awl



Handle: Weralit II, one component
Blade: Through handle

									
Code	mm								
05027405004	105	92	4 3/16"						5

Rack for Kraftform screwdrivers



									
Code									
05134001002	50,0	190,0							1

Kraftform Plus Series 100 VDE



Have you ever had an electric shock?

Kraftform Plus screwdrivers transfer more torque with less effort, relieving physical stress even during intensive use. As with all other Wera tools, safety is also a top priority for series 100 VDE screwdrivers. The quality of the blades exceeds current standards with respect to hardness and torque strength. Each tool is tested for dielectric strength under a 10,000-volt load to guarantee safe working up to 1,000 volts.



Each tool is tested at 10,000 volts in a water bath in accordance with DIN EN 60900 (IEC 60900 : 2004) to guarantee safe working up to 1,000 volts.



Impact strength tested at minus 40 centigrade for safety even under extreme conditions.



The Kraftform handle has been designed to fit snugly in your hand and prevents blisters and calluses.



The handle hard zones allow the hand to easily glide during hand repositioning. The softer, anti-slip zones ensure full force transfer through the grip.



Lasertreatment creates a microrough surface on the tip of the blade. The drive end literally bites into the head of the screw. The advantages: less slipping, fewer scratches, higher torque transfer and less screwdriving effort. For slotted, Phillips and Pozidriv screws.



Handle markings include a screw symbol and the size of the tip to help you easily find the right screwdriver in your tool bag or at the workplace.



The integral hex shoulder stops the tool from rolling away at the workplace.

Kraftform Plus – Series 100 VDE

The safety screwdriver for live working.

160 i VDE Insulated Slotted Screwdriver



Application: For slotted screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Conical tip, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05006100006 ¹⁾	0.4	2.5	80	81	3/32"	3 1/8"	10
05006105005 ¹⁾	0.5	3.0	100	81	1/8"	4"	10
05006110005	0.6	3.5	100	81	9/64"	4"	10
05006115006	0.8	4.0	100	98	5/32"	4"	10
05006116002	0.8	4.0	150	98	5/32"	6"	5
05006120006	1.0	5.5	125	98	7/32"	5"	10
05006121002	1.0	5.5	200	98	7/32"	8"	5
05006125007	1.2	6.5	150	105	1/4"	6"	10
05006126002	1.2	6.5	200	105	7/32"	8"	5
05006130006	1.2	8.0	175	112	5/16"	7"	5
05006135002	1.6	8.0	200	112	5/16"	8"	5
05006140003	1.6	10.0	200	112	3/8"	8"	5

¹⁾ without Lasertip

162 i PH VDE Insulated Screwdriver for Phillips Screws



Application: For Phillips screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05006150006 ¹⁾	PH 0	80	81	3 1/8"			5
05006152006	PH 1	80	98	3 1/8"			5
05006153002	PH 1	150	98	6"			5
05006154007	PH 2	100	105	4"			5
05006159002	PH 2	200	105	8"			5
05006156005	PH 3	150	112	6"			5
05006158005 ¹⁾	PH 4	200	112	8"			2

¹⁾ without Lasertip

165 i PZ VDE Insulated Screwdriver for Pozidriv screws



Application: Suitable for Pozidriv[®]-screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05006160005 ¹⁾	PZ 0	80	81	3 1/8"			5
05006162007	PZ 1	80	98	3 1/8"			5
05006163002	PZ 1	150	98	6"			5
05006164008	PZ 2	100	105	4"			5
05006165002	PZ 2	200	105	8"			5
05006166007	PZ 3	150	112	6"			5
05006168004 ¹⁾	PZ 4	200	112	8"			2

¹⁾ without Lasertip

²⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

162 i PH/S VDE Insulated screwdriver for PlusMinus-screws (Phillips/slotted)



Application: For PlusMinus screws (Phillips/slotted)
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: PlusMinus (Phillips/slotted)
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05006380002	# 1	80	98	3 1/8"			5
05006381002	# 2	100	105	4"			5



How can I prevent the screwdriver from slipping out of the screw?



Screwdrivers can easily slip out of the screw, sometimes damaging expensive or important surfaces. The tip of Wera Lasertip screwdrivers has been microscopically roughened by a laser. This rough surface literally "bites" into the head of the screw. Accidental slipping becomes a thing of the past.

165 i PZ/S VDE Insulated screwdriver for PlusMinus-screws (Pozidriv/slotted)



Application: For PlusMinus screws (Pozidriv[®]/slotted)
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: PlusMinus (Pozidriv[®]/slotted)
Handle: Kraftform with anti-roll protection, multi-component

Code		mm	mm		
05006190002	# 1	80	98	3 1/8"	5
05006191002	# 2	100	105	4"	5

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

PlusMinus screwdrivers



For the use in terminal blocks, control cabinets, switches, relays, sockets etc.


167 i VDE Insulated TORX[®] screwdriver



Application: For TORX[®] socket screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Gunmetal finish
Handle: Kraftform with anti-roll protection, multi-component

Code		mm	mm		
05006169002	TX 9	80	81	3 1/8"	5
05006170003	TX 10	80	81	3 1/8"	5
05006172003	TX 15	80	98	3 1/8"	5
05006174003	TX 20	80	98	3 1/8"	5
05006176003	TX 25	100	105	4"	5
05006177002	TX 27	100	105	4"	5
05006178003	TX 30	100	105	4"	5
05006179002	TX 40	150	112	6"	5

164 i VDE Insulated Hexagon Screwdriver




Application: For hexagon socket screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Gunmetal finish
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm		
05004650002	2.5	80	98	3 1/8"	5
05004655002	3.0	80	98	3 1/8"	5
05004660002	4.0	80	98	3 1/8"	5
05004665002	5.0	80	105	3 1/8"	5
05004670002	6.0	100	105	4"	5
05004675002	8.0	100	112	4"	5

Kraftform Plus – Series 100 VDE

The safety screwdriver for live working.

168 i VDE Insulated Screwdriver for Square Socket Head Screws



Application: Square socket head screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Gunmetal finish
Handle: Kraftform with anti-roll protection, multi-component

Code			mm	mm		
05004780003		# 1	80	98	3 1/8"	5
05004783002		# 1	150	98	6"	5
05004781003		# 2	100	105	4"	5
05004784002		# 2	200	105	8"	5
05004782002		# 3	150	112	6"	5

190 i VDE Insulated Nutspinner



Application: For hexagon headed bolts, screws and nuts
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Gunmetal finish
Handle: Kraftform with anti-roll protection, multi-component

							
Code	mm		mm	mm	mm		
05005300004	5.5		125	98	11.0	5"	5
05005305002	6.0		125	98	12.0	5"	5
05005310003	7.0		125	105	14.0	5"	5
05005315002	8.0		125	105	15.0	5"	5
05005320003	9.0		125	105	16.0	5"	5
05005325002	10.0		125	112	17.0	5"	5
05005330003	11.0		125	112	19.0	5"	5
05005335003	12.0		125	112	20.0	5"	5
05005340003	13.0		125	112	21.0	5"	5
05104900002		3/16"	125	98	11.0	5"	10
05104905002		1/4"	125	98	13.0	5"	10
05104901003		5/16"	125	105	15.0	5"	10
05104906003		3/8"	125	105	17.0	5"	10
05104902003		7/16"	125	112	19.0	5"	10
05104904002		1/2"	125	112	21.0	5"	10
05104903002		9/16"	125	112	23.0	5"	10
05104907002		5/8"	125	112	25.0	5"	10



Where can I find a safe VDE screwdriver?



Our screwdrivers are tested for dielectric strength under a 10,000-volt load in a water bath to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.



How can I find the right screwdriver as quickly as possible?



Handle markings include a screw symbol and the size of the tip to help you easily find the right screwdriver in your tool bag or at the workplace.

247 Single-Pole Voltage Tester



Application: Voltage Testing
Standard: ISO 57680/6 and VDE 0680/6, for 150-250 V

Code	mm	mm	mm	mm	mm	mm	mm
05005655008	0.5	3.0	70	3.0	1/8"	2 3/4"	5

160 i/6 Rack Screwdriver Set Kraftform Plus Series 100 + Rack



Application: Kraftform: The Safety Screwdriver. With Lasertip blade + voltage tester + rack
Content: For slotted and Phillips screws
 6 pieces set in display carton + rack

Code				
05006145006	160 i VDE	1 x 0.4x2.5x80 ¹⁾ ; 1 x 0.5x3.0x100 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125		1
	162 i PH VDE	1 x PH 1x80; 1 x PH 2x100		

¹⁾ without Lasertip

160 i/162 i/168 i/7 Rack Screwdriver Set Kraftform Plus Series 100 + Voltage Tester+ Rack



Application: Kraftform: The Safety Screwdriver.
 With Lasertip blade + voltage tester + Rack
Content: For slotted and Phillips screws
 7 pieces set in display carton + rack

Code				
05346279001	160 i VDE	1 x 0.8x4.0x100; 1 x 1.2x6.5x150		1
	162 i PH VDE	1 x PH 1x80; 1 x PH 2x100		
	168 i VDE	1 x # 2x100		
	170	1 x 0.8x5.0x150		
	4115	1 x 0.5x3.0x65		

160 i/168 i/6 Rack Screwdriver Set Kraftform Plus Series 100 + Rack



Application: Kraftform: The Safety Screwdriver. With Lasertip blade + rack
Content: For slotted, Phillips, and square socket screws
 6 pieces set in display carton + rack

Code				
05347777001	160 i VDE	1 x 0.6x3.5x100; 1 x 1.0x5.5x125		1
	162 i PH VDE	1 x PH 1x80; 1 x PH 2x100		
	168 i VDE	1 x # 1x80; 1 x # 2x100		



How can I prevent the screwdriver from slipping out of the screw?



Screwdrivers can easily slip out of the screw, sometimes damaging expensive or important surfaces. The tip of Wera Lasertip screwdrivers has been microscopically roughened by a laser. This rough surface literally "bites" into the head of the screw. Accidental slipping becomes a thing of the past.

The safety screwdriver for live working.



Code

⊕ 162 i PH/S 1 x # 1x80; 1 x # 2x100
VDE



The colour-coded soft zones of the handle are made of a softer material with more friction for a better grip and power transfer. The red areas with a harder material prevent the handle from sticking to the handle enabling you to change grip quickly.

Kraftform Kompakt VDE




Have you ever taken the wrong VDE screwdriver to a job?

Handle and interchangeable blades – The best tools for the job.

The Wera Kraftform Kompakt VDE assortments feature an insulated handle and a selection of insulated interchangeable blades which can be inserted quickly and easily.

The Kraftform Kompakt VDE sets come with an insulated handle and insulated interchangeable blades that can be changed without special tools.




The handle/interchangeable blade system permits rapid blade changes for a wide range of applications.



Screwdrivers



Tools can be stored and carried in a robust belt pouch so that they are always close at hand.



Each Krafftform Kompakt VDE set has been tested at 10,000 volts in a water bath in accordance with DIN EN 60900 (IEC 60900 : 2004). Safe working is guaranteed by testing the tools at 10,000 volts, which is ten times higher than their maximum permitted load of 1,000 volts.



The 18 pieces sets also include blades for PlusMinus screws, various blades for switchboard cabinets and a voltage tester.

Kraftform Kompakt VDE

Versatile tools for live working.

Kraftform Kompakt VDE 60 i/62 i/68 i/18



1 Kraftform handle 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (154 mm long)
Single-Pole Voltage Tester
18 pieces set

Code			
05347163003	●	817 VDE	1 x 9x102
	⚡	4113	1x0,5x3,0x70
	●	KK 60 i	1 x 0.4x2.5x154; 1 x 0.5x3.0x70; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154
	⊕	KK 62 i	1 x PH 1x154; 1 x PH 2x154
	⊕	KK 62 i PH/S	1 x # 1x154; 1 x # 2x154
	⊕	KK 65 i PZ/S	1 x # 1x154; 1 x # 2x154
	⊕	KK VDE 68 i	1 x # 1x154; 1 x # 2x154
	⊕	KK 96 VK 6,3	1 x 6.3x89
	⊕	KK 97 VK 8,1	1 x 8.1x89
	⊕	KK 98 DK	1 x 89
	⊕	KK 99 FL	1 x 89

Kraftform Kompakt VDE 60 i/68 i/7



1 Kraftform handle 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (154 mm long)
7 pieces set

Code			
05003473002	●	817 VDE	1 x 9x102
	●	KK 60 i	1 x 0.6x3.5x154; 1 x 1.0x5.5x154
	⊕	KK 62 i	1 x PH 1x154; 1 x PH 2x154
	⊕	KK VDE 68 i	1 x # 1x154; 1 x # 2x154

Kraftform Kompakt VDE 60 i/62 i/65 i/18



1 Kraftform handle 817 VDE for Wera VDE interchangeable blades
VDE interchangeable blades (154 mm long)
Single-Pole Voltage Tester
18 pieces set

Code			
05003471008	●	817 VDE	1 x 9x102
	●	247	1 x 0.5x3.0x70
	●	KK 60 i	1 x 0.4x2.5x154; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154
	⊕	KK 62 i	1 x PH 1x154; 1 x PH 2x154
	⊕	KK 62 i PH/S	1 x # 1x154; 1 x # 2x154
	⊕	KK 65 i PZ	1 x PZ 1x154; 1 x PZ 2x154
	⊕	KK 65 i PZ/S	1 x # 1x154; 1 x # 2x154
	⊕	KK 96 VK 6,3	1 x 6.3x89
	⊕	KK 97 VK 8,1	1 x 8.1x89
	⊕	KK 98 DK	1 x 89
	⊕	KK 99 FL	1 x 89

Kraftform Kompakt VDE 60 i/7



1 Kraftform handle 817 VDE for Wera interchangeable blades
VDE interchangeable Blades (154 mm long)
7 pieces set

Code			
05003470003	●	817 VDE	1 x 9x102
	●	KK 60 i	1 x 0.4x2.5x154; 1 x 0.6x3.5x154; 1 x 0.8x4.0x154; 1 x 1.0x5.5x154
	⊕	KK 62 i	1 x PH 1x154; 1 x PH 2x154

817 VDE Kraftform Handle



Application: Wera interchangeable VDE-blades
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	
05003990002	9	102
		1

Kraftform Kompakt VDE 60 i



Application: For slotted screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Drive: 9 mm hexagonal with entry chamfer
Design: Conical blade, gunmetal finish, Black Point

Code	mm	mm	mm			
05003400002	0.4	2.5	154	$\frac{3}{32}$ "	$6\frac{1}{16}$ "	5
05003401002	0.5	3.0	154	$\frac{1}{8}$ "	$6\frac{1}{16}$ "	5
05003402002	0.6	3.5	154	$\frac{9}{64}$ "	$6\frac{1}{16}$ "	5
05003403002	0.8	4.0	154	$\frac{5}{32}$ "	$6\frac{1}{16}$ "	5
05003404002	1.0	5.5	154	$\frac{7}{32}$ "	$6\frac{1}{16}$ "	5
05003405002	1.2	6.5	154	$\frac{1}{4}$ "	$6\frac{1}{16}$ "	5

Kraftform Kompakt VDE 62 i



Application: For Phillips screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Drive: 9 mm hexagonal with entry chamfer
Design: Gunmetal finish, Black Point

Code	mm		
05003410002	PH 0	154	$6\frac{1}{16}$ "
05003411002	PH 1	154	$6\frac{1}{16}$ "
05003412002	PH 2	154	$6\frac{1}{16}$ "

Kraftform Kompakt VDE 65 i



Application: For Pozidriv[®] screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Drive: 9 mm hexagonal with entry chamfer
Design: Gunmetal finish, Black Point

Code	mm		
05003450002	PZ 0	154	$6\frac{1}{16}$ "
05003451002	PZ 1	154	$6\frac{1}{16}$ "
05003452002	PZ 2	154	$6\frac{1}{16}$ "

¹ Pozidriv = reg. trademark of European Industrial Service Ltd.

Kraftform Kompakt VDE 62 i PH/S



Application: PlusMinus screws, slotted/Phillips
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Drive: 9 mm hexagonal with entry chamfer
Design: PlusMinus, slotted/Phillips, gunmetal finish, Black Point

Code	mm		
05003440002	# 1	154	$6\frac{1}{16}$ "
05003441002	# 2	154	$6\frac{1}{16}$ "

Kraftform Kompakt VDE 65 i PZ/S



Application: PlusMinus screws, slotted/Pozidriv[®]
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Drive: 9 mm hexagonal with entry chamfer
Design: PlusMinus, slotted/Pozidriv, gunmetal finish, Black Point

Code	mm		
05003445002	# 1	154	$6\frac{1}{16}$ "
05003446002	# 2	154	$6\frac{1}{16}$ "

¹ Pozidriv = reg. trademark of European Industrial Service Ltd.

Kraftform Kompakt VDE

Versatile tools for live working.

Kraftform Kompakt VDE 68 i



Application: Square Socket Head Screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Drive: 9 mm hexagonal with entry chamfer
Design: Gunmetal finish, Black Point

Code	mm							
05003415002	# 1	154	6 1/16"					5
05003416002	# 2	154	6 1/16"					5

Kraftform Kompakt VDE 64 i



Application: For hexagon socket screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Drive: 9 mm hexagonal with entry chamfer
Design: Gunmetal finish, Black Point

Code	mm	mm						
05003420002	2.5	154	6 1/16"					5
05003421002	3.0	154	6 1/16"					5
05003422002	4.0	154	6 1/16"					5
05003423002	5.0	154	6 1/16"					5
05003424002	6.0	154	6 1/16"					5

Kraftform Kompakt VDE 67 i TORX®



Application: For TORX® socket screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Drive: 9 mm hexagonal with entry chamfer
Design: Gunmetal finish, Black Point

Code	mm							
05003430002	TX 9	154	6 1/16"					5
05003431002	TX 10	154	6 1/16"					5
05003432002	TX 15	154	6 1/16"					5
05003433002	TX 20	154	6 1/16"					5
05003434002	TX 25	154	6 1/16"					5
05003435002	TX 27	154	6 1/16"					5
05003436002	TX 30	154	6 1/16"					5

Kraftform Kompakt 96 VK 6,3



blade for switchboard cabinet, 6,3 mm

Code	mm	mm						
05003460002	6.3	89	3 9/16"					5

Kraftform Kompakt 97 VK 8,1



blade for switchboard cabinet, 8,1 mm

Code	mm	mm						
05003461002	8.1	89	3 9/16"					5

Kraftform Kompakt 98 DK



blade for switchboard cabinet

Code	mm							
05003462002	89	3 9/16"						5


Kraftform Kompakt 99 FL



blade for switchboard cabinet

Code	mm							
05003463002	89	3 9/16"						5

Kraftform Plus Series 900



Have you ever misused a screwdriver?

The chiseldriver is the solution for jobs that require more than just screwdriving. For fastening, chiseling and loosening seized screws or hose clamps.



With a pound-thru hexagon blade made from high-grade material for zero-loss transfer of high forces when struck with a hammer. The tough viscous tempered material prevents the blade from splintering or breaking.



Extra torque can be transferred by attaching an open-jawed or ring spanner to the integrated hexagon bolster.



The Kraftform handle has been designed to fit snugly in your hand and prevents blisters and calluses.



With an integrated impact cap that extends service life and reduces the risk of splintering. With the impact cap in contact with the blade, this tool is vibration free.



The handle hard zones allow the hand to easily glide during hand repositioning. The softer, anti-slip zones ensure full force transfer through the grip.



The integral hex shoulder stops the tool from rolling away at the workplace.

Kraftform Plus – Series 900

The chiseldriver for fastening and chiseling.

932 A Slotted Screwdriver



Application: For slotted screws
Blade: Hexagon "pound-thru" with impact cap, hexagonal bolster from 0.8 x 4.5
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component; sizes 2.0 x 12.0; 2.5 x 14.0 Kraftform with anti-roll protection, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05018260002	0.6	3.5	4	80	81	9/64"	3 1/8"	10	
05018262002	0.8	4.5	5	8	90	98	0.178"	3 1/2"	10
05018264003	1.0	5.5	6	10	100	105	7/32"	4"	10
05018266003	1.2	7.0	6	10	125	105	9/32"	5"	10
05018268002	1.6	9.0	8	13	150	112	11/32"	6"	10
05018270003	1.6	10.0	8	13	175	112	3/8"	7"	5
05018272002	2.0	12.0	10	16	200	117	1/2"	8"	2
05018274002	2.5	14.0	10	16	250	117	9/16"	10"	2

917 SPH Phillips Screwdriver



Application: For Phillips screws
Blade: Hexagon "pound-thru" with impact cap, hexagonal bolster sizes 1 - 4
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component; size 4/200 Kraftform with anti-roll protection, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm	mm
05017005002	PH 1	5	8	80	98	3 1/8"	10
05017010002	PH 2	6	10	100	105	4"	10
05017015002	PH 3	8	13	150	112	6"	5
05017020003	PH 4	10	16	200	117	8"	2



Can I strike the screwdriver with a hammer?



Screwdrivers are often misused for light chiselling work. This is dangerous because conventional screwdrivers have not been designed for this type of work. Handles and blades could splinter and cause injuries.

The Wera chiseldriver has been specially developed for these jobs. The end of the handle has a robust metal impact cap, which is directly connected to the pound-thru hexagonal blade and transfers the full force of the hammer blow. The special tough viscous tempered blade prevents splintering and injuries. More torque can be transferred by attaching an open-jawed or ring spanner to the integrated hexagon bolster.

918 SPZ Screwdriver for Pozidriv screws



Application: Suitable for Pozidriv[®]-screws
Blade: Hexagon "pound-thru" with impact cap, hexagonal bolster sizes 1 - 4
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, multi-component; size 4/200 Kraftform, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm	
05017050005	PZ 1	5	8	80	98	3 1/8"	10
05017052005	PZ 2	6	10	100	105	4"	10
05017054004	PZ 3	8	13	150	112	6"	5
05017056002	PZ 4	10	16	200	117	8"	2

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

977 TORX[®]-Screwdriver



Application: For TORX[®]-socket screws
Blade: Hexagon "pound-thru" with impact cap, hexagonal bolster
Design: Mat nickel, Black Point
Handle: Kraftform, with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05024400003	TX 15	5	8	80	98	3 1/8"	10
05024401003	TX 20	5	8	90	98	3 1/2"	10
05024402003	TX 25	6	10	100	105	4"	10
05024403003	TX 27	6	10	125	105	5"	10
05024404003	TX 30	8	13	150	112	6"	10
05024405003	TX 40	8	13	150	112	6"	10



Why is the Kraftform Plus handle made from several components?



Wera makes its Kraftform handles from several materials with different properties. The core is made from a hardwearing plastic that holds the blade securely even when subjected to great forces. The colour-coded soft zones of the external mantle consist of a softer

material with more friction resistance for high torque transfer. The black areas with a harder surface prevent the hand from sticking to the handle enabling you to adjust your grip more quickly.



How can I prevent blisters on my hands?



Manual screwdriving can be quite painful work. Wera has developed the Kraftform handle with a shape that fits snugly in the hand. An optimum positive fit between the hand and the handle and the choice of materials prevent blisters, calluses and excessive strain. You'll notice the difference, especially when repositioning your hand on the handle.

Kraftform Plus – Series 900

The chiseldriver for fastening and chiseling.

932/6 Screwdriver set Kraftform Wera:
The Chiseldriver + Rack



Application: For slotted and Phillips screws
Content: 6 pieces set in display carton + Rack

Code				
05018282006				1
	+	917 SPH	1 x PH 1x80; 1 x PH 2x100	
	-	932 A	1 x 0.6x3.5x80; 1 x 0.8x4.5x90; 1 x 1.0x5.5x100; 1 x 1.2x7.0x125	

Rack for Kraftform screwdrivers



Code				
05134001002	50,0	190.0		1

977/6 TORX® Screwdriver set Kraftform Wera:
The Chiseldriver + Rack



Application: TORX®
Content: 6 pieces set in display carton + Rack

Code				
05024410003				1
	+	977 TORX®	1 x TX 15x80; 1 x TX 20x90; 1 x TX 25x100; 1 x TX 27x125; 1 x TX 30x150; 1 x TX 40x150	

Kraftform Comfort and Comfort VDE



Have you ever looked for high-quality screwdrivers for universal use?

The depth of its product range ensures that the Kraftform Comfort/Comfort VDE series has all the right tools for universal use. The tools also come with the distinctive Kraftform handle.





The ergonomic multi-component Kraftform handle has different surface structures for quick and effortless working. The Kraftform geometry erases the physical stresses of screwdriving.



Handle markings include a screw symbol and the size of the drive to help you find the right screwdriver in your tool bag or at the workplace straight away.




The integral hex shoulder stops the tool from rolling away at the workplace.



The Wera Black Point tip and a refined hardening process guarantee a long service life, increased corrosion protection and accurate fit.



Wera uses specially hardened bits material for the blades for a longer service life.




VDE tools only: Each tool is tested at 10,000 volts in a water bath in accordance with DIN EN 60900 (IEC 60900 : 2004) to guarantee safe working up to 1,000 volts.

Kraftform Comfort and Comfort VDE

The screwdriver for professional users.

1335 Screwdriver for slotted screws



Application: For slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05031400002	0.4	2.0	60	81	2.5	5/64"	2 3/8"	10
05031401002	0.4	2.5	75	81	2.5	3/32"	3"	10
05031402002	0.5	3.0	80	81	3.0	1/8"	3 1/8"	10
05031403002	0.5	3.0	150	81	3.0	1/8"	6"	10
05031404002	0.5	3.0	200	81	3.0	1/8"	8"	5
05031405002	0.6	3.5	100	81	3.5	9/64"	4"	10
05031406002	0.6	3.5	125	81	3.5	9/64"	5"	10
05031407002	0.6	3.5	200	81	3.5	9/64"	8"	5
05031408002	0.8	4.0	100	98	4.0	5/32"	4"	10
05031409002	0.8	4.0	150	98	4.0	5/32"	6"	10
05031410002	0.8	4.0	200	98	4.0	5/32"	8"	5
05031411002	0.8	4.0	300	98	4.0	5/32"	12"	2
05031412002	1.0	5.5	125	98	5.5	7/32"	5"	10
05031413002	1.0	5.5	150	98	5.5	7/32"	6"	10
05031414002	1.0	5.5	200	98	5.5	7/32"	8"	5
05031415002	1.0	5.5	300	98	5.5	7/32"	12"	2
05031416002	1.2	6.0	100	105	6.0	15/64"	4"	10

1334 Screwdriver for slotted screws



Application: For slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05031420002	0.8	5.0	100	98	3/16"	4"	10	
05031421002	1.0	6.0	125	105	15/64"	5"	10	
05031422002	1.2	6.5	150	105	1/4"	6"	10	
05031423002	1.2	6.5	200	105	1/4"	8"	5	
05031424002	1.2	7.0	150	105	9/32"	6"	10	
05031425002	1.2	8.0	175	112	5/16"	7"	5	
05031426002	1.6	8.0	175	112	5/16"	7"	5	
05031427002	1.6	10.0	200	112	3/8"	8"	5	

1334 SK Screwdriver for slotted screws



Application: For slotted screws
Blade: Hexagonal, with bolster from 0.8 x 4.5
Design: Mat nickel, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05031430002	0.6	3.5	4	-	75	81	9/64"	3"	10
05031431002	0.8	4.0	4	-	90	81	5/32"	3 1/2"	10
05031432002	0.8	4.5	5	8	90	98	0.178"	3 1/2"	10
05031433002	1.0	5.5	6	10	100	98	7/32"	4"	10
05031434002	1.2	6.5	6	10	125	105	1/4"	5"	10
05031435002	1.2	7.0	6	10	125	105	9/32"	5"	10
05031436002	1.6	9.0	8	13	150	112	11/32"	6"	10
05031437002	1.6	10.0	8	13	175	112	3/8"	7"	5

1350 PH Screwdriver for Phillips screws



Application: For Phillips screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05031440002	PH 0	60	81	3.0	2 3/8"	5		
05031441002	PH 1	80	98	4.5	3 1/8"	10		
05031442002	PH 1	200	98	4.5	8"	2		
05031443002	PH 1	300	98	4.5	12"	2		
05031444002	PH 2	100	105	6.0	4"	10		
05031445002	PH 2	200	105	6.0	8"	2		
05031446002	PH 2	300	105	6.0	12"	2		
05031447002	PH 3	150	112	8.0	6"	5		
05031448002	PH 4	200	112	10.0	8"	2		




1350 SK PH Screwdriver for Phillips screws



Application: For Phillips screws
Blade: Hexagonal, sizes 1 - 3 with bolster
Design: Mat nickel, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

							
Code		mm	mm	mm	mm		
05031450002	PH 0	4		60	81	2 3/8"	5
05031451002	PH 1	5	8	80	98	2 3/8"	10
05031452002	PH 2	6	10	100	105	4"	10
05031453002	PH 3	8	13	150	112	4"	5


1367 TORX® screwdriver



Application: For TORX® socket screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	
05031500002	TX 5	60	81	3.5	2 3/8"	10
05031501002	TX 6	60	81	3.5	2 3/8"	10
05031502002	TX 7	60	81	3.5	2 3/8"	10
05031503002	TX 8	60	81	3.5	2 3/8"	10
05031504002	TX 9	60	81	4.0	2 3/8"	10
05031505002	TX 10	80	81	4.0	3 1/8"	10
05031506002	TX 15	80	98	4.0	3 1/8"	10
05031507002	TX 20	100	98	4.5	4"	10
05031508002	TX 25	100	105	5.0	4"	10
05031509002	TX 27	115	105	5.5	4 9/16"	10
05031510002	TX 30	115	105	6.0	4 9/16"	10
05031511002	TX 40	130	112	7.0	5 3/16"	10
05031512002	TX 45	130	112	8.0	5 1/8"	10

1367 TORX® B0 screwdriver



Application: For TORX® socket screws with safety pin (B0 = with bore hole)
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	
05031520002	TX 7	60	81	3.5	2 3/8"	5
05031521002	TX 8	60	81	3.5	2 3/8"	5
05031522002	TX 9	60	81	4.0	2 3/8"	5
05031523002	TX 10	80	81	4.0	3 1/8"	5
05031524002	TX 15	80	98	4.0	3 1/8"	5
05031525002	TX 20	100	98	4.5	4"	5
05031526002	TX 25	100	105	5.0	4"	5
05031527002	TX 27	115	105	5.5	4 9/16"	5
05031528002	TX 30	115	105	6.0	4 9/16"	5
05031529002	TX 40	130	112	7.0	5 1/8"	5

TORX® with borehole



TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® B0 tools allowing safety screws to be unfastened.

Kraftform Comfort and Comfort VDE

The screwdriver for professional users.

1334/6 Screwdriver Set Kraftform Comfort



Application: For slotted and Phillips screws
Content: 6 pieces set in display carton.

Code			
05031551002	●	1334	1 x 1.2x6.5x150
	●	1335	1 x 0.5x3.0x80; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125
	⊕	1350 PH	1 x PH 1x80; 1 x PH 2x100

1367/6 TORX® Screwdriver Set Kraftform Comfort



Application: TORX® screws
Content: 6 pieces set in display carton.

Code			
05031554002	⊗	1367 TORX®	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100; 1 x TX 30x115; 1 x TX 40x130


1334 SK/6 Screwdriver Set Kraftform Comfort



Application: For slotted and Phillips screws
Content: 6 pieces set in display carton.

Code			
05031556002	●	1334 SK	1 x 0.6x3.5x75; 1 x 0.8x4.0x90; 1 x 1.0x5.5x100; 1 x 1.2x6.5x125
	⊕	1350 SK PH	1 x PH 1x80; 1 x PH 2x100


1160 i VDE Insulated slotted screwdriver



Application: For slotted screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Conical tip, gunmetal finish, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	
05031580002	0.4	2.5	80	81	$\frac{3}{32}$ "	$3\frac{1}{8}$ "	10
05031581002	0.5	3.0	100	81	$\frac{1}{8}$ "	4"	10
05031582002	0.6	3.5	100	81	$\frac{9}{64}$ "	4"	10
05031583002	0.8	4.0	100	98	$\frac{5}{32}$ "	4"	10
05031584002	0.8	4.0	150	98	$\frac{5}{32}$ "	6"	5
05031587002	1.0	5.5	125	98	$\frac{7}{32}$ "	5"	10
05031585002	1.0	5.5	200	98	$\frac{7}{32}$ "	8"	5
05031588002	1.2	6.5	150	105	$\frac{1}{4}$ "	6"	10
05031586002	1.2	6.5	200	105	$\frac{1}{4}$ "	8"	5
05031589002	1.2	8.0	175	112	$\frac{5}{16}$ "	7"	5
05031590002	1.6	8.0	200	112	$\frac{5}{16}$ "	8"	5
05031591002	1.6	10.0	200	112	$\frac{3}{8}$ "	8"	5


1162 i PH VDE Insulated screwdriver for Phillips screws



Application: For Phillips screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Gunmetal finish, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code		mm	mm	mm		
05031600002	PH 0	80	81	$3\frac{1}{8}$ "		5
05031601002	PH 1	80	98	$3\frac{1}{8}$ "		5
05031602002	PH 1	150	98	6"		5
05031603002	PH 2	100	105	4"		5
05031604002	PH 2	200	105	8"		5
05031605002	PH 3	150	112	6"		5
05031606002	PH 4	200	112	8"		2

1165 i PZ VDE Insulated screwdriver for Pozidriv screws



Application: Suitable for Pozidriv¹⁾-screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Gunmetal finish, Black Point
Handle: Kraftform Comfort with anti-roll protection, multi-component

Code		mm	mm	mm		
05031610002	PZ 0	80	81	$3\frac{1}{8}$ "		5
05031611002	PZ 1	80	98	$3\frac{1}{8}$ "		5
05031612002	PZ 1	150	98	6"		5
05031613002	PZ 2	100	105	4"		5
05031614002	PZ 2	200	105	8"		5
05031615002	PZ 3	150	112	6"		5

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

Kraftform Comfort and Comfort VDE

The screwdriver for professional users.

1160 i/7 Safety Screwdriver Set Kraftform Comfort VDE
+ Voltage Tester



Application: For slotted and Phillips screws
Content: 7 pieces set in display carton

Code			
05031575002	●	1160 i VDE	1 x 0.4x2.5x80; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125
	⊕	1162 i PH VDE	1 x PH 1x80; 1 x PH 2x100
	●	4115	1 x 0.5x3.0x65
			1



Where can I find a safe VDE screwdriver?



Our screwdrivers are tested for dielectric strength under a 10,000-volt load in a water bath to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

Kraftform Classic and Classic VDE



Have you ever looked for quality screwdrivers for universal use?

Kraftform Classic/Classic VDE screwdrivers include the distinctive Kraftform single component handle.





The ergonomic Kraftform handle erases the physical stresses of screwdriving. The shape of the handle has been designed to fit snugly in your hand so that the whole hand is in contact with the handle.




The integral hex shoulder stops the tool from rolling away at the workplace.



The Wera Black Point tip and a refined hardening process guarantee a long service life and increased corrosion protection.



Wera uses specially hardened bits material for the blades for a longer service life.



VDE tools only: Each tool is tested at 10,000 volts in a water bath in accordance with DIN EN 60900 (IEC 60900 : 2004) to guarantee safe working up to 1,000 volts.

Kraftform Classic and Classic VDE

The economical screwdriver.

1735 Screwdriver for slotted screws



Application: For slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Classic with anti-roll protection, one component

								
Code	mm	mm	mm	mm	mm			
05031209003	0.4	2.5	75	81	2.5	3/32"	3"	10
05031210003	0.5	3.0	80	81	3.0	9/64"	3 1/8"	10
05031211003	0.8	4.0	100	98	4.0	5/32"	4"	10
05031212003	1.0	5.5	125	98	5.5	7/32"	5"	10

1750 PH Screwdriver for Phillips screws



Application: For Phillips screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Classic with anti-roll protection, one component

							
Code		mm	mm	mm			
05031219003	PH 0	60	81	3.0	2 3/8"		5
05031220003	PH 1	80	98	4.5	3 1/8"		10
05031221003	PH 2	100	105	6.0	4"		10
05031222003	PH 3	150	112	8.0	6"		5

1734 Screwdriver for slotted screws



Application: For slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Classic with anti-roll protection, one component

								
Code	mm	mm	mm	mm	mm			
05031200003	1.2	6.5	150	105	6.0	1/4"	6"	10
05031201003	1.2	8.0	175	112	7.0	5/16"	7"	5
05031202003	1.6	10.0	200	112	9.0	3/8"	8"	5

1734/6 Screwdriver Set Kraftform Classic



Application: For slotted and Phillips screws
Content: 6 pieces set in display carton

Code			
05031280002	1734	1 x 1.2x6.5x150	1
	1735	1 x 0.5x3.0x80; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	
	1750 PH	1 x PH 1x80; 1 x PH 2x100	



How do I stop my screwdriver from rolling away?




Every Kraftform screwdriver has anti-roll protection at the lower end of the handle. The hexagonal shape stops screwdrivers from rolling away at the workplace.



Kraftform Classic and Classic VDE

The economical screwdriver.

1760 i VDE Insulated screwdriver for slotted screws



Application: For slotted screws


Blade: Insulated, individually inspected as per IEC 60900 : 2004

Design: Conical tip, gunmetal finish, Black Point

Handle: Kraftform Classic with anti-roll protection, one component

								
Code	mm	mm	mm	mm				
05031240003	0.4	2.5	80	81	3/32"	3 1/8"		10
05031239002	0.5	3.0	100	81	1/8"	4"		10
05031241003	0.6	3.5	100	81	9/64"	4"		10
05031242003	0.8	4.0	100	98	5/32"	4"		10
05031243003	1.0	5.5	125	98	7/32"	5"		10
05031244003	1.2	6.5	150	105	1/4"	6"		10
05031245002	1.6	8.0	200	112	3/8"	8"		5

1762 i PH VDE Insulated screwdriver for Phillips screws



Application: For Phillips screws

Blade: Insulated, individually inspected as per IEC 60900 : 2004

Design: Gunmetal finish, Black Point

Handle: Kraftform Classic with anti-roll protection, one component

								
Code		mm	mm					
05031249002	PH 0	80	81	3 1/8"				5
05031250003	PH 1	80	98	3 1/8"				10
05031251003	PH 2	100	105	4"				10
05031252002	PH 3	150	112	6"				5

1760 i/6 Screwdriver Set Kraftform Classic VDE



Application: For slotted and Phillips screws

Content: 6 pieces set in display carton

								
Code								
05031282002		1760 i VDE	1 x 0.4x2.5x80; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125					1
		1762 i PH VDE	1 x PH 1x80; 1 x PH 2x100					

Kraftform Micro Series



Have you ever lost your patience with precision screw connections?

The three-zone concept of Kraftform Micro screwdrivers reduces fastening times and the cost per screw connection.






The hand support on the easy-turning cap and the fast-turning zone below the cap accelerate the screwdriving process. This makes time-consuming grip adjustments, which are required with conventional precision screwdrivers, unnecessary.



The power zone has integrated soft zones to transfer high tightening or loosening forces without losing contact with the screw.



The precision zone directly above the blade provides a better feel for the rotation angle during fine adjustment work.



The Wera Black Point tip and a refined hardening process guarantee a long service life and increased corrosion protection.

Kraftform Micro Series

The first-class electronic screwdriver.

2035 Electronics Screwdriver for slotted screws



Application: Slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05117990002	0.16	0.8	40	97	2.0	1/32"	1 9/16"	10
05117991002	0.18	1.0	40	97	2.0	0.04"	1 9/16"	10
05117992002	0.20	1.2	40	97	2.0	0.05"	1 9/16"	10
05118000002	0.25	1.2	40	97	2.0	0.05"	1 9/16"	10
05118001002	0.25	1.2	60	97	2.0	0.05"	2 3/8"	10
05118002003	0.23	1.5	40	97	2.0	1/16"	1 9/16"	10
05118003002	0.23	1.5	60	97	2.0	1/16"	2 3/8"	10
05117993002	0.30	1.8	40	97	2.0	0.07"	1 9/16"	10
05118004002	0.30	1.8	60	97	2.0	0.07"	2 3/8"	10
05118005002	0.40	2.0	40	97	2.5	5/64"	1 9/16"	10
05118006004	0.40	2.0	60	97	2.5	5/64"	2 3/8"	10
05118007002	0.40	2.0	100	97	2.5	5/64"	4"	10
05117994002	0.40	2.5	50	97	2.5	3/32"	2"	10
05118008004	0.40	2.5	80	97	2.5	3/32"	3 1/8"	10
05118009002	0.40	2.5	100	97	2.5	3/32"	4"	10
05117995002	0.50	3.0	50	97	3.0	1/8"	2"	10
05118010003	0.50	3.0	80	97	3.0	1/8"	3 1/8"	10
05118011002	0.50	3.0	100	97	3.0	1/8"	4"	10
05117996002	0.50	3.0	150	97	4.0	5/32"	4"	10
05118012004	0.60	3.5	80	97	4.0	9/64"	3 1/8"	10
05118014004	0.80	4.0	80	97	4.0	5/32"	3 1/8"	10
05118015002	0.80	4.0	100	97	4.0	5/32"	4"	10
05118016002	0.80	4.0	150	97	4.0	5/32"	6"	10

2050 PH Electronics Screwdriver for Phillips screws



Application: Phillips-Recess
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05118019002	PH 00	40	97	2.5	1 9/16"			10
05118020004	PH 00	60	97	3.0	2 3/8"			10
05118022004	PH 0	60	97	3.0	2 3/8"			10
05118023002	PH 1	60	97	4.0	2 3/8"			10
05118024004	PH 1	80	97	4.0	3 1/8"			10
05118025002	PH 1	100	97	4.0	4"			10

2055 PZ Electronics Pozidriv Screwdriver



Application: Suitable for Pozidriv[®] screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05118030003	PZ 0	60	97	3.0	2 3/8"			10
05118032003	PZ 1	80	97	4.0	3 1/8"			10

¹ Pozidriv = reg. trademark of European Industrial Service Ltd.

2067 Electronics TORX[®] HF Screwdriver with holding function



Application: For TORX[®] socket screws
Blade: Round
Design: With holding function for TORX[®] screws according to Acument Global Technologies Inc. specifications, mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05118180002	TX 4	40	97	2.5	1 9/16"			5
05118181002	TX 5	40	97	3.0	1 9/16"			5
05118182002	TX 6	40	97	3.0	1 9/16"			5
05118183002	TX 7	60	97	3.0	2 3/8"			5
05118184002	TX 8	60	97	3.0	2 3/8"			5
05118185002	TX 9	60	97	4.0	2 3/8"			5
05118186002	TX 10	60	97	4.0	2 3/8"			5
05118187002	TX 15	60	97	4.0	2 3/8"			5
05118188002	TX 20	60	97	4.0	2 3/8"			5



How can I hold my TORX[®] screw securely on the screwdriver?



The electronic TORX[®] HF screwdriver with holding function literally presses the screw onto the screwdriver. The conical driving flanks that taper toward the tip of the tool, the optimised flank base and the ideal engage depth hold the screw securely on the blade.

2067 Electronics TORX® Screwdriver



Application: TORX® socket screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code		mm	mm	mm		
05118035002	TX 1	40	97	2.0	1 9/16"	5
05118036002	TX 2	40	97	2.0	1 9/16"	5
05118037002	TX 3	40	97	2.0	1 9/16"	5
05118039002	TX 4	40	97	2.5	1 9/16"	5
05118040003	TX 5	40	97	3.0	1 9/16"	5
05118042003	TX 6	40	97	3.0	1 9/16"	5

2067 Electronics TORX® B0 Screwdriver



Application: For TORX® socket screws with safety pin (B0 = with bore hole)
Blade: Round
Design: With bore hole in TORX® section, mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code		mm	mm	mm		
05118044003	TX 7 B0	60	97	3.0	1 9/16"	5
05118046003	TX 8 B0	60	97	3.0	2 3/8"	5
05118048003	TX 9 B0	60	97	4.0	2 3/8"	5
05118050003	TX 10 B0	60	97	4.0	2 3/8"	5
05118052003	TX 15 B0	60	97	4.0	2 3/8"	5
05118054003	TX 20 B0	60	97	4.0	2 3/8"	5

TORX®



TORX® drive profiles transfer torque between tool and screw by line or surface contact rather than point contact as many other profiles. This protects both the screw and the tool profile. It also increases the amount of torque and power that can be transferred.

TORX® with borehole



TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® B0 tools allowing safety screws to be unfastened.

Kraftform Micro Series

The first-class electronic screwdriver.

2067 Electronics TORX PLUS® Screwdriver



Application: For TORX PLUS® socket screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm
05118200002	IP 4	40	97	2.5	1 9/16"	5
05118201002	IP 5	40	97	3.0	1 9/16"	5
05118202002	IP 6	40	97	3.0	1 9/16"	5
05118203002	IP 7	60	97	3.0	2 3/8"	5
05118204002	IP 8	60	97	3.0	2 3/8"	5
05118205002	IP 9	60	97	4.0	2 3/8"	5
05118206002	IP 10	60	97	4.0	2 3/8"	5
05118207002	IP 15	60	97	4.0	2 3/8"	5
05118208002	IP 20	60	97	4.0	2 3/8"	5

2054 Electronics Hexagon Screwdriver

Hex-Plus



Application: For Hexagon socket screws
Blade: Round
Design: Hex-Plus, mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm
05118060003	0.7	40	97	3.0	1 9/16"	5
05118062003	0.9	40	97	3.0	1 9/16"	5
05118064003	1.3	40	97	3.0	1 9/16"	5
05118066002	1.5	60	97	3.0	2 3/8"	5
05118068003	2.0	60	97	3.0	2 3/8"	5
05118070003	2.5	60	97	4.0	2 3/8"	5
05118072003	3.0	60	97	4.0	2 3/8"	5
05118074002	0.05"	40	97	3.0	1 9/16"	5
05118076002	1/16"	60	97	3.0	2 3/8"	5
05118078002	5/64"	60	97	3.0	2 3/8"	5
05118080002	3/32"	60	97	4.0	2 3/8"	5
05118082002	7/64"	60	97	4.0	2 3/8"	5
05118075002	1/8"	60	97	4.0	2 3/8"	5

2052 Electronics Ballhead Hexagon Screwdriver



Application: Ball-head design for hex socket screws
Blade: Round
Design: Hexagon ball head, mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm
05118089002	1.3	60	97	3.0	2 3/8"	5
05118090002	1.5	60	97	3.0	2 3/8"	5
05118092002	2.0	60	97	3.0	2 3/8"	5
05118094002	2.5	60	97	4.0	2 3/8"	5
05118096002	3.0	60	97	4.0	2 3/8"	5
05118098002	1/16"	60	97	3.0	2 3/8"	5
05118100002	5/64"	60	97	3.0	2 3/8"	5
05118102002	3/32"	60	97	3.0	2 3/8"	5
05118106002	7/64"	60	97	4.0	2 3/8"	5
05118103002	1/8"	60	97	4.0	2 3/8"	5

2069 Electronics Nutspinner



Application: For hexagon headed screws
Blade: Round
Design: Mat nickel
Handle: Kraftform Micro with anti-roll protection and rotating cap, multi-component

Code	mm	mm	mm	mm	mm	mm
05118108002	1.5	60	97	4.0	2 3/8"	5
05118109002	1.8	60	97	4.0	2 3/8"	5
05118110002	2.0	60	97	4.0	2 3/8"	5
05118112002	2.5	60	97	4.0	2 3/8"	5
05118114002	3.0	60	97	5.0	2 3/8"	5
05118116002	3.2	60	97	5.0	2 3/8"	5
05118120002	4.0	60	97	5.5	2 3/8"	5
05118122002	4.5	60	97	6.2	2 3/8"	5
05118124002	5.0	60	97	7.0	2 3/8"	5
05118126002	5.5	60	97	7.8	2 3/8"	5
05118128002	3/32"	60	97	5.7	2 3/8"	5
05118130002	7/64"	60	97	5.7	2 3/8"	5
05118132002	1/8"	60	97	5.7	2 3/8"	5
05118134002	9/64"	60	97	5.7	2 3/8"	5
05118136002	5/32"	60	97	5.7	2 3/8"	5
05118135002	3/16"	60	97	-	2 3/8"	5
05118137002	7/32"	60	97	-	2 3/8"	5

2035/6 A Electronics Screwdriver Set + Rack



Application: For slotted and Phillips screws
Content: 6 pieces in a display carton + Rack

Code				
05118150003	●	2035 Micro	1 x 0.30x1.8x60; 1 x 0.40x2.0x60; 1 x 0.40x2.5x80; 1 x 0.50x3.0x80	1
	⊕	2050 PH	1 x PH 00x60; 1 x PH 0x60	

2067/6 Electronics TORX® B0 Screwdriver Set + Rack



Application: TORX® socket screws with safety pin (B0 = with bore hole)
Content: 6 pieces in a display carton + Rack

Code				
05118154003	⊗	2067 TORX® B0	1 x TX 7 B0x60; 1 x TX 8 B0x60; 1 x TX 9 B0x60; 1 1 x TX 10 B0x60; 1 x TX 15 B0x60; 1 x TX 20 B0x60	1

2035/6 B Electronics Screwdriver Set + Rack



Application: For slotted and Phillips screws
Content: 6 pieces in a display carton + Rack

Code				
05118152003	●	2035 Micro	1 x 0.40x2.5x80; 1 x 0.50x3.0x80; 1 x 0.60x3.5x80; 1 x 0.80x4.0x80	1
	⊕	2050 PH	1 x PH 0x60; 1 x PH 1x80	

2052/6 Electronics Hexagon Screwdriver Set + Rack



Application: Ball head for hexagon socket screws
Content: 6 pieces in display carton + Rack

Code				
05118156003	○	2052	1 x 1.5x60; 1 x 2.0x60; 1 x 2.5x60; 1 x 3.0x60	1
	○	2054	1 x 0.9x40; 1 x 1.3x40	

Kraftform Micro Series

The first-class electronic screwdriver.



How can I hold my screw securely on the screwdriver?



With the Wera Star Magnetizer/Demagnetizer. Simply draw the tool along the positive side of the Wera Star and the tool holds the screw securely on the blade. Demagnetize the tool by drawing it along one of the four negative sides. You'll find the Wera Star on page 36.

2069/6 Electronics Screwdriver Set + Rack



Application: For hex-head screws
Content: 6 pieces in display carton + Rack

				
Code				
05118158003	 2069	1 x 2.0x60; 1 x 2.5x60; 1 x 3.0x60; 1 x 3.5x60; 1 x 4.0x60; 1 x 5.0x60		

Rack for Kraftform Micro screwdrivers



								
Code	mm	mm						
05134002002	190.0	80						1

ESD Series



Have you ever risked damage to components from static electricity?

The use of large-scale integrated circuits (IC) has led to increasingly smaller electrical devices. However, ICs usually malfunction or fail completely when exposed to electrostatic energy fields. This makes ESD-safe screwdrivers absolutely essential.



The electric surface resistance of Wera's ESD material is $10^6 - 10^9$ ohm. This protects components against static electricity and associated damage.



The Wera Black Point tip and a refined hardening process guarantee a long service life and increased corrosion protection.



The requirements for ESD-safe screwdrivers are specified in DIN EN 61340-5-1, and include a handle made from a defined conductive material. Products from Wera's ESD series comply with this standard and meet the even stricter requirements of several high-tech companies.



The hand support on the easy-turning cap and the fast-turning zone below the cap accelerate the screwdriving process. The Kraftform Micro ESD screwdriver makes time-consuming grip adjustments, which are required with conventional precision screwdrivers, unnecessary.



The power zone has integrated soft zones to transfer high tightening or loosening forces without losing contact with the screw.



The precision zone directly above the blade provides a better feel for the rotation angle during fine adjustment work.

ESD Series

ESD-safe tools.

1578 A Kraftform Micro Slotted Screwdriver



Application: For slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap; multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm
05030100002	0.25	1.2	40	97	2.5	0.05"	1 9/16"	5
05030101002	0.23	1.5	40	97	2.5	1/16"	1 9/16"	5
05030102002	0.30	1.8	60	97	2.5	0.07"	2 3/8"	5
05030103002	0.40	2.0	60	97	2.5	5/64"	2 3/8"	5
05030104002	0.40	2.5	80	97	2.5	3/32"	3 1/8"	5
05030105002	0.50	3.0	80	97	3.0	1/8"	3 1/8"	5
05030106002	0.60	3.5	80	97	4.0	9/64"	3 1/8"	5
05030107002	0.80	4.0	80	97	4.0	5/32"	3 1/8"	5

1578 A Slotted Screwdriver



Application: For slotted screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, Weralit-ESD

Code	mm	mm	mm	mm	mm	mm	mm	mm
05030046002	1.0	5.5	200	98	5.5	7/32"	8"	5
05030048002	1.0	6.0	125	98	6.0	15/64"	5"	5
05030050002	1.2	6.5	150	98	6.0	1/4"	6"	5
05030052002	1.2	7.0	150	112	7.0	9/32"	6"	5
05030054002	1.2	8.0	175	112	7.0	5/16"	7"	5

1550 PH Kraftform Micro Screwdriver for Phillips screws



Application: For Phillips screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro with anti-roll protection and rotating cap; multi-component

Code	mm	mm	mm	mm	mm
05030110002	PH 00	60	97	2.5	2 3/8"
05030111002	PH 0	60	97	3.0	2 3/8"
05030112002	PH 1	80	97	4.0	3 1/8"

1550 PH Screwdriver for Phillips screws



Application: For Phillips screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform with anti-roll protection, Weralit-ESD

Code	mm	mm	mm	mm	mm
05030064002	PH 1	200	98	4.5	8"
05030066002	PH 2	100	98	6.0	4"
05030068002	PH 2	200	98	6.0	8"
05030070002	PH 3	150	112	8.0	6"

1567 TORX® Kraftform Micro Screwdriver



Application: For TORX® socket screws
Blade: Round
Design: Mat nickel, Black Point
Handle: Kraftform Micro, with anti-roll protection and rotating cap; multi-component

Code	mm	mm	mm	mm	mm
05030120002	TX 4	40	97	2.5	1 9/16"
05030121002	TX 5	40	97	3.0	1 9/16"
05030122002	TX 6	40	97	3.0	1 9/16"

1567 TORX® B0 Kraftform Micro Screwdriver with bore hole in TORX® section



Application: TORX® socket screws with safety pin
(BO = with bore hole)

Blade: Round

Design: With bore hole in TORX® section, mat nickel, Black Point

Handle: Kraftform Micro with anti-roll protection and rotating cap; multi-component

Code	mm	mm	mm	mm	mm	mm
05030123002	TX 7	60	97	3.0	2 3/8"	5
05030124002	TX 8	60	97	3.0	2 3/8"	5
05030125002	TX 9	60	97	4.0	2 3/8"	5
05030126002	TX 10	60	97	4.0	2 3/8"	5

1567 TORX® B0 Screwdriver with bore hole in TORX® section



Application: TORX® socket screws with safety pin (BO = with bore hole)

Blade: Round

Design: With bore hole in TORX® section, mat nickel, Black Point

Handle: Kraftform with anti-roll protection, Weralit-ESD

Code	mm	mm	mm	mm	mm	mm
05030131002	TX 10	80	81	4.0	3 1/8"	5
05030127002	TX 15	80	98	4.0	3 1/8"	5
05030128002	TX 20	100	98	4.5	4"	5
05030129002	TX 25	100	98	5.0	4"	5
05030130002	TX 30	115	98	6.0	4 9/16"	5

1569 ESD Nutspinner



Application: For hexagon headed screws

Blade: Round

Design: Mat nickel

Handle: Kraftform Micro with anti-roll protection and rotating cap; multi-component

Code	mm	mm	mm	mm	mm	mm
05030150002	5.0	60	97	7.0	2 3/8"	5
05030151002	5.5	60	97	7.8	2 3/8"	5

1578 A/6 Electronics Screwdriver Set + Rack



Application: For slotted and Phillips screws
Content: 6 pieces in display carton + rack

Code			
05030170002	1550 PH Micro	1 x PH 0x60; 1 x PH 1x80	1
	1578 A Micro	1 x 0.25x1.2x40; 1 x 0.23x1.5x40; 1 x 0.30x1.8x60; 1 x 0.40x2.5x80	

ESD Series

ESD-safe tools.

80 ESD Vario Handle



Application: For 6 mm Vario blades and adaptors
Handle: Kraftform with anti-roll protection, Weralit-ESD, 10 mm bolster

Code	mm	mm	mm						
05328458002	6	10	98						2

810/1 ESD Bitholding Screwdriver with retaining ring suitable for all 1/4"-bits DIN 3126-C 6,3



Application: Suitable for 1/4" DIN 3126-C 6,3 (ISO 1173) hexagon insert bits and Wera Series 1
Blade: Hexagon
Design: 1/4" hexagon socket with retaining ring, mat nickel
Handle: Kraftform with anti-roll protection, Weralit-ESD

Code	mm	mm							
05328463002	1/4"	100	112	4"					2

811/1 ESD Bitholding Screwdriver



Application: Suitable for 1/4" DIN 3126-C 6,3 (ISO 1173) hexagon socket bits and Wera Series 1
Design: Extra short, for 1/4" hexagon insert bits with retaining ring
Handle: Kraftform, Weralit-ESD

Code	mm	mm							
05051106002	1/4"	10	54	3/8"					2

813 R ESD Bitholding Screwdriver, non-magnetic



Application: Suitable for 1/4" DIN 3126-C and E 6,3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Design: 1/4" hexagon socket with Wera quick-release chuck and Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology
Handle: Kraftform with anti-roll protection, multi-component

Code	mm								
05051273002	1/4"	90							2

816 R ESD Bitholding Screwdriver, non-magnetic



Application: Suitable for 1/4" DIN 3126-C and E 6,3 (ISO 1173) hexagon insert bits und Wera Series 1 and 4

Design: 1/4" hexagon socket with Wera quick-release chuck and Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology

Handle: Kraftform with anti-roll protection, multi-component

Code	mm	
05051464003	1/4"	119
		2

Kraftform Kompakt 10 ESD



10 pieces set
1 bit holder 813 R ESD Kraftform with quick-release chuck Rapidaptor

Code		
05056677002	813 R ESD	1 x 1/4"x90
	800/1 TZ	1 x 0.5x4.0x25; 1 x 1.0x5.5x25
	851/1 TZ PH	1 x PH 1x25; 1 x PH 2x25
	855/1 TZ PZ	1 x PZ 1x25; 1 x PZ 2x25
	867/1 TZ TORX®	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25

Kraftform Kompakt 11 ESD



10 pieces set
1 bit holder 813 R ESD Kraftform with quick-release chuck Rapidaptor

Code		
05056678002	813 R ESD	1 x 1/4"x90
	800/1 Z	1 x 0.5x3.0x25
	851/1 TZ PH	1 x PH 1x25
	851/1 Z PH	1 x PH 0x25
	867/1 TZ TORX®	1 x TX 5x25; 1 x TX 6x25; 1 x TX 7x25; 1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25

ESD Series

ESD-safe tools.

Series 7400 Krafftform ESD adjustable torque screwdrivers with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126 C 6,3 and E 6,3 (ISO 1173) hexagon insert bits und Wera Series 1 and 4

Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology

Accuracy: ±6 % (EN ISO 6789)

Handle: Kraftform, with anti-roll protection, multi-component

Code	Art.No.						
		Nm	Nm	mm			
05074730002	7440 ESD	1/4"	0.3-1.2	0.05	155	6"	1
05074731002	7441 ESD	1/4"	1.2-3.0	0.10	155	6"	1

Series 7400 Krafftform ESD adjustable torque screwdrivers with Rapidaptor quick-release chuck



Application: Suitable for 1/4" DIN 3126 C 6,3 and E 6,3 (ISO 1173) hexagon insert bits und Wera Series 1 and 4

Design: Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology

Accuracy: ±6 % (EN ISO 6789)

Handle: Kraftform, with anti-roll protection, multi-component

Code	Art.No.						
		in. lbs.	in. lbs.	mm			
05074733002	7445 ESD	1/4"	2.5-11.5	0.5	155	6"	1
05074734002	7446 ESD	1/4"	11.0-29.0	1.0	155	6"	1



Full service



All Wera torque tools are supplied with a calibration certificate. Our workshop offers a full service for all Wera torque tools. Please contact us with any queries regarding our service, recalibration or repairs at 1-800-267-5541.

Series 400 T-Handle



Have you ever needed more leverage?

The T-handle series includes the right tools for the job wherever very high loosening or tightening forces have to be transferred. By using the blade as an extension of your lower arm you can transfer particularly high torque. Torque is transferred positively, thereby eliminating any friction loss between the hand and the handle.



Blades are made from special alloy steels for greater wear resistance and robustness.



Hex-Plus tools for hexagon socket screws provide more contact surface inside the screw profile. This reduces the notching effect to a minimum and protects the head of the screw.



The ergonomic shape of the T-handle fills the palm of the hand. The fingers rest in the softly rounded recess of the handle. The whole hand is in contact with the handle, eliminating friction loss between the hand and the handle.



A perfectly shaped handle enables users to transfer high loosening or tightening forces.

Series 400 T-Handle

Perfect for high torque.

454 T-Handle Hex-Driver


Hex-Plus



Application: For hexagon socket screws
Blade: Hexagon
Design: Hex-Plus, chamfered, mat nickel
Handle: T-handle, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm
0501330002	2	100	27	61	4"	5
05013301002	2	200	27	61	8"	5
05013302004	2.5	100	27	61	4"	5
05013303002	2.5	200	27	61	8"	5
05013304002	3	100	33	70	4"	5
05013305002	3	150	33	70	6"	5
05013330002	3	200	33	70	8"	5
05013331002	3	350	33	70	14"	5
05013332003	4	100	33	70	4"	5
05013306002	4	150	33	70	6"	5
05013307002	4	200	33	70	8"	5
05013333002	4	350	33	70	14"	5
05013334002	5	100	44	87	4"	5
05013308002	5	150	44	87	6"	5
05013309002	5	200	44	87	8"	5
05013335002	5	350	44	87	18"	5
05013336002	5	450	44	87	14"	5
05013337002	6	100	44	87	4"	5
05013338002	6	150	44	87	6"	5
05013310002	6	200	44	87	8"	5
05013339002	6	350	44	87	14"	5
05013311002	7	200	44	87	8"	5
05013340002	8	100	44	87	4"	5
05013341002	8	150	44	87	6"	5
05013312002	8	200	44	87	8"	5
05013313002	8	350	44	87	14"	5
05013342002	10	100	44	87	4"	5
05013314002	10	200	44	87	8"	5

Hex-Plus



Hex-Plus tools for hexagon socket screws provide more contact surface inside the screw profile. This reduces the notching effect to a minimum and protects the head of the screw.

454 T-Handle Hex-Driver

Hex-Plus



Application: For hexagon socket screws
Blade: Hexagon
Design: Hex-Plus, chamfered, mat nickel
Handle: T-handle, Weralit II, one component

Code	mm	mm	mm	mm	mm	mm
05344536002	3/32"	100	27	61	4"	5
05344537002	7/64"	100	27	61	4"	5
05344538002	1/8"	100	33	70	4"	5
05344546002	9/64"	150	33	70	6"	5
05344545002	5/32"	150	33	70	6"	5
05344544002	3/16"	150	44	87	6"	5
05344543002	7/32"	150	44	87	6"	5
05344542002	1/4"	200	44	87	8"	5
05344541002	5/16"	200	44	87	8"	5
05344540002	3/8"	200	44	87	8"	5

467 T-Handle TORX® Driver



Application: For TORX® screws

Blade: Round

Design: Mat nickel, Black Point

Handle: T-handle, Weralit II, one component

							
Code		mm	mm	mm	mm	mm	
05013350002	TX 6	100	27	61	4"	3.0	5
05013352002	TX 7	100	27	61	4"	3.0	5
05013354002	TX 8	100	27	61	4"	3.5	5
05013356002	TX 9	100	27	61	4"	3.5	5
05013358002	TX 10	100	27	61	4"	4.0	5
05013360002	TX 15	100	33	70	4"	4.0	5
05013362002	TX 20	100	33	70	4"	4.5	5
05013364003	TX 20	200	33	70	8"	4.5	5
05013366002	TX 25	100	33	70	4"	5.0	5
05013368003	TX 25	200	33	70	8"	5.0	5
05013370003	TX 27	200	44	87	8"	6.0	5
05013372003	TX 30	200	44	87	8"	6.0	5
05013374003	TX 40	200	44	87	8"	8.0	5
05013376003	TX 45	200	44	87	8"	9.0	5

Series 400 T-Handle

Perfect for high torque.

489 R T-Handle Rapidaptor



Application: Suitable for $\frac{1}{4}$ " DIN 3126-C 6,3 and E 6,3 (ISO 1173) hexagon insert bits und Wera Series 1 and 4

Drive: $\frac{1}{4}$ " hexagon with Rapidaptor rapid-in, rapid-out, rapid-spin, chuck-all, and single-hand technology, magnetic

Handle: T-handle, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05013390002	$\frac{1}{4}$ "	45	44	87	1 $\frac{25}{32}$ "				2

Rapidaptor



Rapid-in und self-lock

The bit can be pushed into the adaptor without moving the sleeve. The lock is activated automatically as soon as the bit is applied to the screw. Bits are held securely and wobble-free.



Rapid-out

Simply push the sleeve forward to change the bit. The spring mechanism lifts the bit off the magnet and unlocks the tool. The bit can be easily removed. The rapid-out function makes it easy to remove even the smallest bits without extra tools.



Chuck-all

The Rapidaptor quick-release chucks hold $\frac{1}{4}$ " DIN 3126-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.



Single-hand function

Every function of the Rapidaptor quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

Vario Series



Have you ever taken the wrong screwdriver with you and then needed a ratchet mechanism?

Like the Kraftform Kompakt series the Vario series includes tools for a wide range of applications in a weight-and-space-saving design. The depth and width of the Vario range is much greater to meet the requirements of specific areas of application and includes double-ended blades, different handles, combination screwdrivers and ratchet handles.



The double-ended blades are made from high-grade bits material for extra service life.



The Kraftform handle has been designed to fit snugly in your hand, making blisters and calluses a thing of the past. The hard materials used for the handle promote fast grip adjustments and prevent the skin from sticking to the handle. The softer, anti-slip zones facilitate zero-loss transfer of high forces.



The Vario ratchet permits high-speed action without grip adjustments and can be combined with all popular drive ends.



The Wera Black Point tip provides a precise fit and optimized corrosion protection.



With the aid of an adaptor the 6-mm handles can also be used with $\frac{1}{4}$ " hexagon (DIN 3126-C 6,3) and square drives (DIN 3120).

Vario SeriesVario

Extremely versatile for mobile use.

80 Vario Handle



Application: For 6 mm Vario blades and adaptors
Handle: Kraftform with anti-roll protection, multi-component, 10 mm bolster

Code	mm	mm	mm						
05002900007	6	10	98						5

81 Combination Blade



Application: For slotted screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code	mm	mm	mm	mm	mm	mm		
05002910005	0.6	4.0	1.0	6.0	6	175	7"	5
05002913005	0.8	5.0	1.2	7.0	6	175	7"	5

82 Combination Blade



Application: For slotted screws and Phillips screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code		mm	mm	mm	mm		
05002920003	PH 1	0.6	4.0	6	175	7"	5
05002923003	PH 2	1.0	6.0	6	175	7"	5
05002926003	PH 3	1.2	7.0	6	175	7"	5

83 Combination Blade



Application: For Phillips screws and Pozidriv¹ screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code			mm	mm		
05002930004	PH 1	PZ 1	6	175	7"	5
05002933004	PH 2	PZ 2	6	175	7"	5

¹ Pozidriv = reg. trademark of European Industrial Service Ltd.

84 Combination Blade



Application: For hexagon socket screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code	mm	mm	mm	mm	mm	mm
05002936003	2.5	2.5	6	175	7"	5
05002938005	3	3	6	175	7"	5
05002940005	4	4	6	175	7"	5
05002943005	5	5	6	175	7"	5
05002946005	6	6	6	175	7"	5

84 Combination Blade



Application: For hexagon socket screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code	mm	mm	mm	mm	mm	mm
05333066002	1/8"	9/64"	6	175	7"	5
05333067002	5/32"	3/16"	6	175	7"	5
05333068002	1/16"	5/64"	6	175	7"	5
05333069002	3/32"	7/64"	6	175	7"	5

85 Combination Blade



Application: For Phillips screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code	mm	mm	mm	mm	mm	mm
05002950006	PH 1	PH 2	6	175	7"	5

86 Combination Blade



Application: Suitable for Pozidriv¹-screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code	mm	mm	mm	mm	mm	mm
05002960006	PZ 1	PZ 2	6	175	7"	5
05140310003	PZ 2	PZ 3	6	175	7"	5

¹ Pozidriv = reg. trademark of European Industrial Service Ltd.

87 Combination Blade



Application: For TORX[®] socket screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code	mm	mm	mm	mm	mm	mm
05002966003	TX 6	TX 8	6	175	7"	5
05002968004	TX 7	TX 9	6	175	7"	5
05002970006	TX 10	TX 15	6	175	7"	5
05002973007	TX 20	TX 25	6	175	7"	5
05002976006	TX 30	TX 40	6	175	7"	5

88 Square Combination Blade



Application: For square socket screws
Blade: 6 mm hexagon
Design: Mat nickel, Black Point

Code	mm	mm	mm	mm	mm	mm
05002980002	#1	#2	6	175	7"	5

Vario SeriesVario

Extremely versatile for mobile use.

88/1 Vario Set in metal box



11 pieces, specifically for rough workshop work

Code			
05002990006	80	1 x 6x98	1
	81	1 x 0.6x4.0x1.0x6.0x175; 1 x 0.8x5.0x1.2x7.0x175	
	84	1 x 4x4x175; 1 x 5x5x175; 1 x 6x6x175	
	85	1 x PH 1xPH 2x175	
	86	1 x PZ 1xPZ 2x175	
	87	1 x TX 10xTX 15x175; 1 x TX 20xTX 25x175; 1 x TX 30xTX 40x175	



Why is the Kraftform Plus handle made from several components?



Wera makes its Kraftform handles from several materials with different properties. The core is made from a hardwearing plastic that holds the blade securely even when subjected to great forces. The colour-coded soft zones of the external mantle consist

of a softer material with more friction resistance for high torque transfer. The black areas with a harder surface prevent the hand from sticking to the handle enabling you to adjust your grip more quickly.

Kraftform Ratchet




Have you ever looked for more powerful screwdrivers?

The Kraffform ratchet screwdriver with a pistol handle is the right tool for one-handed and reversible operation.

The pistol handle permits powerful action. It fits securely and comfortably in the hand and ensures optimal positioning against the screw.



Exact guidance, easy application and high power transfer ensure ergonomically correct working.



A minimal return angle increases working speeds and helps when working in very confined spaces.



An axial orientation with the screw prevents slipping.



Kraftform Ratchet

Powerful action with minimal return angles.

98/4/1 Kraftform Ratchet



Application: Suitable for 1/4" DIN 3126-C 6,3 and E 6,3 (ISO 1173) socket insert bits and Wera Series 1 and 4

Design: With quick-release chuck for fast bit changes

Handle: Kraftform pistol handle, multi-component, needle bearing supported free turning ratchet with integrated switch for forward and reverse operation

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05003263004	1/4"	140	100	5 9/16"	4"				1

99 Kraftform Ratchet



Application: For nut spinner sockets

Design: 1/4" male square

Handle: Kraftform pistol handle, multi-component, needle bearing supported free turning ratchet with integrated switch for forward and reverse operation

Code	mm	mm	mm	mm	mm	mm	mm	mm	mm
05003262003	1/4"	140	100	5 9/16"	4"				1