

02

The Zyklop Ratchet




Zyklop Ratchet

Have you ever looked for a robust ratchet with different functions and high working speeds?

Zyklop “6 in 1”

The Wera Zyklop ratchet combines five ratchet types in one and you can even use it as a screwdriver.

1. Fine-tooth ratchet
2. Flex-head ratchet
3. Angle ratchet
4. Quick-release ratchet
5. Power ratchet
6. Screwdriver



Zyklop ratchets are really fast movers. The rotating mass design combined with the rotationally symmetrical Kraftform handle and the spin sleeve accelerates the screw-driving process.



The reversible ratchet with 72 fine-pitched teeth has a small return angle of only 5°. The short stroke helps you work quickly and precisely on all installation types even in confined spaces – clockwise or counterclockwise.



The ball lock holds the sockets and attachments securely for safe working. After pressing the release button attachments can be changed in all defined positions. The release can even be used at a 90° angle.

The ratchet head pivots freely and can be released in any position with the slide switch on both sides. Effortless working with enhanced hand clearance even in cramped or awkward spaces. The defined locking points at 0°, 15° and 90° left and right prevent the ratchet head from slipping, for safe working, preventing knuckle injury.



All Zyklop ratchets feature a thumbwheel that switches quickly and easily between clockwise and counterclockwise at any position. No accidental reversing, no lost time!

At the 0° position the ratchet can take an adaptor and bit and be used like a conventional screwdriver.



The ratchet head has an ergonomic design with finger recesses that respond perfectly to your hand and fingers for faster tightening.



The Kraftform handle has been designed to fit snugly in your hand, making blisters and calluses a thing of the past. The handle hard zones allow the hand to easily glide during hand repositioning. The softer, anti-slip zones ensure full force transfer through the grip.



All Zyklop extensions are fitted with a spin sleeve which lets you speed tighten and loosen screws and bolts quickly and effectively.




The Zyklop

Incredibly fast and incredibly flexible.



The premium extensions are also fitted with the flexible lock system. With this system activated, sockets and ratchets can be attached permanently to the extension, preventing slipping or accidental disconnection and loss of the tool. When the system is deactivated the sockets can be attached as usual and changed in a flash.

Zyklop sets are supplied in very appealing, very functional cases. Made from strong metal, smooth rounded edges and powder coated surfaces, these robust cases feature rubber feet for surface protection. The tools are set into a dual colour foam tool control tray that can be taken out and used in cabinet or workstation drawers.



The wobble extension pivots through 15° in all directions. This lets you work quickly and precisely in concealed and confined spaces as well.



The new sockets can be used for both manual and non-impact machine work. Users need just one socket set for all applications.

The Zyklop Ratchet

Faster than a speeding bullet.

8100 SA 1 Zyklop ratchet set, 1/4" drive, metric



18 piece set, in strong metal case
1 Zyklop ratchet with 1/4" drive, 13 Zyklop sockets (metric), 2 Zyklop extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 universal joint

Code			
05003532002	 8000 A	1 x 1/4"x152.0	1
	 8789 A	1 x 1/4"x110.0	
	 8790 HMA	1 x 4.0x23.0; 1 x 4.5x23.0; 1 x 5.0x23.0; 1 x 5.5x23.0; 1 x 6.0x23.0; 1 x 7.0x23.0; 1 x 8.0x23.0; 1 x 9.0x23.0; 1 x 10.0x23.0; 1 x 11.0x23.0; 1 x 12.0x23.0; 1 x 13.0x23.0; 1 x 14.0x23.0	
	 8794 LA	1 x 1/4"x150.0	
	 8794 SA	1 x 1/4"x75.0	
	 8795 A	1 x 1/4"x35.5	

8100 SA 2 Zyklop ratchet set, 1/4" drive, metric



42 piece set, in strong metal case
1 Zyklop ratchet with 1/4" drive, 13 Zyklop sockets (metric), 2 Zyklop "flexible-lock" extensions (short and long) with freewheel sleeve, 1 wobble extension, 1 sliding T-handle, 1 universal joint, 1 adaptor with quick-release chuck, 22 bits

Code		
05003533002	 8000 A	1 x 1/4"x152.0
	 800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x8.0x25
	 840/1 Z Hex-Plus	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25; 1 x 8.0x25
	 851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25
	 855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25; 1 x PZ 3x25
	 867/1 Z TORX® B0	1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25
	 8784 A1	1 x 1/4"x1/4"x37.0
	 8789 A	1 x 1/4"x110.0
	 8790 HMA	1 x 4.0x23.0; 1 x 4.5x23.0; 1 x 5.0x23.0; 1 x 5.5x23.0; 1 x 6.0x23.0; 1 x 7.0x23.0; 1 x 8.0x23.0; 1 x 9.0x23.0; 1 x 10.0x23.0; 1 x 11.0x23.0; 1 x 12.0x23.0; 1 x 13.0x23.0; 1 x 14.0x23.0
	 8794 A	1 x 1/4"x56.0
	 8795 A	1 x 1/4"x35.5
	 8796 LA	1 x 1/4"x150.0
	 8796 SA	1 x 1/4"x75.0



How can I find the required tools more easily?



The two-tone foam tool control insert helps you to identify missing tools quickly and select required tools easily. The tool layout has been indelibly cut into the lid insert by laser for easy selection. The foam tool control insert can also be removed and put in the drawer of your mobile cabinet.



Zyklop Ratchet

The Zyklop Ratchet

Faster than a speeding bullet.

8100 SA 3 ratchet set, 1/4" drive, Imperial



15 piece set, in strong metal case
1 Zyklop ratchet with 1/4" drive, 10 Zyklop sockets (Imperial), 2 Zyklop extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 universal joint

Code			
05003534002	8000 A	1 x 1/4"x152.0	1
	8789 A	1 x 1/4"x110.0	
	8790 HMA	1 x 3/16"x23.0; 1 x 7/32"x23.0; 1 x 1/4"x23.0; 1 x 9/32"x23.0; 1 x 5/16"x23.0; 1 x 11/32"x23.0; 1 x 3/8"x23.0; 1 x 7/16"x23.0; 1 x 1/2"x23.0; 1 x 9/16"x23.0	
	8794 LA	1 x 1/4"x150.0	
	8794 SA	1 x 1/4"x75.0	
	8795 A	1 x 1/4"x35.5	

8100 SA 4 ratchet set, 1/4" drive, Imperial



41 piece set, in strong metal case
1 Zyklop ratchet with 1/4" drive, 10 Zyklop sockets (Imperial), 2 Zyklop "flexible-lock" extensions (short and long) with freewheel sleeve, 1 wobble extension, 1 sliding T-handle, 1 universal joint, 1 adaptor with quick-release chuck, 24 bits

Code			
05003535002	8000 A	1 x 1/4"x152.0	1
	800/1 Z	1 x 0.6x4.5x25; 1 x 1.0x5.5x25; 1 x 1.2x8.0x25	
	840/1 Z Hex-Plus	1 x 5/64"x25; 1 x 3/32"x25; 1 x 1/8"x25; 1 x 9/64"x25; 1 x 5/32"x25; 1 x 3/16"x25; 1 x 7/32"x25	
	851/1 Z PH	1 x PH 1x25; 1 x PH 2x25; 1 x PH 3x25	
	855/1 Z PZ	1 x PZ 1x25; 1 x PZ 2x25; 1 x PZ 3x25	
	867/1 Z TORX® B0	1 x TX 8x25; 1 x TX 9x25; 1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 30x25; 1 x TX 40x25	
	8784 A1	1 x 1/4"x1/4"x37.0	
	8789 A	1 x 1/4"x110.0	
	8790 HMA	1 x 3/16"x23.0; 1 x 7/32"x23.0; 1 x 1/4"x23.0; 1 x 9/32"x23.0; 1 x 5/16"x23.0; 1 x 11/32"x23.0; 1 x 3/8"x23.0; 1 x 7/16"x23.0; 1 x 1/2"x23.0; 1 x 9/16"x23.0	
	8794 A	1 x 1/4"x56.0	
	8795 A	1 x 1/4"x35.5	
	8796 LA	1 x 1/4"x150.0	
	8796 SA	1 x 1/4"x75.0	



How can I avoid the need for two socket sets – one for manual and one for machine operation?



The new sockets can be used for both manual and machine work (non-impact drivers). Users need just one socket set for all applications. Lighter and more convenient, these sockets greatly improve productivity.

8000 A Zyklop ratchet with 1/4" drive



Applications: For 1/4" square sockets and 1/4" adaptors with square drive, with ball lock

Design: Rotating mass design and handy freewheel sleeve for faster work; swiveling ratchet head; defined lock positions at 0°, 15°, 90° right and left; at 0° it can be used like a conventional screwdriver; pushbutton release; CW/ACW toggle, fine-pitched tooth design, with small return angle of 5°

Handle: Multicomponent Kraftform handle for comfort and torque

									
Code		mm							
05003500002	1/4"	152.0							1

8790 HMA Zyklop 1/4" socket



Applications: For hex head fasteners

Design: For manual and (non-impact) machine applications, with ball intercept ring, rear end knurling for reliable manual precision, chrome vanadium, brushed chromium plated finish

							
Code	mm	mm	mm	mm	mm	mm	
05003501002	4.0		23.0	6.9	13.0	10.0	1
05003502002	4.5		23.0	7.5	13.0	10.0	1
05003503002	5.0		23.0	8.2	13.0	10.0	1
05003504002	5.5		23.0	8.8	13.0	10.0	1
05003505002	6.0		23.0	9.4	13.0	10.0	1
05003506002	7.0		23.0	11.0	13.0	10.0	1
05003507002	8.0		23.0	12.0	13.0	10.0	1
05003508002	9.0		23.0	13.0	14.0	10.0	1
05003509002	10.0		23.0	14.5	14.5	-	1
05003510002	11.0		23.0	16.0	15.0	13.0	1
05003511002	12.0		23.0	17.0	16.0	13.0	1
05003512002	13.0		23.0	18.0	17.0	13.0	1
05003513002	14.0		23.0	20.0	18.0	13.0	1
05003514002		3/16"	23.0	7.5	13.0	10.0	1
05003515002		7/32"	23.0	8.8	13.0	10.0	1
05003516002		1/4"	23.0	11.0	13.0	10.0	1
05003517002		9/32"	23.0	11.0	13.0	10.0	1
05003518002		5/16"	23.0	12.0	13.0	10.0	1
05003519002		11/32"	23.0	13.0	14.0	10.0	1
05003520002		3/8"	23.0	14.5	14.5	-	1
05003521002		7/16"	23.0	16.0	15.0	13.0	1
05003522002		1/2"	23.0	18.0	17.0	13.0	1
05003523002		9/16"	23.0	20.0	18.0	13.0	1

The Zyklop Ratchet

Faster than a speeding bullet.

8796 SA Zyklop "flexible-lock" extension with freewheel sleeve, short, 1/4"



Applications: For 1/4" square drive sockets with ball lock
Design: Flexible lock system for permanent interlocking or fast changes of accessories, with freewheel sleeve for ultra fast tightening or loosening of screws and nuts; chrome vanadium, brushed chromium plated finish

Code	mm	
05003530002	1/4"	75.0
		1

8796 LA Zyklop "flexible-lock" extension with freewheel sleeve, long, 1/4"



Applications: For 1/4" square drive sockets with ball lock
Design: Flexible lock system for permanent interlocking or fast changes of accessories, with freewheel sleeve for ultra fast tightening or loosening of screws and nuts; chrome vanadium, brushed chromium plated finish

Code	mm	
05003531002	1/4"	150.0
		1

8794 SA Zyklop extension with freewheel sleeve, short, 1/4"



Applications: For 1/4" square drive sockets with ball lock
Design: With handy freewheel sleeve for ultra fast tightening or loosening of screws and nuts; chrome vanadium, brushed chromium plated finish

Code	mm	
05003525002	1/4"	75.0
		1

8794 LA Zyklop extension with freewheel sleeve, long, 1/4"



Applications: For 1/4" square drive sockets with ball lock
Design: With handy freewheel sleeve for ultra fast tightening or loosening of screws and nuts; chrome vanadium, brushed chromium plated finish

Code	mm	
05003526002	1/4"	150.0
		1

8789 A Zyklop sliding T-handle, 1/4"



Applications: For 1/4" square drive sockets with ball lock
Design: Sliding drive, chrome vanadium, brushed chromium plated finish

Code	mm	
05003524002	1/4"	110.0
		1

8795 A Zyklop universal joint, 1/4"



Applications: For 1/4" square drive sockets with ball lock
Design: Chrome vanadium/chrome molybdenum, brushed chromium plated finish

Code	mm	
05003528002	1/4"	35.5
		1



How can I secure the socket only when I want to?



The premium extensions are fitted with the flexible lock system. With this system activated, ratchets and sockets can be attached permanently to the extension, preventing slipping or accidental disconnection and loss of tools. When the system is deactivated the sockets can be attached as usual and changed in a flash.



How can I work easily even in cramped spaces?



The Zyklop wobble extension pivots through 15° in all directions. This lets you work quickly and precisely in concealed and cramped spaces as well. The 5° acron of the Zyklop ratchet makes this tool indispensable in confined spaces.



How can I turn the screw as quickly as possible when there is no resistance?



Everyone knows this problem: after each stroke the ratchet has to be turned in the opposite direction before you can tighten the screw again. The lack of resistance in the thread makes this an annoying and time-consuming operation.

Zyklop ratchets are really fast movers.

The rotating mass design in conjunction with the rotationally symmetrical Kraftform handle and the spin sleeve accelerate the screw-driving process.

8794 A Zyklop wobble extension, 1/4"



Applications: For 1/4" square drive sockets with ball lock
Design: Swivels through 15°; chrome vanadium, brushed chromium plated finish

Code									
05003527002	1/4"	56.0							1

8784 A1 Zyklop adaptor, 1/4"



Applications: Suitable for 1/4" hex bits under DIN 3126-C 6,3 and E 6,3, ISO 1173, and Wera series 1 and 4
Design: With quick-release chuck for fast bit changes; chromium vanadium

Code									
05003529002	1/4"	1/4"	37.0						1

The Zyklop Ratchet

Faster than a speeding bullet.

8100 SB 1 Zyklop ratchet set, $\frac{3}{8}$ " drive, metric



23 piece set, in strong metal case
1 Zyklop ratchet with $\frac{3}{8}$ " drive, 18 Zyklop sockets (metric), 2 Zyklop extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 universal joint

				
Code				
05003593002	 8000 B	1 x 3/8"x199.0	1	
	 8789 B	1 x 3/8"x165.0		
	 8790 HMB	1 x 6.0x29.0; 1 x 7.0x29.0; 1 x 8.0x29.0; 1 x 9.0x29.0; 1 x 10.0x29.0; 1 x 11.0x29.0; 1 x 12.0x29.0; 1 x 13.0x29.0; 1 x 14.0x29.0; 1 x 15.0x29.0; 1 x 16.0x30.0; 1 x 17.0x30.0; 1 x 18.0x30.0; 1 x 19.0x30.0; 1 x 20.0x30.0; 1 x 21.0x30.0; 1 x 22.0x30.0; 1 x 24.0x32.0		
	  8794 LB	1 x 3/8"x200.0		
	 8794 SB	1 x 3/8"x125.0		
	 8795 B	1 x 3/8"x50.0		

8100 SB 2 Zyklop ratchet set, $\frac{3}{8}$ " drive, metric



43 piece set, in strong metal case
1 Zyklop ratchet with $\frac{3}{8}$ " drive, 18 Zyklop sockets (metric), 2 Zyklop "flexible-lock" extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 wobble extension, 1 universal joint, 1 adaptor with quick-release chuck, 18 bits

			
Code			
05003594002	 8000 B	1 x 3/8"x199.0	1
	 800/1 Z	1 x 1.0x5.5x25	
	 840/1 Z Hex-Plus	1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 6.0x25; 1 x 8.0x25; 1 x 10.0x25	
	 851/1 Z PH	1 x PH 2x25; 1 x PH 3x25	
	 855/1 Z PZ	1 x PZ 2x25; 1 x PZ 3x25	
	 867/1 Z TORX® B0	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 27x25; 1 x TX 30x25; 1 x TX 40x25	
	 8784 B1	1 x 1/4"x3/8"x44.0	
	 8789 B	1 x 3/8"x165.0	
	 8790 HMB	1 x 6.0x29.0; 1 x 7.0x29.0; 1 x 8.0x29.0; 1 x 9.0x29.0; 1 x 10.0x29.0; 1 x 11.0x29.0; 1 x 12.0x29.0; 1 x 13.0x29.0; 1 x 14.0x29.0; 1 x 15.0x29.0; 1 x 16.0x30.0; 1 x 17.0x30.0; 1 x 18.0x30.0; 1 x 19.0x30.0; 1 x 20.0x30.0; 1 x 21.0x30.0; 1 x 22.0x30.0; 1 x 24.0x32.0	
	 8794 B	1 x 3/8"x76.0	
	 8795 B	1 x 3/8"x50.0	
	 8796 LB	1 x 3/8"x200.0	
	 8796 SB	1 x 3/8"x125.0	



How can I find the required tools more easily?



The two-tone foam tool control insert helps you to identify missing tools quickly and select required tools easily. The tool layout has been indelibly cut into the lid insert by laser for easy selection. The foam tool control insert can also be removed and put in the drawer of your mobile cabinet.

8100 SB 3 Zyklop ratchet set, $\frac{3}{8}$ " drive, Imperial



17 piece set, in strong metal case
1 Zyklop ratchet with $\frac{3}{8}$ " drive, 12 Zyklop sockets (Imperial), 2 Zyklop extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 universal joint

Code			
05003595002	8000 B	1 x 3/8"x199.0	1
	8789 B	1 x 3/8"x165.0	
	8790 HMB	1 x 1/4"x29.0; 1 x 5/16"x29.0; 1 x 11/32"x29.0; 1 x 3/8"x29.0; 1 x 7/16"x29.0; 1 x 1/2"x29.0; 1 x 9/16"x29.0; 1 x 5/8"x30.0; 1 x 11/16"x30.0; 1 x 3/4"x30.0; 1 x 13/16"x30.0; 1 x 7/8"x30.0	
	8794 LB	1 x 3/8"x200.0	
	8794 SB	1 x 3/8"x125.0	
	8795 B	1 x 3/8"x50.0	

8100 SB 4 Zyklop ratchet set, $\frac{3}{8}$ " drive, Imperial



38 piece set, in strong metal case
1 Zyklop ratchet with $\frac{3}{8}$ " drive, 12 Zyklop sockets (Imperial), 2 Zyklop "flexible-lock" extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 wobble extension, 1 universal joint, 1 adaptor with quick-release chuck, 19 bits

Code			
05003596002	8000 B	1 x 3/8"x199.0	1
	800/1 Z	1 x 1.0x5.5x25	
	840/1 Z Hex-Plus	1 x 5/64"x25; 1 x 3/32"x25; 1 x 1/8"x25; 1 x 9/64"x25; 1 x 5/32"x25; 1 x 3/16"x25; 1 x 7/32"x25	
	851/1 Z PH	1 x PH 2x25; 1 x PH 3x25	
	855/1 Z PZ	1 x PZ 2x25; 1 x PZ 3x25	
	867/1 Z TORX® B0	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; 1 x TX 25x25; 1 x TX 27x25; 1 x TX 30x25; 1 x TX 40x25	
	8784 B1	1 x 1/4"x3/8"x44.0	
	8789 B	1 x 3/8"x165.0	
	8790 HMB	1 x 1/4"x29.0; 1 x 5/16"x29.0; 1 x 11/32"x29.0; 1 x 3/8"x29.0; 1 x 7/16"x29.0; 1 x 1/2"x29.0; 1 x 9/16"x29.0; 1 x 5/8"x30.0; 1 x 11/16"x30.0; 1 x 3/4"x30.0; 1 x 13/16"x30.0; 1 x 7/8"x30.0	
	8794 B	1 x 3/8"x76.0	
	8795 B	1 x 3/8"x50.0	
	8796 LB	1 x 3/8"x200.0	
	8796 SB	1 x 3/8"x125.0	

The Zyklop Ratchet

Faster than a speeding bullet.

8000 B Zyklop ratchet with $\frac{3}{8}$ " drive



Applications: For $\frac{3}{8}$ " square drive sockets and $\frac{3}{8}$ " adaptors with square drive, with ball lock

Design: Rotating mass design and handy freewheel sleeve for faster work; swiveling ratchet head; defined lock positions at 0°, 15°, and 90° right and left; at 0° it can be used like a conventional screwdriver; pushbutton release; CW/ACW toggle, fine-pitched tooth design, with small return angle of 5°

Handle: Multicomponent Kraftform handle for comfort and torque

Code	mm								
05003550002	$\frac{3}{8}$ "	199.0							1

8790 HMB Zyklop $\frac{3}{8}$ " socket



Applications: For hex-head fasteners

Design: For manual and (non-impact) machine applications, with ball intercept ring, rear end knurling for reliable manual precision, chrome vanadium, brushed chromium plated finish

Code	mm	mm	mm	mm	mm	mm	
05003551002	6.0	29.0	10.5	13.0	18.0		1
05003552002	7.0	29.0	11.0	13.0	18.0		1
05003553002	8.0	29.0	12.2	13.0	18.0		1
05003554002	9.0	29.0	13.5	13.0	18.0		1
05003555002	10.0	29.0	14.5	13.0	18.0		1
05003556002	11.0	29.0	16.0	13.0	18.0		1
05003557002	12.0	29.0	17.0	13.0	18.0		1
05003558002	13.0	29.0	18.5	14.0	20.0		1
05003559002	14.0	29.0	19.5	14.5	22.0		1
05003560002	15.0	29.0	21.0	15.0	24.0		1
05003561002	16.0	30.0	22.0	16.0	24.0		1
05003562002	17.0	30.0	23.5	17.0	24.0		1
05003563002	18.0	30.0	24.5	18.0	24.0		1
05003564002	19.0	30.0	26.0	13.0	24.0		1
05003565002	20.0	30.0	28.0	13.0	25.0		1
05003566002	21.0	30.0	28.0	13.0	25.0		1
05003567002	22.0	30.0	32.0	13.0	25.0		1
05003568002	24.0	32.0	32.0	13.0	25.0		1
05003569002	$\frac{1}{4}$ "	29.0	11.0	18.0	12.0		1
05003570002	$\frac{5}{16}$ "	29.0	12.2	18.0	12.0		1
05003571002	$\frac{11}{32}$ "	29.0	13.5	18.0	12.0		1
05003572002	$\frac{3}{8}$ "	29.0	14.5	18.0	12.0		1
05003573002	$\frac{7}{16}$ "	29.0	16.0	18.0	12.0		1
05003574002	$\frac{1}{2}$ "	29.0	18.5	20.0	12.0		1
05003575002	$\frac{9}{16}$ "	29.0	19.5	22.0	12.0		1
05003576002	$\frac{5}{8}$ "	30.0	22.0	24.0	12.0		1
05003577002	$\frac{11}{16}$ "	30.0	23.0	24.0	18.0		1
05003578002	$\frac{3}{4}$ "	30.0	26.0	24.0	18.0		1
05003579002	$\frac{13}{16}$ "	30.0	28.0	25.0	18.0		1
05003580002	$\frac{7}{8}$ "	30.0	32.0	25.0	18.0		1



How can I turn the screw as quickly as possible when there is no resistance?



Everyone knows this problem: after each stroke the ratchet has to be turned in the opposite direction before you can tighten the screw again. The lack of resistance in the thread makes this an annoying and time-consuming operation.

Zyklop ratchets are really fast movers.

The rotating mass design in conjunction with the rotationally symmetrical Kraftform handle and the spin sleeve accelerate the screw-driving process.



How can I avoid the need for two socket sets – one for manual and one for machine operation?



The new sockets can be used for both manual and machine work (non-impact drivers). Users need just one socket set for all applications. Lighter and more convenient, these sockets greatly improve productivity.

8796 SB Zyklop “flexible-lock” extension with freewheel sleeve, short, $\frac{3}{8}$ “



Applications: For $\frac{3}{8}$ “ square drive sockets with ball lock
Design: Flexible lock system for permanent interlocking or fast changes of accessories, with freewheel sleeve for ultra fast tightening or loosening of fasteners; chrome vanadium, brushed chromium plated finish

Code	mm								
05003591002	$\frac{3}{8}$ “	125.0							1

8796 LB Zyklop “flexible-lock” extension with freewheel sleeve, long, $\frac{3}{8}$ “



Applications: For $\frac{3}{8}$ “ square drive sockets with ball lock
Design: Flexible lock system for permanent interlocking or fast changes of accessories, with freewheel sleeve for ultra fast tightening or loosening of fasteners; chrome vanadium, brushed chromium plated finish

Code	mm								
05003592002	$\frac{3}{8}$ “	200.0							1

8794 SB Zyklop extension with freewheel sleeve, short, $\frac{3}{8}$ “



Applications: For $\frac{3}{8}$ “ square drive sockets with ball lock
Design: With handy freewheel sleeve for ultra fast tightening or loosening of fasteners; chrome vanadium, brushed chromium plated finish

Code	mm								
05003582002	$\frac{3}{8}$ “	125.0							1

8794 LB Zyklop extension with freewheel sleeve, long, $\frac{3}{8}$ “



Applications: For $\frac{3}{8}$ “ square drive sockets with ball lock
Design: With handy freewheel sleeve for ultra fast tightening or loosening of fasteners; chrome vanadium, brushed chromium plated finish

Code	mm								
05003583002	$\frac{3}{8}$ “	200.0							1

8789 B Zyklop sliding T-handle, $\frac{3}{8}$ “



Applications: For $\frac{3}{8}$ “ square drive sockets with ball lock
Design: Sliding drive, chrome vanadium, brushed chromium plated finish

Code	mm								
05003581002	$\frac{3}{8}$ “	165.0							1

8795 B Zyklop universal joint, $\frac{3}{8}$ “



Applications: For $\frac{3}{8}$ “ square drive sockets with ball lock
Design: Chrome vanadium/chrome molybdenum, brushed chromium plated finish

Code	mm								
05003585002	$\frac{3}{8}$ “	50.0							1

8794 B Zyklop wobble extension, $\frac{3}{8}$ “



Applications: For $\frac{3}{8}$ “ square drive sockets with ball lock
Design: Swivels through 15°; chrome vanadium, brushed chromium plated finish

Code	mm								
05003584002	$\frac{3}{8}$ “	76.0							1

8784 B1 Zyklop adaptor, $\frac{3}{8}$ “



Applications: Suitable for $\frac{1}{4}$ “ hex bits under DIN 3126-C 6,3 and E 6,3, ISO 1173, and Wera series 1 and 4
Design: With quick-release chuck for fast bit changes; chromium vanadium

Code	mm								
05003590002	$\frac{1}{4}$ “	$\frac{3}{8}$ “	44.0						1

The Zyklop Ratchet

Faster than a speeding bullet.

8100 SC 1 Zyklop ratchet set, 1/2" drive, metric



22 piece set, in strong metal case

1 Zyklop ratchet with 1/2" drive, 17 Zyklop sockets (metric), 2 Zyklop extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 universal joint

Code			
05003644002	8000 C	1 x 1/2"x277.0	1
	8789 C	1 x 1/2"x250.0	
	8790 HMC	1 x 10.0x37.0; 1 x 11.0x37.0; 1 x 12.0x37.0; 1 x 13.0x37.0; 1 x 14.0x37.0; 1 x 15.0x37.0; 1 x 16.0x37.0; 1 x 17.0x37.0; 1 x 18.0x37.0; 1 x 19.0x37.0; 1 x 20.0x37.0; 1 x 21.0x37.0; 1 x 22.0x37.0; 1 x 24.0x37.0; 1 x 27.0x40.0; 1 x 30.0x42.0; 1 x 32.0x42.0	
	8794 LC	1 x 1/2"x250.0	
	8794 SC	1 x 1/2"x125.0	
	8795 C	1 x 1/2"x69.0	

8100 SC 2 Zyklop ratchet set, 1/2" drive, metric



37 piece set, in strong metal case

1 Zyklop ratchet with 1/2" drive, 17 Zyklop sockets (metric), 2 Zyklop "flexible-lock" extensions (short and long) with freewheel sleeve, 1 sliding T-handle, 1 universal joint, 1 wobble extension, 1 adaptor with quick-release chuck, 13 bits

Code			
05003645002	8000 C	1 x 1/2"x277.0	1
	840/2 Z Hex-Plus	1 x 5x30; 1 x 6x30; 1 x 8x30; 1 x 10x30	
	851/2 Z PH	1 x PH 3x32	
	855/2 Z PZ	1 x PZ 3x32	
	867/2 Z TORX®	1 x TX 20x35; 1 x TX 25x35; 1 x TX 30x35; 1 x TX 40x35; 1 x TX 45x35; 1 x TX 50x35; 1 x TX 55x35	
	8784 C2	1 x 5/16"x1/2"x50.0	
	8789 C	1 x 1/2"x250.0	
	8790 HMC	1 x 10.0x37.0; 1 x 11.0x37.0; 1 x 12.0x37.0; 1 x 13.0x37.0; 1 x 14.0x37.0; 1 x 15.0x37.0; 1 x 16.0x37.0; 1 x 17.0x37.0; 1 x 18.0x37.0; 1 x 19.0x37.0; 1 x 20.0x37.0; 1 x 21.0x37.0; 1 x 22.0x37.0; 1 x 24.0x37.0; 1 x 27.0x40.0; 1 x 30.0x42.0; 1 x 32.0x42.0	
	8794 C	1 x 1/2"x52.0	
	8795 C	1 x 1/2"x69.0	
	8796 LC	1 x 1/2"x250.0	
	8796 SC	1 x 1/2"x125.0	



How can I find the required tools more easily?



The two-tone foam tool control insert helps you to identify missing tools quickly and select required tools easily. The tool layout has been indelibly cut into the lid insert by laser for easy selection. The foam tool control insert can also be removed and put in the drawer of your mobile cabinet.

8100 SC 3 Zyklop ratchet set, 1/2" drive, Imperial



23 pieces set, in strong metal case
1 Zyklop ratchet with 1/2" drive, 18 Zyklop sockets (Imperial),
2 Zyklop extensions (short and long) with freewheel sleeve, 1 sliding T-handle,
1 universal joint

Code			
05003646002	8000 C	1 x 1/2"x277.0	1
	8789 C	1 x 1/2"x250.0	
	8790 HMC	1 x 3/8"x37.0; 1 x 7/16"x37.0; 1 x 1/2"x37.0; 1 x 9/16"x37.0; 1 x 19/32"x37.0; 1 x 5/8"x37.0; 1 x 11/16"x37.0; 1 x 3/4"x37.0; 1 x 25/32"x37.0; 1 x 13/16"x37.0; 1 x 7/8"x37.0; 1 x 15/16"x37.0; 1 x 31/32"x37.0; 1 x 1"x40.0; 1 x 1 1/16"x40.0; 1 x 1 1/8"x40.0; 1 x 1 3/16"x42.0; 1 x 1 1/4"x42.0	
	8794 LC	1 x 1/2"x250.0	
	8794 SC	1 x 1/2"x125.0	
	8795 C	1 x 1/2"x69.0	

8100 SC 4 Zyklop ratchet set, 1/2" drive, Imperial



38 pieces set, in strong metal case
1 Zyklop ratchet with 1/2" drive, 18 Zyklop sockets (Imperial), 2 Zyklop
"flexible-lock" extensions (short and long) with freewheel sleeve, 1 sliding
T-handle, 1 universal joint, 1 wobble extension, 1 adaptor with quick-release
chuck, 13 bits

Code			
05003647002	8000 C	1 x 1/2"x277.0	1
	840/2 Z Hex-Plus	1 x 7/32"x30; 1 x 1/4"x30; 1 x 5/16"x30; 1 x 3/8"x30	
	851/2 Z PH	1 x PH 3x32	
	855/2 Z PZ	1 x PZ 3x32	
	867/2 Z TORX®	1 x TX 20x35; 1 x TX 25x35; 1 x TX 30x35; 1 x TX 40x35; 1 x TX 45x35; 1 x TX 50x35; 1 x TX 55x35	
	8784 C2	1 x 5/16"x1/2"x50.0	
	8789 C	1 x 1/2"x250.0	
	8790 HMC	1 x 3/8"x37.0; 1 x 7/16"x37.0; 1 x 1/2"x37.0; 1 x 9/16"x37.0; 1 x 19/32"x37.0; 1 x 5/8"x37.0; 1 x 11/16"x37.0; 1 x 3/4"x37.0; 1 x 25/32"x37.0; 1 x 13/16"x37.0; 1 x 7/8"x37.0; 1 x 15/16"x37.0; 1 x 31/32"x37.0; 1 x 1"x40.0; 1 x 1 1/16"x40.0; 1 x 1 1/8"x40.0; 1 x 1 3/16"x42.0; 1 x 1 1/4"x42.0	
	8794 C	1 x 1/2"x52.0	
	8795 C	1 x 1/2"x69.0	
	8796 LC	1 x 1/2"x250.0	
	8796 SC	1 x 1/2"x125.0	



Zyklop Ratchet

The Zyklop Ratchet

Faster than a speeding bullet.

8000 C Zyklop ratchet with 1/2" drive



Applications: For 1/2" square drive sockets and 1/2" adapters with square drive, with ball lock

Design: Rotating mass design and handy freewheel sleeve for faster work; swiveling ratchet head; defined lock positions at 0°, 15°, 90° right and left; at 0° it can be used like a conventional screwdriver; pushbutton release; CW/ACW toggle, fine-pitched tooth design, with small return angle of 5°

Handle: Multicomponent Kraftform handle for comfort and torque

Code	mm	
0500360002	1/2"	277.0
		1

8790 HMC Zyklop socket with 1/2" drive



Applications: For hex-head fasteners

Design: For manual and (non-impact) machine applications, with ball intercept ring, rear end knurling for reliable manual precision, chrome vanadium, brushed chromium plated

Code	mm	mm	mm	mm	mm	
05003601002	10.0	37.0	15.5	24.0	17.0	1
05003602002	11.0	37.0	16.5	24.0	17.0	1
05003603002	12.0	37.0	17.5	24.0	17.0	1
05003604002	13.0	37.0	19.0	24.0	17.0	1
05003605002	14.0	37.0	20.0	24.0	17.0	1
05003606002	15.0	37.0	21.0	24.0	17.0	1
05003607002	16.0	37.0	22.5	24.0	17.0	1
05003608002	17.0	37.0	24.0	26.0	17.0	1
05003609002	18.0	37.0	25.0	26.0	17.0	1
05003610002	19.0	37.0	26.5	26.0	20.0	1
05003611002	20.0	37.0	28.0	26.0	20.0	1
05003612002	21.0	37.0	29.0	26.0	20.0	1
05003613002	22.0	37.0	30.5	26.0	20.0	1
05003614002	24.0	37.0	33.0	28.0	20.0	1
05003615002	27.0	40.0	36.5	32.0	23.0	1
05003616002	30.0	42.0	40.0	34.0	25.0	1
05003617002	32.0	42.0	42.0	36.0	25.0	1
05003618002	3/8"	37.0	15.5	24.0	17.0	1
05003619002	7/16"	37.0	16.5	24.0	17.0	1
05003620002	1/2"	37.0	19.0	24.0	17.0	1
05003621002	9/16"	37.0	20.0	24.0	17.0	1
05003622002	19/32"	37.0	21.0	24.0	17.0	1
05003623002	5/8"	37.0	22.5	24.0	17.0	1
05003624002	11/16"	37.0	25.5	26.0	17.0	1
05003625002	3/4"	37.0	26.5	26.0	20.0	1
05003626002	25/32"	37.0	28.0	26.0	20.0	1
05003627002	13/16"	37.0	29.0	26.0	20.0	1
05003628002	7/8"	37.0	30.5	26.0	20.0	1
05003629002	15/16"	37.0	33.0	28.0	20.0	1
05003630002	31/32"	37.0	33.0	28.0	20.0	1
05003631002	1"	40.0	36.5	32.0	23.0	1
05003632002	1 1/16"	40.0	36.5	32.0	23.0	1
05003633002	1 1/8"	40.0	40.0	34.0	23.0	1
05003634002	1 3/16"	42.0	40.0	34.0	25.0	1
05003635002	1 1/4"	42.0	42.0	36.0	25.0	1



How can I avoid buying many different ratchets?



Thanks to its intelligent construction the Zyklop can be used as a fine-tooth ratchet, flex-head ratchet, angle ratchet, quick-release ratchet and power ratchet. When locked in a 0° position the tool can even be used as a screwdriver. Zyklop saves space, weight, cost and time!

8796 SC Zyklop “flexible-lock” extension with freewheel sleeve, short, 1/2“



Applications: For 1/2“ square drive sockets with ball lock
Design: Flexible lock system for permanent interlocking or fast changes of accessories, with freewheel sleeve for ultra fast tightening or loosening of fasteners; chrome vanadium, brushed chromium plated finish

Code	mm	
05003642002	125.0	1

8796 LC Zyklop extension “flexible-lock” with freewheel sleeve, long, 1/2“



Applications: For 1/2“ square drive sockets with ball lock
Design: Flexible lock system for permanent interlocking or fast changes of accessories, with freewheel sleeve for ultra fast tightening or loosening of fasteners; chrome vanadium, brushed chromium plated finish

Code	mm	
05003643002	250.0	1

8794 SC Zyklop extension with freewheel sleeve, short, 1/2“



Applications: For 1/2“ square drive sockets with ball lock
Design: With handy freewheel sleeve for ultra fast tightening or loosening of fasteners; chrome vanadium, brushed chromium plated finish

Code	mm	
05003637002	125.0	1

8794 LC Zyklop extension with freewheel sleeve, long, 1/2“



Applications: For 1/2“ square drive sockets with ball lock
Design: With handy freewheel sleeve for ultra fast tightening or loosening of fasteners; chrome vanadium, brushed chromium plated finish

Code	mm	
05003638002	250.0	1

8789 C Zyklop sliding T-handle, 1/2“



Applications: For 1/2“ square drive sockets with ball lock
Design: Sliding drive, chrome vanadium, brushed chromium plated finish

Code	mm	
05003636002	250.0	1



How can I secure the socket only when I want to?



The premium extensions are fitted with the flexible lock system. With this system activated, ratchets and sockets can be attached permanently to the extension, preventing slipping or accidental disconnection and loss of tools. When the system is deactivated the sockets can be attached as usual and changed in a flash.

The Zyklop Ratchet

Faster than a speeding bullet.

8795 C Zyklop universal joint, 1/2"



Applications: For 1/2" square drive sockets with ball lock
Design: Chrome vanadium/chrome molybdenum, brushed chromium plated

Code		mm							
05003640002	1/2"	69.0							1

8794 C Zyklop wobble extension, 1/2"



Applications: For 1/2" square drive sockets with ball lock
Design: Swivels through 15°; chrome vanadium, brushed chromium plating

Code		mm							
05003639002	1/2"	52.0							1



How can I work easily even in cramped spaces?



The Zyklop wobble extension pivots through 15° in all directions. This lets you work quickly and precisely in concealed and cramped spaces as well. The 5° acron of the Zyklop ratchet makes this tool indispensable in confined spaces.

8784 C2 Zyklop adaptor, 1/2", 5/16"



Applications: Suitable for 5/16" hex bits under DIN 3126-C 8, ISO 1173, and Wera series 2
Design: With quick-release chuck for fast bit changes; chromium vanadium

Code		mm							
05003641002	5/16"	1/2"	50.0						1

Display Zyklop, 1/4" drive



Applications: For 1/4" square sockets and 1/4" adaptors with square drive, with ball lock

Design: Rotating mass design and handy freewheel sleeve for faster work; swiveling ratchet head; defined lock positions at 0°, 15°, and 90° right and left; at 0° it can be used like a conventional screwdriver; pushbutton release; CW/ACW toggle, fine-pitched tooth design, with small return angle of 5°

Handle: Multicomponent Kraftform handle for comfort and torque

Code		
05003540002	8000 A	8 x 1/4"x152.0
		1

Display Zyklop, 1/2" drive



Applications: For 1/2" square drive sockets and 1/2" adaptors with square drive, with ball lock

Design: Rotating mass design and handy freewheel sleeve for faster work; swiveling ratchet head; defined lock positions at 0°, 15°, and 90° right and left; at 0° it can be used like a conventional screwdriver; pushbutton release; CW/ACW toggle, fine-pitched tooth design, with small return angle of 5°

Handle: Multicomponent Kraftform handle for comfort and torque

Code		
05003650002	8000 C	5 x 1/2"x277.0
		1

Display Zyklop, 3/8" drive



Applications: For 3/8" square drive sockets and 3/8" adaptors with square drive, with ball lock

Design: Rotating mass design and handy freewheel sleeve for faster work; swiveling ratchet head; defined lock positions at 0°, 15°, and 90° right and left; at 0° it can be used like a conventional screwdriver; pushbutton release; CW/ACW toggle, fine-pitched tooth design, with small return angle of 5°

Handle: Multicomponent Kraftform handle for comfort and torque

Code		
05003599002	8000 B	5 x 3/8"x199.0
		1



Zyklop Ratchet