


06

Stainless Steel Tools






Have you ever seen stainless steel rust?

Stainless steel looks attractive and keeps rust at bay. Extraneous rust on stainless steel is usually caused by carbon steel particles cross contaminating from the use of conventional tools. A galvanic process begins when these particles logged in the screw head come into contact with oxygen.

Wera Stainless tools are made from 100 % stainless steel. Their natural wear debris consisting of stainless steel particles stops a galvanic reaction, preventing the formation of unsightly extraneous rust.



Wera stainless steel tools are vacuum ice-hardened to give them the necessary hardness and rigidity for industrial applications.



Ice-blue design features make the stainless steel tools easy to identify.




Wera stainless steel screwdrivers share all the product advantages of the Kraftform Plus series: Kraftform handle, Lasertip, handle markings, anti-roll protection.



Stainless steel bits are available individually and in a Bit-Check. Bit-Checks combine a wide range of functions in a compact format. They protect stainless steel tools against tools made from conventional steel and the extraneous rust caused by them.



The Rapidaptor holder also protects the bit shaft against extraneous rust. The fast Rapidaptor allows you to change bits quickly with just one hand and without extra tools.



Stainless steel L-keys with the Hex-Plus advantage prevent rounded screw profiles and transfer 20 % more torque.

Stainless Steel Tools

Keeps extraneous rust at bay.

3335 Screwdriver for slotted screws, stainless



Application: For slotted screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	
05032001002 ¹⁾	0.5	3.0	3.0	80	81	1/8"	3 1/8"	10
05032002002	0.6	3.5	3.5	100	81	9/64"	4"	10
05032003002	0.8	4.0	4.0	100	98	5/32"	4"	10
05032004002	1.0	5.5	5.5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3355 PZ Screwdriver for Pozidriv screws, stainless



Application: Suitable for Pozidriv¹⁾-screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	
05032030003 ¹⁾	PZ 0	60	81	3.0	2 3/8"			5
05032031005	PZ 1	80	98	4.5	3 1/8"			10
05032032005	PZ 2	100	105	6.0	4"			10
05032033003	PZ 3	150	112	8.0	6"			5

¹⁾ without Lasertip

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

3334 Screwdriver for slotted screws, stainless



Application: For slotted screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	
05032005002	1.2	6.5	6.0	150	105	1/4"	6"	10
05032006002	1.2	8.0	7.0	175	112	5/16"	7"	10
05032007002	1.6	10.0	9.0	200	112	3/8"	8"	5

3367 Screwdriver for TORX® screws, stainless



Application: For TORX® socket screws
Blade: Round
Design: Stainless steel
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	
05032050002	TX 8	60	81	3.5	2 3/8"			10
05032051002	TX 9	60	81	4.0	2 3/8"			10
05032052002	TX 10	80	81	4.0	3 1/8"			10
05032053002	TX 15	80	98	4.0	3 1/8"			10
05032054002	TX 20	100	98	4.5	4"			10
05032055002	TX 25	100	105	5.0	4"			10
05032056002	TX 27	115	105	5.5	4 9/16"			10
05032057002	TX 30	115	105	6.0	4 9/16"			10
05032058002	TX 40	130	112	7.0	5 3/16"			10

3350 PH Screwdriver for Phillips screws, stainless



Application: For Phillips screws
Blade: Round
Design: Stainless steel, Lasertip
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	
05032020002 ¹⁾	PH 0	60	81	3.0	2 3/8"			5
05032021002	PH 1	80	98	4.5	3 1/8"			10
05032022002	PH 2	100	105	6.0	4"			10
05032023002	PH 3	150	112	8.0	6"			5

¹⁾ without Lasertip

3368 Screwdriver for Square Socket Head screws, stainless



Application: For square socket head screws
Blade: Round
Design: Stainless steel
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm	
05032070002	# 1	80	98	4.5	3 1/8"			10
05032071002	# 2	100	105	6.0	4"			10
05032072002	# 3	150	112	8.0	6"			5



How do I prevent extraneous rust when working with stainless steel?



Stainless steel does not rust. However, if conventional steel tools are used on stainless steel components or stainless steel screws the wear debris of these tools can adhere to the surface and begin to rust. This effect, known as extraneous rust, can impair the visual impact and even cause structural damage, resulting in high costs for the necessary repair work.

Wear debris that causes extraneous rust can be prevented through the use of stainless steel tools.

3334/6 Screwdriver Set, stainless + Rack



Application: For slotted and Phillips screws
Content: 6 pieces set in display carton + Rack

Code			
05032060002	●	3334	1 x 1.2x6.5x150
	●	3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125
	⊕	3350 PH	1 x PH 1x80; 1 x PH 2x100

¹⁾ without Lasertip

3334/3355/6 Screwdriver Set, stainless + Rack



Application: For slotted and Pozidriv[®] screws
Content: 6 pieces set in display carton + Rack

Code			
05032061003	●	3334	1 x 1.2x6.5x150
	●	3335	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125
	⊕	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100

¹⁾ without Lasertip

²⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

Stainless Steel Tools

Keeps extraneous rust at bay.

3334/3350/3355/6 Screwdriver Set, stainless + Rack



Application: For slotted, Phillips and Pozidriv¹⁾ screws
Content: 6 pieces set in display carton + Rack

Code			
05032063005	●	3334	1 x 1.2x6.5x150
	●	3335	1 x 0.5x3.0x80 ¹⁾
	⊕	3350 PH	1 x PH 1x80; 1 x PH 2x100
	⊕	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100

¹⁾ without Lasertip

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

3367/3355/6 Screwdriver Set, stainless + Rack



Application: TORX®- and Pozidriv¹⁾-screws
Content: 6 pieces set in display carton + Rack

Code			
05032062005	⊕	3355 PZ	1 x PZ 1x80; 1 x PZ 2x100
	⊗	3367 TORX®	1 x TX 10x80; 1 x TX 15x80; 1 x TX 20x100; 1 x TX 25x100

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.




Why have there been so few stainless steel tools until now?



Wera recently started using a special process, which ensures that stainless steel tools can meet the same hardness and service life requirements as conventional tools. Vacuum ice hardening gives tools the necessary hardness for industrial applications. The result is a better stainless steel tool for stainless steel materials.

3160 i VDE Screwdriver for slotted screws, stainless



Application: For slotted screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Conical edge, Lasertip, Stainless steel for minimizing extraneous rust
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm	mm	mm	mm
05022729002 ¹⁾	0.5	3.0	80	81	1/8"	3 1/8"	10
05022730002	0.6	3.5	100	81	9/64"	4"	10
05022731002	0.8	4.0	100	98	5/32"	4"	10
05022732002	1.0	5.5	125	98	7/32"	5"	10

¹⁾ without Lasertip

3162 i VDE PH Screwdriver for Phillips screws, stainless



Application: For Phillips screws
Blade: Insulated, individually inspected as per IEC 60900 : 2004
Design: Lasertip, Stainless steel for minimizing extraneous rust
Handle: Kraftform with anti-roll protection, multi-component

Code	mm	mm	mm	mm
05022733002	PH 1	80	98	3 1/8"
05022734002	PH 2	100	105	4"

3160 i/7 Screwdriver Set, stainless + Rack



Kraftform Stainless: the safety screwdriver for stainless steel screws, with Lasertip blade + voltage tester + rack
Application: Slotted and Phillips screws
Contents: Stainless steel, 7 parts set in display box + Rack

Code			
05022728002	3160 i VDE	1 x 0.5x3.0x80 ¹⁾ ; 1 x 0.6x3.5x100; 1 x 0.8x4.0x100; 1 x 1.0x5.5x125	1
	3162 i VDE	1 x PH 1x80; 1 x PH 2x100	
	3247	1 x 0.5x3.0x70	

¹⁾ without Lasertip

Rack for Kraftform screwdrivers



Code	mm	mm
05134001002	50.0	190.0

Stainless Steel Tools

Keeps extraneous rust at bay.

3950 PKL Long Arm Ballpoint Hex Key, Metric, stainless



Hex-Plus



Application: For hexagon socket screws
Blade: Stainless steel
Tip: Hex-Plus, ballpoint hexagon on long arm

Code	mm	mm	mm			
05022700003	1.5	90	14	3 1/2"	9/16"	10
05022701003	2.0	101	16	4"	5/8"	10
05022702003	2.5	112	19	4 7/16"	3/4"	10
05022703003	3.0	123	21	4 7/8"	27/32"	10
05022704003	4.0	137	24	5 3/8"	1"	10
05022705003	5.0	154	27	6 1/16"	1 1/16"	10
05022706003	6.0	172	31	6 3/4"	1 1/4"	10
05022708003	8.0	195	37	7 11/16"	1 7/16"	10
05022709003	10.0	224	42	9"	1 11/16"	10

3950 PKL Long Arm Ballpoint Hex Key, Imperial, stainless



Hex-Plus




Application: For hexagon socket screws
Blade: Stainless steel
Tip: Hex-Plus, ballpoint hexagon on long arm

Code	mm	mm	mm			
05022710002	3/32"	112	19	4 7/16"	3/4"	10
05022711002	7/64"	119	20	4 3/4"	25/32"	10
05022712002	1/8"	123	21	4 7/8"	27/32"	10
05022713002	9/64"	130	22	5 3/16"	29/32"	10
05022714002	5/32"	137	24	5 3/8"	1"	10
05022715002	3/16"	154	27	6 1/16"	1 1/16"	10
05022716002	1/4"	185	34	7 1/4"	1 5/16"	10
05022717002	5/16"	195	37	7 11/16"	1 7/16"	10
05022718002	3/8"	224	42	9"	1 11/16"	5

3950 PKL/9 Hex Key Set, Metric, stainless



Hex-Plus




9 pieces in two-component clip

Code				
05022720005	3950 PKL	1 x 1.5x90; 1 x 2.0x101; 1 x 2.5x112; 1 x 3.0x123; 1 x 4.0x137; 1 x 5.0x154; 1 x 6.0x172; 1 x 8.0x195; 1 x 10.0x224	10	

3950 PKL/9 SZ Hex Key Set, Imperial, stainless



Hex-Plus



9 pieces set, in belt pouch

Code				
05022721002	3950 PKL inch	1 x 3/32"x112; 1 x 7/64"x119; 1 x 1/8"x123; 1 x 9/64"x130; 1 x 5/32"x137; 1 x 3/16"x154; 1 x 1/4"x185; 1 x 5/16"x195; 1 x 3/8"x224	1	



How can I avoid rounding the head of the socket?



Hexagon socket screws can be problematic because of the very narrow contact surfaces that transfer torque from the tool to the screw. This can destroy the head of the screw. Hex-Plus tools provide a greater contact surface to prevent this and fit every standard hexagon socket screw.



1 stainless bitholding screwdriver 3816 R with Rapidaptor quick-release chuck

Code		
05071116002	 3816 R	1 x 1/4"x119
	 3800/4	1 x 1.0x5.5x89
	 3840/4	1 x 3.0x89; 1 x 4.0x89; 1 x 5.0x89; 1 x 6.0x89
	 3851/4	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89
	 3855/4	1 x PZ 1x89; 1 x PZ 2x89; 1 x PZ 3x89
	 3867/4 TORX® B0	1 x TX 10 B0x89; 1 x TX 15 B0x89; 1 x TX 20 B0x89; 1 x TX 25 B0x89; 1 x TX 30 B0x89



1 stainless bitholding screwdriver 3816 R with Rapidaptor quick-release chuck

Code		
05071117002	 3816 R	1 x 1/4"x119
	 3800/4	1 x 1.0x5.5x89
	 3840/4	1 x 3/32"x89; 1 x 1/8"x89; 1 x 5/32"x89; 1 x 3/16"x89
	 3851/4	1 x PH 1x89; 1 x PH 2x89; 1 x PH 3x89
	 3867/4 TORX® B0	1 x TX 10 B0x89; 1 x TX 15 B0x89; 1 x TX 20 B0x89; 1 x TX 25 B0x89; 1 x TX 30 B0x89
	 3868/4 Square-Plus	1 x # 1x89; 1 x # 2x89; 1 x # 3x89



Handle: Kraftform with anti-roll protection, multi-component

								
Code		mm						
05051465002	$\frac{1}{4}"$	119						5



Design: Stainless steel for minimizing extraneous rust, torsion form for minimizing premature wearing

								
Code	mm	mm	mm					
05 071000 001	0.8	5.5	25	1"				10
05 071001 001	1.0	5.5	25	1"				10
05 071002 001	1.2	6.5	25	1"				10



Design: Stainless steel for minimizing extraneous rust, torsion form for minimizing premature wearing

								
Code		mm						
05071010001	PH 1	25	1"					10
05071011001	PH 2	25	1"					10
05071012001	PH 3	25	1"					10

Stainless Steel Tools

Keeps extraneous rust at bay.

3855/1 TS Bits, stainless



TORSION



Application: Suitable for Pozidriv[®]-screws
Drive: 1/4"-hexagon, suitable for DIN 3126-D 6,3, ISO 1173 bit holders
Design: Stainless steel for minimizing extraneous rust, torsion form for minimizing premature wearing

Code		mm							
05071020001	PZ 1	25	1"						10
05071021001	PZ 2	25	1"						10
05071022001	PZ 3	25	1"						10

¹ Pozidriv = reg. trademark of European Industrial Service Ltd.

3867/1 TS TORX[®] Bits, stainless



TORSION



Application: For TORX[®] socket screws
Drive: 1/4"-hexagon, suitable for DIN 3126-D 6,3, ISO 1173 bit holders
Design: Stainless steel for minimizing extraneous rust, torsion form for minimizing premature wearing

Code		mm							
05071030001	TX 8	25	1"						10
05071031001	TX 9	25	1"						10
05071032001	TX 10	25	1"						10
05071033001	TX 15	25	1"						10
05071034001	TX 20	25	1"						10
05071035001	TX 25	25	1"						10
05071036001	TX 27	25	1"						10
05071037001	TX 30	25	1"						10
05071038001	TX 40	25	1"						10

3840/1 TS Bits, stainless



Hex-Plus

TORSION



Application: For hexagon socket screws
Drive: 1/4"-hexagon, suitable for DIN 3126-D 6,3, ISO 1173 bit holders
Design: Hex-Plus, stainless steel for minimizing extraneous rust, torsion form for minimizing premature wearing

Code	mm	mm							
05071070001	1.5	25	1"						10
05071071001	2.0	25	1"						10
05071072001	2.5	25	1"						10
05071073001	3.0	25	1"						10
05071074001	4.0	25	1"						10
05071075001	5.0	25	1"						10
05071077002	5.5	25	1"						10
05071076001	6.0	25	1"						10
05071060001		3/32"	25	1"					10
05071061001		7/64"	25	1"					10
05071062001		1/8"	25	1"					10
05071063001		9/64"	25	1"					10
05071064001		5/32"	25	1"					10
05071065001		3/16"	25	1"					10
05071066001		1/4"	25	1"					10

3800/4 Bits for slotted screws, stainless



Application: For slotted screws

Drive: 1/4" hexagon, suitable for DIN 3126-F 6,3, ISO 1173 bit holders

Design: Stainless steel for minimizing extraneous rust

Code	mm	mm	mm						
05071080002	1.0	5.5	89	3 1/2"					10

3851/4 Bits, stainless



Application: For Phillips screws

Drive: 1/4" hexagon, suitable for DIN 3126-F 6,3, ISO 1173 bit holders

Design: Stainless steel for minimizing extraneous rust

Code		mm							
05071081001	PH 1	89	3 1/2"						10
05071082001	PH 2	89	3 1/2"						10
05071083001	PH 3	89	3 1/2"						10

3855/4 Bits, stainless



Application: Suitable for Pozidriv[®]-screws

Drive: 1/4" hexagon, suitable for DIN 3126-F 6,3, ISO 1173 bit holders

Design: Stainless steel for minimizing extraneous rust

Code		mm							
05071084001	PZ 1	89	3 1/2"						10
05071085001	PZ 2	89	3 1/2"						10
05071086001	PZ 3	89	3 1/2"						10

¹⁾ Pozidriv = reg. trademark of European Industrial Service Ltd.

3867/4 TORX® B0 Bits with bore hole, stainless



Application: For TORX® socket screws with safety pin (B0 = with bore hole)

Drive: 1/4" hexagon suitable for DIN 3126-F 6,3, ISO 1173 bit holders

Design: Stainless steel for minimizing risk of extraneous rust

Code		mm	mm						
05071089001	TX 10 B0	89	3 1/2"	4.0					10
05071090001	TX 15 B0	89	3 1/2"	4.0					10
05071091001	TX 20 B0	89	3 1/2"	4.5					10
05071092001	TX 25 B0	89	3 1/2"	6.0					10
05071094001	TX 30 B0	89	3 1/2"	6.0					10

3840/4 Bits, stainless



Hex-Plus



Application: For hexagon socket screws

Drive: 1/4" hexagon, suitable for DIN 3126-F 6,3, ISO 1173 bit holders

Design: Stainless steel for minimizing extraneous rust

Code	mm	mm	mm						
05071101001	3.0	89	3 1/2"						10
05071102001	4.0	89	3 1/2"						10
05071103001	5.0	89	3 1/2"						10
05071104001	6.0	89	3 1/2"						10
05071105001	3/32"	89	3 1/2"						10
05071106001	1/8"	89	3 1/2"						10
05071107001	5/32"	89	3 1/2"						10
05071108001	3/16"	89	3 1/2"						10

3868/4 Square-Plus bits, stainless



Application: For square socket head screws

Drive: 1/4" hexagon, suitable for DIN 3126-F 6,3, ISO 1173 bit holders

Design: Stainless steel for minimizing extraneous rust

Code		mm	mm						
05071097001	# 1	89	3 1/2"	4.5					10
05071098001	# 2	89	3 1/2"	5.0					10
05071099001	# 3	89	3 1/2"	5.5					10

Stainless Steel Tools

Keeps extraneous rust at bay.

3869/4 Nut Setters, stainless



Application: For hexagon headed bolts, screws and nuts
Drive: 1/4" hexagon, suitable for power tools with DIN 3126-F 6,3, ISO 1173, receiver
Design: Non-magnetic, with retaining spring, stainless steel for minimizing extraneous rust

Code	mm	mm	mm	mm	
05071220002	5.0		50.0	9.5	5
05071221002	5.5		50.0	9.5	5
05071222002	7.0		50.0	12.5	5
05071223002	8.0		50.0	14.0	5
05071224002	10.0		50.0	16.0	5
05071225002	13.0		50.0	19.5	5
05071226002		1/4"	50.0	12.5	5
05071227002		5/16"	50.0	14.0	5
05071228002		3/8"	50.0	16.0	5
05071229002		1/2"	50.0	19.5	5

3869/8 Nut Setter set, stainless



8 piece set, stainless steel, with retaining spring, in practical pouch for the belt

Code					
05071230004	●	3869/4	1 x 5.0x50.0; 1 x 5.5x50.0; 1 x 7.0x50.0; 1 x 8.0x50.0; 1 x 10.0x50.0; 1 x 13.0x50.0; 1 x 1/4"x50.0; 1 x 3/8"x50.0		1

3888/4/1 K Rapidaptor Universal Bit Holder, stainless



Application: Suitable for 1/4" DIN 3126-C 6,3 and E 6,3 (ISO 1173) hexagon insert bits and Wera Series 1 and 4
Design: Rapidaptor easy-in, easy-out, rapid-spin, chuck-all, and single-hand technology
Drive: 1/4" hexagon suitable for DIN 3126-F 6,3, ISO 1173 power tools

Code	mm	mm	mm	mm	mm	
05071100003	1/4"	50	2"	1/4"	15.0	5



How can I change bits as quickly and safely as possible?



With the Wera Rapidaptor 1/4" bits can be inserted and automatically locked in the holder without using the slide switch. Even the smallest bits are easily removed by sliding the sleeve forward. The free-spinning outer sleeve stabilizes battery or mains-powered tools during the screwdriving process. All functions can be carried out with just one hand. There is no faster bit change!

BC Stainless/30 Bit-Check



Hex-Plus

TORSION



29 bits and 1 Rapidaptor stainless steel bit holder: stainless tools minimize the formation of extraneous rust on stainless steel screws.

Code			
05071109003	●● 3888/4/1 K	1 x 1/4"x50	1
	○ 3840/1 TS	1 x 2.5x25; 1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25; 1 x 5.5x25	
	⊕ 3851/1 TS PH	1 x PH 1x25; 3 x PH 2x25; 1 x PH 3x25	
	⊕ 3855/1 TS PZ	2 x PZ 1x25; 3 x PZ 2x25; 1 x PZ 3x25	
	⊕ 3867/1 TS	2 x TX 10x25; 2 x TX 15x25; 3 x TX 20x25; TORX® 3 x TX 25x25; 2 x TX 30x25; 1 x TX 40x25	

BC 10/9 Bit-Check, stainless



TORSION



1 Bit holder Rapidaptor 3888/4/1 K stainless steel, with quick-release chuck suitable for power tools and electronic drills.

Code			
05071110007	●● 3888/4/1 K	1 x 1/4"x50	10
	⊕ 3851/1 TS PH	1 x PH 2x25	
	⊕ 3855/1 TS PZ	1 x PZ 1x25; 2 x PZ 2x25	
	⊕ 3867/1 TS	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; TORX® 1 x TX 25x25; 1 x TX 30x25	

BC 11/9 Bit-Check, stainless



Hex-Plus

TORSION



1 Bit holder Rapidaptor 3888/4/1 K stainless steel, with quick-release chuck suitable for power tools and electronic drills.

Code			
05071112005	●● 3888/4/1 K	1 x 1/4"x50	10
	○ 3840/1 TS	1 x 2.5x25; 1 x 3.0x25; 1 x 4.0x25; 1 x 5.0x25	
	⊕ 3851/1 TS PH	2 x PH 1x25; 2 x PH 2x25; 1 x PH 3x25	

BC 13/9 Bit-Check, stainless



TORSION



1 Bit holder Rapidaptor 3888/4/1 K stainless steel, with quick-release chuck suitable for power tools and electronic drills.

Code			
05071113001	●● 3888/4/1 K	1 x 1/4"x50	10
	⊕ 3851/1 TS PH	1 x PH 1x25; 2 x PH 2x25; 1 x PH 3x25	
	⊕ 3867/1 TS	1 x TX 10x25; 1 x TX 15x25; 1 x TX 20x25; TORX® 1 x TX 25x25; 1 x TX 30x25	

Stainless steel case



1 x 3334/6; 1 x 3950 PKL/9; 1 x BC 10/9; in practical storage and transport case

Code			
05071118004			1