



Screwdrivers & Nut Drivers



Wiha SoftFinish CushionGrip Screwdrivers

Description	Page
 SoftFinish® Slotted/Phillips Drivers	4-8
Torx®/TR Torx® Screwdrivers	10-11
Stubby Slotted/Phillips Drivers	6-7
SoftFinish® TorxPlus® Drivers	11
SoftFinish® Pozidriv® Drivers	6
SoftFinish® Square Drivers	6
SoftFinish® MagicSpring Drivers	9
SoftFinish® MagicRing Drivers	12-13
Measuring Scale Screwdrivers	14

Wiha Screw Holding Screwdrivers

Description	Page
 Screw Holding Screwdrivers	9

Wiha ACR® Screwdrivers

Description	Page
 ACR® Slotted/Phillips Drivers	15

Wiha 3K Series Screwdrivers

Description	Page
 3K Series Slotted/Phillips	16-17
3K Series Torx Drivers	17-18
3K Series Pozidriv® Drivers	17
3K Series Bit Holders	16
 3K Series Hex Inch & Metric	18-19

Wiha Drive-Loc VI Tools

Description	Page
 Drive-Loc VI Handles	20
 Drive-Loc VI Blades	20-21

Wiha Drive-Loc VI Sets

Description	Page
 Drive-Loc VI Blade Sets	22

Wiha Topra Ratchet Blade Set

Description	Page
 Topra Ratchet Blade Set	22

Wiha MicroFinish Non-Slip Grip Drivers

Description	Page
 MicroFinish Slotted Drivers	23-24
MicroFinish Phillips Drivers	23-24
MicroFinish Torx Drivers	25
MicroFinish Bit Holder	24

Wiha Powerhandle Screwdrivers

Description	Page
 Powerhandle Torx® Drivers	25

Wiha Protturn Screwdrivers

Description	Page
 Protturn Torx® Drivers	26

Wiha Dynamic Screwdrivers

Description	Page
 Dynamic Slotted/Phillips Drivers	27

Wiha Square Handle Screwdrivers

Description	Page
 Slotted & Phillips Drivers	28

Wiha Offset Screwdrivers

Description	Page
 Slotted & Phillips Offset Drivers	28
 TORX Offset Screwdrivers	28

Wiha Magnetizer/Demagnetizer



Description	Page
Magnetizer/Demagnetizer	14

Wiha Precision Screwdrivers



Description	Page
Precision Slotted Drivers	29-30
Precision Phillips Drivers	30
Precision Pozidriv® Drivers	31
Precision Hex Drivers	31
Precision Ball End Drivers	32
Precision Torx® Drivers	33
Precision Chip Lifters	32
Precision Bench Top Set	33

Wiha Precision PicoFinish Drivers



Description	Page
PicoFinish Screwdrivers	34-36
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter	

Wiha Protturn Precision Screwdrivers



Description	Page
Protturn Precision Screwdrivers	37
Slotted & Phillips	
Protturn Precision Blade Sets	37

Wiha ESD Safe Precision Handles/Blades



Description	Page
SYSTEM 4 Handles/Blades	38-39
SYSTEM 4 Sets	40-41

Wiha ESD Safe Precision Handle & Blades



Description	Page
SYSTEM 4 Drive-Loc Handle & Blades	39
SYSTEM 4 Drive-Loc Set	39

Wiha Nut Drivers



Description	Page
SoftFinish® Nut Drivers	42-44
Hollow Shaft Nut Drivers	45
T-handle Nut Drivers	46
Drive-Loc VI Blades	47
Precision Nut Drivers	48
PicoFinish® Nut Drivers	49
SYSTEM 4 Nut Driver Blades	49

Wiha Insulated Screwdrivers



Insulated Slotted
 Insulated Phillips
 Insulated Terminal Block Xeno
 Insulated Square Drivers
 Insulated Torx® Drivers
 Insulated Nut Drivers
 Insulated Torque Drivers
 Catalog 99919.wo

Wiha ESD Safe Screwdrivers

ESD Safe SoftFinish® Drivers
Slotted/Phillips/Torx

ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
Handles/Blades/Sets

ESD Safe Drive-Loc VI
Handles/Blades/Sets



Catalog 99945.wo



Wiha SoftFinish® Handle - Ergonomic Cushion Grip

The Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened & hard chrome finish for unmatched durability

Wiha tips are precision machined to exact tolerances for a perfect fit every time

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue



Wiha SoftFinish® Extra Heavy Duty



530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
530 10*	3.5	.139	75	3.0	0.6	.024	186	7.3	.16	10
530 15*	4.5	.177	90	3.5	0.8	.031	201	7.9	.17	10
530 20	5.5	.196	100	3.9	1.0	.039	213	8.4	.23	10
530 25	6.5	.255	125	5.0	1.2	.047	238	9.4	.33	10
530 27	8.0	.315	150	5.9	1.2	.047	268	10.6	.56	10
530 35	10.0	.393	175	7.0	1.6	.063	293	11.6	.58	10
530 40	12.0	.472	200	8.0	2.0	.079	318	12.5	.76	10

*No Hex Bolster



531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
531 10	1	80	3.1	5.0	13/64	186	7.3	.20	10
531 15	2	100	3.9	6.0	1/4	213	8.4	.32	10
531 20	3	150	5.9	8.0	5/16	268	10.6	.56	10



530 90 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.							
		mm	mm		Size	mm	lbs.
530 90	530 20	5.5	100	531 10	1	80	1.85
	530 25	6.5	125	531 15	2	100	
	530 27	8.0	150				



530 97 7 Piece Slotted & Phillips Set - Extra Heavy Duty

Item								
No.		mm	mm	Size		mm		lbs.
530 97	530 20	5.5	100	531 10	1	80		3.15
	530 25	6.5	125	531 15	2	100		
	530 27	8.0	150	531 20	3	150		
	530 35	10.0	175					

Wiha SoftFinish® Extra Heavy Duty



530 96 6 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
530 96	530 10	3.5	75	531 10	1	80	1.69
	530 15	4.5	90	531 15	2	100	
	530 20	5.5	100				
	530 25	6.5	125				



530 99 10 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
530 99	530 10	3.5	75	531 10	1	80	4.20
	530 15	4.5	90	531 15	2	100	
	530 20	5.5	100	531 20	3	150	
	530 25	6.5	125				
	530 27	8.0	150				
	530 35	10.0	175				
	530 40	12.0	200				



530 75 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
530 75	530 15	4.5	90	531 10	1	80	1.53
	530 20	5.5	100	531 15	2	100	
	530 25	6.5	125				

Wiha SoftFinish® Heavy Duty Screwdriver



308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item No.	Slotted	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
308 15	5.5	.216	100	3.9	1.0	.039	213	8.4	.19 10
308 16	6.5	.216	100	3.9	1.2	.047	213	8.4	.22 10
308 17	6.5	.255	125	5.0	1.2	.047	238	9.4	.23 10
308 20	7.0	.275	125	5.0	1.1	.043	238	9.4	.23 10
308 25	8.0	.315	150	5.9	1.2	.047	271	10.7	.37 10
308 30	10.0	.393	175	7.0	1.6	.063	296	11.7	.40 10
308 35	12.0	.472	200	8.0	2.0	.079	321	12.6	.58 10



312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item No.	Phillips	Size	mm	Inch	mm	Inch	lbs.	pkg.
312 01	1	80	3.1	5.0	3/16	186	7.3	.13 10
312 02	2	100	3.9	6.0	7/32	213	8.4	.21 10
312 03	3	150	5.9	8.0	5/16	271	10.7	.37 10



308 92 5 Piece Slotted & Phillips Set

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
308 92	308 15	5.5	100	312 01	1	80	1.33
	308 20	7.0	125	312 02	2	100	
	308 25	8.0	150				



308 98 8 Piece Slotted & Phillips Set

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
308 98	308 15	5.5	100	312 01	1	80	2.52
	308 17	6.5	125	312 02	2	100	
	308 20	7.0	125	312 03	3	150	
	308 25	8.0	150				
	308 30	10.0	175				



Wiha SoftFinish® Handle - Standard Series



302 Slotted Screwdriver, With Wiha-SoftFinish® Handle

Round blade, high alloy CVM, hardened, hard chromed.

Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item	+	+	+	+	+	+	+	+	+	+
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
302 02*	2.0	.079	65	2.6	0.4	.016	169	6.7	.05	10
302 03*	2.5	.098	75	3.0	0.4	.016	179	7.0	.05	10
302 04*	3.0	.118	80	3.1	0.5	.020	184	7.2	.06	10
302 05*	3.0	.118	100	3.9	0.5	.020	204	8.0	.06	10
302 06*	3.0	.118	150	5.9	0.5	.020	254	10.0	.07	10
302 08*	3.0	.118	200	8.0	0.5	.020	304	12.0	.07	10
302 10*	3.5	.139	100	3.9	0.6	.024	204	8.0	.07	10
302 15*	4.0	.157	100	3.9	0.8	.031	211	8.3	.11	10
302 17*	4.0	.157	150	5.9	0.8	.031	261	10.3	.12	10
302 18*	4.5	.187	80	3.1	0.8	.031	191	7.5	.11	10
302 11*	4.5	.187	125	5.0	0.8	.031	236	9.3	.12	10
302 19*	4.5	.187	150	5.9	0.8	.031	261	10.2	.12	10
302 20*	5.5	.216	125	5.0	1.0	.039	236	9.3	.15	10
302 38*	5.5	.216	300	11.8	1.0	.039	411	16.1	.24	10
302 22*	6.0	.250	100	3.9	1.2	.047	218	8.6	.17	10
302 23	6.5	.255	100	3.9	1.0	.039	218	8.6	.20	10
302 25	6.5	.255	150	5.9	1.2	.047	268	10.6	.22	10
302 26	6.5	.255	200	8.0	1.2	.047	318	12.5	.22	10
302 27	8.0	.315	150	5.9	1.2	.047	274	10.8	.29	10
302 30	8.0	.315	175	7.0	1.2	.047	299	11.8	.30	10
302 32	8.0	.315	300	11.8	1.2	.047	424	16.7	.36	10
302 35	10.0	.393	200	8.0	1.6	.063	324	12.8	.36	10
302 36	12.0	.472	250	9.8	2.0	.078	374	14.7	.52	10

*Cabinet Tips



302 Stubby Slotted Screwdriver, With Wiha-SoftFinish® Handle

Item	+	+	+	+	+	+	+	+	+	+
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
302 39	4.0	.157	25	1.0	0.8	.031	75	2.95	.09	10
302 55	5.5	.216	25	1.0	1.0	.039	75	2.95	.09	10
302 65	6.5	.255	25	1.0	1.2	.047	75	2.95	.10	10



313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
313 05	0	60	2.4	3.0	.118	164	6.5	.06	10	
313 10	1	80	3.1	4.5	.177	191	7.5	.11	10	
313 12	1	200	8.0	4.5	.177	311	12.3	.15	10	
313 15	2	100	3.9	6.0	.236	218	8.6	.20	10	
313 20	3	150	5.9	8.0	.315	274	10.8	.33	10	



311 Phillips Screwdriver, With Wiha-SoftFinish® Handle

Round blade, high alloy CVM steel, hardened, hard chromed.

Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
311 05	0	60	2.4	3.0	.118	164	6.5	.06	10	
311 10	1	80	3.1	4.5	.177	191	7.5	.11	10	
311 12	1	200	8.0	4.5	.177	311	12.3	.15	10	
311 14	1	300	12.0	4.5	.177	411	16.2	.18	10	
311 15	2	100	3.9	6.0	.236	218	8.6	.20	10	
311 17	2	200	8.0	6.0	.236	318	12.5	.25	10	
311 18	2	300	12.0	6.0	.236	418	16.5	.30	10	
311 20	3	150	5.9	8.0	.315	274	10.8	.33	10	
311 25	4	200	8.0	10.0	.393	323	12.7	.51	10	



311 Stubby Phillips Screwdriver, With Wiha-SoftFinish® Handle

Item	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
311 35	1	25	1.0	4.5	.177	75	3.0	.09	10	
311 40	2	25	1.0	6.0	.236	75	3.0	.10	10	

Wiha SoftFinish® Handle - Square Drivers



358 Square Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
358 00	0	80	3.1	4.0	5/32	191	7.5	.11	10	
358 01	1	100	3.9	4.5	5/32	210	8.2	.12	10	
358 02	2	150	5.9	6.0	1/4	268	10.5	.19	10	
358 03	3	150	5.9	6.0	1/4	268	10.5	.22	10	



358 94 4 Piece SoftFinish® Square Tip Screwdriver Set

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	+	+	+	+	+	+	+	+	+	+
No.	Size	mm	Size	mm	Size	mm	Size	mm	lbs.	.77
358 94	358 00	0	80	358 02	2	150				
	358 01	1	100	358 06	3	150				

Wiha SoftFinish® Handle - Stubby Sets

311 90 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item No.	Slotted Tip	Slotted Handle	Phillips Tip	Phillips Handle	Weight
	mm	mm	Size mm		lbs. .24
311 90	302 39	4.0 25	311 35	1 25	


311 91 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item No.	Slotted Tip	Slotted Handle	Phillips Tip	Phillips Handle	Weight
	mm	mm	Size mm		lbs. .24
311 91	302 65	6.5 25	311 40	2 25	


311 92 2 Piece Phillips Stubby Screwdriver Set

Item No.	Phillips Tip	Phillips Handle	Weight
	Size mm	Size mm	lbs. .24
311 92	311 35	1 25	
	311 40	2 25	


311 93 2 Piece Slotted Stubby Screwdriver Set

Item No.	Slotted Tip	Slotted Handle	Weight
	mm	mm	lbs. .24
311 93	302 39	4.0 25	
	302 65	6.5 25	


302 94 6 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted Tip	Slotted Handle	Phillips Tip	Phillips Handle	Weight
	mm	mm	Size mm		lbs.
302 94	302 15	4.0 100	311 10	1 80	1.29
	302 25	6.5 150	311 15	2 100	
	302 27	8.0 150			
	*302 39	4.0 25			

*Stubby screwdriver with Wiha SoftFinish handle

Wiha SoftFinish® Handle - Standard Series

302 95 5 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted Tip	Slotted Handle	Phillips Tip	Phillips Handle	Weight
	mm	mm	Size mm		lbs.
302 95	302 05	3.0 100	311 10	1 80	1.02
	302 15	4.0 100	311 15	2 100	
	302 25	6.5 150			


302 98 8 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted Tip	Slotted Handle	Phillips Tip	Phillips Handle	Weight
	mm	mm	Size mm		lbs.
302 98	302 05	3.0 100	311 10	1 80	1.87
	302 15	4.0 100	311 15	2 100	
	302 20	5.5 125	311 20	3 150	
	302 25	6.5 150			
	302 30	8.0 175			


302 97 12 Piece Slotted & Phillips Screwdriver Set

Item No.	Slotted Tip	Slotted Handle	Phillips Tip	Phillips Handle	Weight
	mm	mm	Size mm		lbs.
302 97	302 05	3.0 100	311 05	0 60	2.48
	302 15	4.0 100	311 10	1 80	
	302 20	5.5 125	*311 40	2 25	
	302 25	6.5 150	311 15	2 100	
	*302 65	6.5 25	311 20	3 150	
	302 30	8.0 175			
	302 35	10 200			

*Stubby screwdriver with Wiha SoftFinish handle

Wiha SoftFinish® Handle - Standard Series



302 91 6 Piece Slotted, Phillips & Square Cushion Grip Drivers

Item									
No.	Slotted	mm	mm	Phillips	Size	mm	Square	Size	mm
 302 91	302 11	4.5	125	311 10	1	80	358 01	1	100
 302 25	302 25	6.5	150	311 15	2	100	358 02	2	150



302 90 10 Piece Slotted, Phillips & Square Cushion Grip Drivers

Item									
No.	Slotted	mm	mm	Phillips	Size	mm	Square	Size	mm
302 90	302 05	3.0	100	311 05	0	60	358 01	1	100
	302 10	3.5	125	311 10	1	80	358 02	2	150
lbs.	302 11	4.5	125	311 15	2	100	358 03	3	150
1.54	302 25	6.5	150						



900 00 Plastic Screwdriver Tool Rack Rack holds all Wiha screwdrivers, with holes for hanging. Made from high quality plastic.

Item		
No.	lbs.	pkg.
900 00 Rack for Wiha screwdrivers 5.75 x 2"	.10	1



302 76 **7 Piece Slotted & Phillips Set** CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No. 302 76 Set Includes:					
Item No.	Tip Size	Blade	Tip Style		lbs.
30816	1/4	4" Hex	Keystone		1.87
30825	5/16	6" Hex	Keystone		
30218	3/16"	3" Round	Cabinet		
30219	3/16"	6" Round	Cabinet		
30222	1/4"	4" Round	Cabinet		
31110	#1	3" Round	Phillips		
31115	#2	4" Round	Phillips		



302 99 20 Piece Slotted, Phillips, **TORX®**, Square & Pozidriv® Set

Item		mm	mm		Size	mm		Size	mm
No.	Slotted			Phillips			TORX®		
302 99	302 05	3.0	100	311 05	0	60	362 66	T6	60
	302 15	4.0	100	311 10	1	80	362 70	T8	60
lbs.	302 20	5.5	125	311 15	2	100	362 74	T10	80
3.27	302 25	6.5	150				362 76	T15	80
	302 30	8.0	175		Size	mm	362 78	T20	100
				Square			362 80	T25	100
	Pozidriv	Size	mm	358 01	1	100	362 84	T30	115
	313 10	1	80	358 02	2	150			
	313 15	2	100	358 03	3	150			

Wiha Screw Holding Screwdrivers



Clamping sleeve
to hold screw

398 Slotted Screw Holding Screwdriver, With Wiha-SoftFinish®

Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. Wiha-SoftFinish® handle cushion grip, impact resistant.

Item No.	↓	↑	↔	↔	↔	↔	↔	↔	↔
	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
398 25	2.5	.10	75	3.0	160	6.3	.09	10	
398 30	3.0	.12	100	3.9	195	7.6	.19	10	
398 40	4.0	.16	125	5.0	230	9.0	.27	10	
398 50	5.0	.20	150	5.9	265	10.4	.27	10	
398 60	6.0	.24	175	6.9	290	11.4	.32	10	



Clamping sleeve
to hold screw

397 Phillips Screw Holding Screwdriver, With Wiha-SoftFinish®

Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. Wiha-SoftFinish® handle cushion grip, impact resistant.

Item No.	+	↔	↔	↔	↔	↔	↔	↔	↔
	Size	mm	Inch	mm	Inch	lbs.	pkg.		
397 00	0	100	3.9	195	7.6	.13	10		
397 01	1	125	5.0	230	9.0	.27	10		
397 02	2	175	7.0	290	11.4	.32	10		



398 92 5 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.		↔
398 92	Slotted: 2.5x75mm, 3.0x100mm, 4.0x125mm	lbs.
	Phillips: 0x100mm, 1x125mm	1.35



398 96 8 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.		↔
398 96	Slotted: 2.5x75mm, 3.0x100mm, 4.0x125mm, 5.0x150mm, 6.0x175mm	lbs. 1.80
	Phillips: 0x100mm, 1x125mm, 2x175mm	

Wiha Screw Holding TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*



362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	✱	↔	↔	↔	↔	↔	↔	↔	↔
	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 02	T6	60	2.4	3.5	.139	164	6.5	.07	10
362 03	T7	60	2.4	3.5	.139	164	6.5	.07	10
362 07	T8	60	2.4	3.5	.139	164	6.5	.07	10
362 34	T9	60	2.4	4.0	.157	171	6.7	.11	10
362 44	T10	80	3.1	4.0	.157	191	7.5	.11	10
362 49	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 54	T20	100	3.9	4.0	.157	211	8.3	.16	10
362 56	T25	100	3.9	4.5	.177	211	8.3	.17	10
362 57	T27	115	4.5	5.5	.216	233	9.2	.20	10
362 58	T30	115	4.5	6.0	.236	233	9.2	.21	10



362 90 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	✱	↔	✱	↔	↔
	Size	mm	Size	mm	lbs.
362 90	362 07 T8	60	362 54 T20	100	.98
	362 44 T10	80	362 56 T25	100	
	362 49 T15	80	362 58 T30	115	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha TORX® SoftFinish® Screwdrivers



362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 64	T5	60	2.4	2.5	.098	164	6.5	.05	10
362 66	T6	60	2.4	3.5	.139	164	6.5	.06	10
362 68	T7	60	2.4	3.5	.139	164	6.5	.06	10
362 70	T8	60	2.4	3.5	.139	164	6.5	.06	10
362 72	T9	60	2.4	4.0	.157	171	6.7	.10	10
362 74	T10	80	3.1	4.0	.157	191	7.5	.11	10
362 76	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 78	T20	100	3.9	4.0	.157	211	8.3	.11	10
362 80	T25	100	3.9	4.5	.177	211	8.3	.12	10
362 82	T27	115	4.5	5.5	.216	233	9.2	.19	10
362 84	T30	115	4.5	6.0	.236	233	9.2	.20	10
362 86	T40	130	5.1	7.0	.275	254	10.0	.27	10
362 88	T45	130	5.1	8.0	.315	254	10.0	.31	10

Wiha TORX® SoftFinish® Screwdrivers



362 91 6 Piece TORX® SoftFinish - Cushion Grip Set

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
362 91	362 66	T6 60	362 72	T9 60	.77
	362 68	T7 60	362 74	T10 80	
	362 70	T8 60	362 76	T15 80	

362 01 Set 6 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
362 01	362 66	T6 60	362 76	T15 80	.83
	362 70	T8 60	362 78	T20 100	
	362 74	T10 80	362 80	T25 100	



362 94 8 Piece TORX® Set

Item No.	Size	mm	Size	mm	lbs.
362 94	362 66	T6 60	362 78	T20 100	1.24
	362 70	T8 60	362 80	T25 100	
	362 74	T10 80	362 82	T27 115	
	362 76	T15 80	362 84	T30 115	



362 67 12 Piece TORX® Set

Item No.	Size	mm	Size	mm	lbs.
362 67	362 64	T5 60	362 76	T15 80	2.03
	362 66	T6 60	362 78	T20 100	
	362 68	T7 60	362 80	T25 100	
	362 70	T8 60	362 82	T27 115	
	362 72	T9 60	362 84	T30 115	
	362 74	T10 80	362 86	T40 130	

Wiha Tamper Resistant **TORX®** Drivers



362 TR Tamper Resistant **TORX® Screwdriver With Wiha-SoftFinish® Handle** Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 69	T7s	60	2.4	3.5	.139	164	6.5	.06	10
362 71	T8s	60	2.4	3.5	.139	164	6.5	.06	10
362 73	T9s	60	2.4	4.0	.157	171	6.7	.10	10
362 75	T10s	80	3.1	4.0	.157	191	7.5	.11	10
362 77	T15s	80	3.1	4.0	.157	191	7.5	.11	10
362 79	T20s	100	3.9	4.0	.157	211	8.3	.11	10
362 81	T25s	100	3.9	4.5	.177	211	8.3	.11	10
362 83	T27s	115	4.5	5.5	.216	233	9.2	.19	10
362 85	T30s	115	4.5	6.0	.236	233	9.2	.20	10
362 87	T40s	130	5.1	7.0	.275	254	10.0	.28	10



362 98 Set 7 Pcs. Tamper Resistant **TORX®**

Item No.	Size	mm	Size	mm	lbs.
362 98	362 69 T7s	60	362 77 T15s	80	.95
	362 71 T8s	60	362 79 T20s	100	
	362 73 T9s	60	362 81 T25s	100	
	362 75 T10s	80			



362 59 Set 10 Pcs. Tamper Resistant **TORX®**

Item No.	Size	mm	Size	mm	lbs.
362 59	362 69 T7s	60	362 79 T20s	100	1.5
	362 71 T8s	60	362 81 T25s	100	
	362 73 T9s	60	362 83 T27s	115	
	362 75 T10s	80	362 85 T30s	115	
	362 77 T15s	80	362 87 T40s	130	

Wiha **TORXPlus®** Cushion Grip Drivers




Not for use in standard Torx fasteners

362 **TORXPlus®** Screwdriver With Wiha SoftFinish Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 11	IP6	60	2.4	3.5	.139	164	6.5	.06	10
362 23	IP7	60	2.4	3.5	.139	164	6.5	.06	10
362 28	IP8	60	2.4	4.0	.157	171	6.7	.10	10
362 29	IP9	60	2.4	4.0	.157	171	6.7	.11	10
362 33	IP10	80	3.1	4.0	.157	191	7.5	.11	10
362 38	IP15	80	3.1	4.0	.157	191	7.5	.11	10
362 39	IP20	100	3.9	4.5	.177	211	8.3	.11	10
362 43	IP25	100	3.9	5.5	.216	211	8.3	.19	10
362 48	IP27	115	4.5	6.0	.236	233	9.2	.20	10
362 53	IP30	115	4.5	7.0	.275	233	9.2	.28	10
362 55	IP40	130	5.1	7.0	.275	254	10.0	.28	10



362 99 Set 7 Pcs. **TORXPlus®** Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
362 99	362 28 IP8	60	362 43 IP25	100	1.23
	362 33 IP10	80	362 53 IP30	115	
	362 38 IP15	80	362 55 IP40	130	
	362 39 IP20	100			



362 96 Set 6 Pcs. **TORXPlus®**

Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
362 96	362 11 IP6	60	362 29 IP9	60	.72
	362 23 IP7	60	362 33 IP10	80	
	362 28 IP8	60	362 38 IP15	80	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!




367 91 13 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	No.	Inch	Inch	Inch	Inch	lbs.
367 91	367 10*	.050	3.0	367 32	5/32	5.0
	367 13*	1/16	3.0	367 34	3/16	6.0
	367 16*	5/64	4.0	367 36	7/32	6.0
	367 19*	3/32	4.0	367 38	1/4	6.0
	367 23*	7/64	4.0	367 42	5/16	8.0
	367 26	1/8	4.0	367 44	3/8	8.0
	367 28	9/64	4.0			

* Standard Ball - No Ring



367 94 6 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	No.	Inch	Inch	Inch	Inch	lbs.
367 94	367 26	1/8	4.0	367 34	3/16	6.0
	367 28	9/64	4.0	367 36	7/32	6.0
	367 32	5/32	5.0	367 38	1/4	6.0


367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed.

Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	No.	Inch	Inch	mm	mm	lbs.	pkg.
367 10*	367 10*	.050	3.1	80	179	.06	10
367 13*	367 13*	1/16	3.1	80	204	.06	10
367 16*	367 16*	5/64	3.9	100	204	.07	10
367 19*	367 19*	3/32	3.9	100	204	.07	10
367 23*	367 23*	7/64	3.9	100	211	.07	10
With MagicRing							
367 26	367 26	1/8	3.9	100	243	.12	10
367 28	367 28	9/64	3.9	100	243	.12	10
367 32	367 32	5/32	5.0	125	271	.12	10
367 34	367 34	3/16	6.0	150	271	.16	10
367 36	367 36	7/32	6.0	150	271	.23	10
367 38	367 38	1/4	6.0	150	271	.25	10
367 42	367 42	5/16	8.0	200	271	.37	10
367 44	367 44	3/8	8.0	200	271	.54	10

* Standard Ball - No Ring



367 93 8 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item	No.	Inch	Inch	Inch	Inch	lbs.
367 93	367 26	1/8	4.0	367 36	7/32	6.0
	367 28	9/64	4.0	367 38	1/4	6.0
	367 32	5/32	5.0	367 42	5/16	8.0
	367 34	3/16	6.0	367 44	3/8	8.0

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	lbs.	pkg.
367 15*	1.5	75	179	.06	10
367 20*	2.0	100	204	.07	10
367 25*	2.5	100	204	.07	10
With MagicRing					
367 30	3.0	100	204	.07	10
367 40	4.0	125	211	.12	10
367 50	5.0	150	243	.16	10
367 60	6.0	150	243	.23	10
367 80	8.0	200	268	.37	10
367 86	10.0	200	271	.54	10

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel

367 90 9 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

							
Item No.		mm	mm	mm		mm	lbs.
367 90	367 15*	1.5	75	367 50	5.0	150	2.06
	367 20*	2.0	100	367 60	6.0	150	
	367 25*	2.5	100	367 80	8.0	200	
	367 30	3.0	100	367 86	10.0	200	
	367 40	4.0	125				

* Standard Ball - No Ring



367 92 6 Piece MagicRing Metric Ball End Hex Screwdriver Set


Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item					
No.	mm	mm	mm	mm	lbs.
367 92	367 30	3.0 100	367 60	6.0 150	1.86
	367 40	4.0 125	367 80	8.0 200	
	367 50	5.0 150	367 86	10.0 200	

Wiha SoftFinish CushionGrip Drivers With Inch & MM Scale on Blades

NEW
From Wiha


- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Wiha Ergo SoftFinish Cushion Grip Handles
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Hard chrome surfaces for incredible wear resistance
- Precision machined exact fit tips



302 Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish®

Handle Inch & Metric scales


Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
302 37	5.5	7/32	125	5.0	1.0	.039	236	9.3	.16	10



311 Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish®

Handle Inch & Metric scales

Item										
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
311 37	2	100	3.9	6.0	1/4	218	8.6	.21	10	



311 94 2 Pc Slotted & Phillips Measuring Scale Screwdriver Set

Item							
No.	mm	mm		Size	mm		lbs.
311 94	302 37	5.5	125	311 37	2	100	.37

Wiha Interchangeable Tools Magnetize & Demagnetize



481 90 4 Piece Slotted & Phillips Interchangeable Blade Set, In Durable Pouch

Set includes Magnetizer/Demagnetizer handle & 3 interchangeable blades.

Item

No. 481 90 lbs. .62

Slotted: 3.0, 4.0, 6.0mm Phillips: 0, 1, 2

Wiha Magnetizer/Demagnetizer Handle



481 06 Magnetizer/Demagnetizer Handle

Wiha-Hex bolster for additional torque.

Advantages:

- Ergo soft grip panels for comfort
- Built in blade Magnetizer/Demagnetizer

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
481 06	6.0	109	4.1	29	1.1	.14

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box
is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

400 10 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item	
No.	Dimensions lbs.
400 10	2.1" x 2.0" x 1.1" .30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha ACR® Slotted & Phillips Screwdrivers

ACR®

Anti-Cam-Out Ribs


Anti-Cam-Out ribs give maximum grip in the screw head

Dual material handle has molded in soft grip panels & hang hole

Round blade made CVM special tool steel

Precision machined exact fit slotted tips ACR® ribs

3K overdrive maximum comfort molded on ergonomic handle



Precision Black Tips


469 ACR® Slotted Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item	Slotted	Phillips	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
469 12	4.5	.177	80	3.1	1.3	.050	186	7.3	.13	10
469 15	4.5	.177	150	5.9	1.3	.050	256	10.0	.16	10
469 21	6.0	.236	100	3.9	1.5	.058	218	8.5	.21	10
469 24	6.0	.236	150	5.9	1.5	.058	269	10.5	.23	10
469 33	8.0	.315	150	5.9	2.0	.078	269	10.5	.27	10


469 91 Set 6 Pcs. Slotted & Phillips 3K ACR® Soft Grip Set


Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item	Slotted	Phillips	Hex	Hex	Hex	Hex
No.	mm	mm	Size	mm	lbs.	
469 91	469 12	4.5	80	468 03	1	80
	469 21	6.0	100	468 06	1	150
	469 33	8.0	150	468 12	2	100



468 ACR® Phillips Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item	Phillips	Hex	Hex	Hex	Hex	Hex	Hex
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
468 03	1	80	3.1	186	7.3	.13	10
468 06	1	150	5.9	257	10.1	.15	10
468 12	2	100	3.9	218	8.5	.21	10
468 15	2	150	5.9	234	9.2	.23	10



ACR®
Slotted



ACR®
Phillips

Wiha 3K Series Screwdrivers and Sets

3K Ergonomic Series Screwdrivers & Sets



450 Slotted Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
450 40**	2.5	.10	75	3.0	0.4	.02	161	6.3	.06	10
450 50**	3.0	.12	100	3.9	0.5	.02	185	7.3	.07	10
450 52**	3.5	.14	100	3.9	0.6	.02	197	7.7	.09	10
450 54**	4.0	.16	100	3.9	0.8	.03	206	8.1	.12	10
450 55	4.5	.18	100	3.9	1.0	.04	207	8.1	.13	10
450 56	4.5	.18	150	5.9	1.0	.04	257	10.1	.14	10
450 57	4.5	.18	200	8.0	1.0	.04	306	12.0	.15	10
450 58	5.5	.22	125	5.0	1.0	.04	243	9.5	.19	10
450 60	6.0	.24	100	3.9	0.9	.04	218	8.5	.20	10
450 61	6.0	.24	150	5.9	0.9	.04	268	10.5	.23	10
450 62	6.0	.24	200	8.0	0.9	.04	318	12.5	.25	10
450 64*	6.5	.24	40	1.6	1.2	.05	90	3.5	.08	10
450 65	6.5	.24	150	5.9	1.2	.05	268	10.5	.23	10
450 67	8.0	.32	150	5.9	1.2	.05	268	10.5	.26	10
450 69	10.0	.39	200	8.0	1.6	.06	318	12.5	.35	10

* Stubby screwdriver with Wiha Powerhandle - 45064

** Cabinet Tip



484 01 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
484 01	1/4"	125	5.0	211	8.3	.24	1



451 Phillips Screwdriver, With Wiha-3K Series Handle

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
451 35	0	60	2.4	145	5.7	.06	10
451 37	1	80	3.1	187	7.3	.13	10
451 40	1	200	8.0	307	12.0	.16	10
451 42	2	100	3.9	218	8.5	.21	10
451 44	2	150	5.9	268	10.5	.23	10
451 47	2	200	8.0	318	12.5	.25	10
451 50*	2	40	1.6	90	3.5	.08	10
451 52	3	150	5.9	268	10.5	.31	10

* Stubby screwdriver with Wiha Powerhandle - 45150



460 98 4 Piece Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
460 98	450 55	4.5	100	451 37	1
	450 60	6.0	100	451 42	2



460 99 40 Piece Slotted, Phillips, TORX®, Pozidriv®, Bit Holder & Folding Ruler Blade CVM steel, hardened. With 16" tool box

Item No.	lbs.
460 99	10.4
Slotted: 2.5, 3.0, 3.5, 4.0, 4.5x100, 4.5x150, 4.5x200, 5.5, 6.0x100, 6.0x150, 6.0x200, 6.5x40, 6.5x150, 8.0, 10mm	
Phillips: 0x60, 1x80, 1x200, 2x100, 2x150, 2x200, 2x40, 3x150	
TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50	
Pozidriv®: 1x80, 2x100	
3K 1/4" Magnetic Bit Holder 61601 Folding Ruler	

Wiha 3K Series Screwdrivers and Sets



460 95 5 Piece Slotted & Phillips Screwdriver Set

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted	Phillips	Size	mm	lbs.
460 95	450 55	451 35	0	60	1.04
	450 60	451 37	1	80	
		451 42	2	100	



460 94 6 Piece Slotted & Phillips Screwdriver Set

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted	Phillips	Size	mm	lbs.
460 94	450 50	451 37	1	80	.91
	450 55	451 44	2	150	
	450 58				
	450 65				



460 97 8 Piece Slotted & Phillips Set

Blade CVM steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted	Phillips	Size	mm	lbs.
460 97	450 50	451 37	1	80	1.70
	450 55	451 42	2	100	
	450 60	451 50	2	40	
	450 67	451 52	3	150	



452 Pozidriv® Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
452 05	0	60	2.4	146	5.7	.06	10
452 07	0	100	3.9	186	7.3	.07	10
452 15	1	80	3.1	187	7.3	.13	10
452 20	1	100	3.9	207	8.1	.14	10
452 25	2	100	3.9	219	8.6	.21	10
452 30	2	150	5.9	269	10.6	.23	10
452 35	3	150	5.9	269	10.6	.31	10

Wiha TORX® 3K Series Drivers and Sets



455 TORX® Screwdriver, With Wiha-3K Series Handle

Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
455 04	T6	60	2.4	3.2	9/64	145	5.7	.06	10
455 07	T7	60	2.4	3.5	9/64	129	5.1	.05	10
455 08	T8	60	2.4	3.5	9/64	139	5.5	.06	10
455 09	T9	60	2.4	4.0	5/32	149	5.8	.08	10
455 10	T10	80	3.1	4.0	5/32	170	6.7	.10	10
455 15	T15	80	3.1	4.0	5/32	190	7.5	.11	10
455 20	T20	100	3.9	5.5	7/32	215	8.4	.11	10
455 25	T25	100	3.9	6.0	1/4	215	8.4	.20	10
455 27	T27	115	4.5	7.0	9/32	240	9.4	.28	10
455 30	T30	115	4.5	6.0	1/4	233	9.1	.21	10
455 40	T40	130	5.1	7.0	9/32	248	9.7	.25	10
455 45	T45	130	5.1	8.0	5/16	249	9.8	.30	10
455 50	T50	130	5.1	9.0	3/8	249	9.8	.33	10



455 93 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
455 93	455 08 T8	60	455 20 T20	100	.86
	455 10 T10	80	455 25 T25	100	
	455 15 T15	80			

Wiha 3K Series Drivers & Sets



455 98 Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
455 98	455 04	T6 60	455 09	T9 60	.88
	455 07	T7 60	455 10	T10 80	
	455 08	T8 60	455 15	T15 80	



455 95 Set 8 Pcs. TORX® Wiha-3k Ergo handle, cushion grip.


Item No.	Size	mm	Size	mm	lbs.
455 95	455 08	T8 60	455 20	T20 100	1.36
	455 09	T9 60	455 25	T25 100	
	455 10	T10 80	455 27	T27 115	
	455 15	T15 80	455 30	T30 115	



455 97 Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set
Blade chrome-vanadium-molybdenum steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
455 97	455 04	T6 60	455 20	T20 100	1.72
	455 07	T7 60	455 25	T25 100	
	455 08	T8 60	455 27	T27 115	
	455 09	T9 60	455 30	T30 115	
	455 10	T10 80	455 40	T40 130	
	455 15	T15 80			

Wiha Ball End 3K Series Drivers & Sets



Metric / Soft Grip

467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	mm	mm	mm	lbs.	pkg.
467 15	1.5	75	161	.07	10
467 20	2.0	100	186	.07	10
467 25	2.5	100	186	.07	10
467 30	3.0	100	186	.07	10
467 40	4.0	100	197	.11	10
467 50	5.0	100	197	.13	10
467 60	6.0	150	257	.21	10
467 80	8.0	200	307	.34	10
467 86	10.0	200	319	.52	10



467 96 7 Piece Metric Ball End Hex Screwdriver Set



Item No.	mm	mm	mm	mm	lbs.
467 96	467 15	1.5 75	467 40	4.0 100	1.15
	467 20	2.0 100	467 50	5.0 100	
	467 25	2.5 100	467 60	6.0 150	
	467 30	3.0 100			



467 99 9 Piece Metric Ball End Hex Screwdriver Set

Item No.	mm	mm	mm	mm	lbs.
467 99	467 15	1.5 75	467 50	5.0 100	1.93
	467 20	2.0 100	467 60	6.0 150	
	467 25	2.5 100	467 80	8.0 200	
	467 30	3.0 100	467 86	10.0 200	
	467 40	4.0 100			

Wiha Ball End 3K Series Drivers & Sets




Inch / Soft Grip

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.


Item No.	Inch	Inch	Inch	lbs.	pkg.
467 02	.050	2.9	6.3	.07	10
467 04	1/16	2.9	6.3	.07	10
467 06	5/64	3.9	7.3	.07	10
467 08	3/32	3.9	7.3	.07	10
467 10	7/64	3.9	7.3	.07	10
467 12	1/8	3.9	7.7	.09	10
467 14	9/64	3.9	7.7	.10	10
467 16	5/32	3.9	7.7	.11	10
467 18	3/16	3.9	7.7	.12	10
467 22	7/32	5.9	10.0	.19	10
467 24	1/4	5.9	10.0	.22	10
467 26	5/16	7.9	12.0	.34	10
467 28	3/8	7.9	12.5	.48	10

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry



467 93 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.	Inch	Inch	Inch	Inch	lbs.
467 93	467 02	.050	2.9	467 10	7/64 3.9
	467 04	1/16	2.9	467 12	1/8 3.9
	467 06	5/64	3.9	467 14	9/64 3.9
	467 08	3/32	3.9	467 16	5/32 3.9



467 97 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Inch	Inch	Inch	Inch	lbs.
467 97	467 02	.050	2.9	467 16	5/32 3.9
	467 04	1/16	2.9	467 18	3/16 2.9
	467 06	5/64	3.9	467 22	7/32 5.9
	467 08	3/32	3.9	467 24	1/4 5.9
	467 10	7/64	3.9	467 26	5/16 7.9
	467 12	1/8	3.9	467 28	3/8 7.9
	467 14	9/64	3.9		




467 94 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item No.	Inch	Inch	Inch	Inch	lbs.
467 94	467 12	1/8	3.9	467 18	3/16 3.9
	467 14	9/64	3.9	467 22	7/32 5.9
	467 16	5/32	3.9	467 24	1/4 5.9

Yellow = Inch
 Red = Metric

Wiha Drive-Loc VI Handles

Drive-Loc VI For Adjustable Length Locking Blades



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")

Locking mechanism in SoftFinish cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange

Adjust interchangeable blades from 40 to 120mm

Ergonomic handles in ESD Safe, cushioned & non-slip grip

Blades high quality CVM steel, hard chrome finish

 See Drive-Loc VI Nut drivers on Page 47



284 88 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages: Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item No.					
	mm	mm	Inch	mm	Inch
284 88	6.0	115	4.5	36.0	1.41



281 Slotted Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.				
	mm	mm	lbs.	pkg.
281 06	3.5	4.5	.10	1
281 08	5.5	6.5	.10	1



284 86 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages: Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item No.					
	mm	mm	Inch	mm	Inch
284 86	6.0	115	4.5	36.0	1.41



281 Slotted & Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.				
	mm	Size	lbs.	pkg.
281 07	3.0	0	.10	1
281 09	4.0	1	.10	1
281 10	6.0	2	.10	1



284 87 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages: Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold & rapid blade exchange.

Item No.					
	mm	mm	Inch	mm	Inch
284 87	6.0	115	4.5	36.0	1.41



281 12 Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.				
	Size	Size	lbs.	pkg.
281 12	1	2	.10	1

Wiha Drive-Loc VI Blades



281 TORX® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
281 26	T6 T8	.10	1
281 27	T7 T9	.10	1
281 28	T10 T15	.10	1
281 29	T20 T25	.10	1
281 30	T30 T40	.10	1



281 Tamper Resistant TORX® Drive-Loc VI Interchangeable Blade

high alloy CVM steel, through hardened, hard chrome finish.
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
281 32	T6s T8s	.10	1
281 33	T7s T9s	.10	1
281 34	T10s T15s	.10	1
281 35	T20s T25s	.10	1
281 36	T30s T40s	.10	1



281 14 Pozidriv® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
281 14	1 2	.10	1



281 Tri-wing® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
281 38	0 1	.10	1
281 39	2 3	.10	1
281 40	4 5	.10	1



281 Torq Set® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
281 42	2 4	.08	1
281 43	6 8	.10	1

Wiha Drive-Loc VI Blades



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
 Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + mm	lbs.	pkg.
281 16	2.5 2.5	.10	1
281 17	3 3	.10	1
281 18	4 4	.10	1
281 19	5 5	.10	1
281 20	6 6	.10	1



281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + mm	lbs.	pkg.
281 49	2.0 2.5	.09	1
281 50	3.0 4.0	.10	1
281 51	5.0 6.0	.10	1



281 Hex Inch Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch + Inch	lbs.	pkg.
281 22	3/32 7/64	.10	1
281 23	1/8 9/64	.10	1
281 24	5/32 3/16	.10	1



281 37 Square Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.
 Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size	lbs.	pkg.
281 37	1 2	.10	1





Drive-Loc VI Interchangeable Blade Sets



281 90 4 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 3 interchangeable blades.

Item  lbs.

No. 281 90 .70

Slotted: 3.5 + 4.5, 5.5 + 6.5 **Phillips:** #1 + #2

Wiha SoftFinish® Cushion Grip Blade Lock Handle



281 94 5 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item  lbs.

No. 281 94 .80

Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2 **Square:** 1+2

Wiha SoftFinish® Cushion Grip Blade Lock Handle



281 99 10 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item  lbs.

No. 281 99 1.11

Slotted/Phillips: 4.0+1, 6.0+2 **TORX®:** T6+T8, T7+T9, T10+T15, T20+T25 **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16"

Wiha SoftFinish® Cushion Grip Blade Lock Handle



281 93 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item  lbs.

No. 281 93 .84

Slotted/Phillips: 4.0+1, 6.0+2 **TORX®:** T10+T15, T20+T25, T30+T40

Wiha SoftFinish® Cushion Grip Blade Lock Handle



281 92 7 Piece Hex Inch & Metric Drive-Loc VI Blade Set

Blade CVM steel, hardened, hard chromed. In storage pouch

Item

No. 281 92

Inch: 3/32 x 7/64, 1/8 x 9/64, 5/32 x 3/16

Metric: 2.0 x 2.5, 3.0 x 4.0, 5.0 x 6.0

Wiha SoftFinish® Cushion Grip Handle

 lbs.

.74



281 95 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item  lbs.

No. 281 95 .85

TORX®: T6&T8, T7&T9, T10&T15, T20&T25, T30&T40

Wiha SoftFinish® Cushion Grip Blade Lock Handle



281 97 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item  lbs.

No. 281 97 .83

Tamper Resistant TORX®: T6s+T8s, T7s+T9s, T10s+T15s,

T20s+T25s, T30s+T40s & SoftFinish® Cushion Grip Blade Lock Handle

Topra Ratchet Interchangeable Blade Sets



In Durable
Canvas Pouch

282 90 4 Pc. Topra Ratchet Interchangeable Blade Set

Item No. 282 90  lbs. .91

Slotted: 3.5, 4.5, 5.5, 6.5 **Phillips:** #1 + #2

Wiha Topra ratchet handle, high quality plastic, impact resistant.

Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

Blade Chrome-vanadium-molybdenum, hardened and tempered tool steel, gives exceptional tool life, wear resistance and high torque performance

Exact fit precision ground tips

Through hardened blades & hard chrome finish

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

MicroFinish Handle with patented non slip surface. Ergo handle shape for maximum comfort and exceptional torque transfer

Hex bolster & steel strike cap on 533 & 534 series



520 Slotted Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item	Slotted	Phillips	Hex	Hex Torx	Hex Torx Plus	Hex Torx Torq-Set	Hex Torx Torq-Set Plus	Hex Torx Torq-Set Torq-Set	Hex Torx Torq-Set Torq-Set Plus	Hex Torx Torq-Set Torq-Set Torq-Set
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
520 05*	4.0	.157	100	3.9	0.8	.031	211	8.3	.16	10
520 10*	4.0	.157	150	5.9	0.8	.031	261	10.3	.17	10
520 20*	5.5	.216	125	5.0	1.0	.039	236	9.3	.20	10
520 25*	5.5	.216	150	5.9	1.0	.039	261	10.3	.21	10
520 35	6.5	.255	150	5.9	1.2	.047	268	10.6	.28	10
520 40	8.0	.315	150	5.9	1.2	.047	274	10.8	.37	10
520 50	10.0	.393	200	8.0	1.6	.063	324	12.8	.50	10

*Cabinet Tips

521 Phillips Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item	Phillips	Hex	Hex Torx	Hex Torx Plus	Hex Torx Torq-Set	Hex Torx Torq-Set Plus	Hex Torx Torq-Set Torq-Set	Hex Torx Torq-Set Torq-Set Plus	Hex Torx Torq-Set Torq-Set Torq-Set
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.		
521 05	1	80	3.1	191	7.5	.15	10		
521 10	1	200	8.0	311	12.2	.21	10		
521 15	2	100	3.9	218	8.6	.26	10		
521 20	2	200	8.0	318	12.5	.34	10		
521 25	3	150	5.9	274	10.8	.41	10		



#52090

#52098

520 90 5 Piece Slotted & Phillips Screwdriver Set

Blade CVM steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose acetate, impact resistant, non-slip, oil and grease resistant.

Item	Slotted	Phillips	Hex	Hex Torx	Hex Torx Plus	Hex Torx Torq-Set	Hex Torx Torq-Set Plus	Hex Torx Torq-Set Torq-Set	Hex Torx Torq-Set Torq-Set Plus	Hex Torx Torq-Set Torq-Set Torq-Set
No.	mm	mm	Size	mm	lbs.					
520 90	520 05	4.0	100	521 05	1	80	1.23			
	520 20	5.5	125	521 15	2	100				
	520 40	8.0	150							

520 98 8 Piece Slotted & Phillips Screwdriver Set

Item	Slotted	Phillips	Hex	Hex Torx	Hex Torx Plus	Hex Torx Torq-Set	Hex Torx Torq-Set Plus	Hex Torx Torq-Set Torq-Set	Hex Torx Torq-Set Torq-Set Plus	Hex Torx Torq-Set Torq-Set Torq-Set
No.	mm	mm	Size	mm	lbs.					
520 98	520 05	4.0	100	521 05	1	80	2.58			
	520 20	5.5	125	521 15	2	100				
	520 35	6.5	150	521 25	3	150				
	520 40	8.0	150							
	520 50	10.0	200							



520 99 12 Piece MicroFinish® Slotted & Phillips Screwdriver Set

Blade high alloy CVM steel, hardened, hard chromed.

Wiha-MicroFinish® handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item	Slotted	Phillips	Hex	Hex Torx	Hex Torx Plus	Hex Torx Torq-Set	Hex Torx Torq-Set Plus	Hex Torx Torq-Set Torq-Set	Hex Torx Torq-Set Torq-Set Plus	Hex Torx Torq-Set Torq-Set Torq-Set
No.	Size	mm	Size	mm	lbs.					
520 99	520 05	4.0	100	521 05	1	80				
	520 10	4.0	150	521 10	1	200				
	520 20	5.5	125	521 15	2	100				
	520 25	5.5	150	521 20	2	200				
	520 35	6.5	150	521 25	3	150				
	520 40	8.0	150							
	520 50	10.0	200							

Wiha MicroFinish Extra Heavy Duty Handle



533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
533 10*	4.5	.177	90	3.6	1.0	.039	201	7.9	.20	10
533 15	5.5	.216	100	3.9	1.0	.039	213	8.4	.33	10
533 20	6.5	.255	125	5.0	1.2	.047	238	9.4	.38	10
533 25	8.0	.315	150	5.9	1.2	.047	271	10.7	.61	10
533 30	10.0	.393	175	7.0	1.6	.063	296	11.7	.65	10

*No hex bolster



534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
534 05*	1	80	3.1	186	7.3	.22	10
534 10	2	100	3.9	213	8.4	.37	10
534 25	3	150	5.9	268	10.6	.71	10

*No hex bolster



533 90 5 Piece Slotted & Phillips, Heavy Duty Set

Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.		mm	mm		Size	mm	lbs.
533 90	533 15	5.5	100	534 05*	1	80	2.1
	533 20	6.5	125	534 10	2	100	
	533 25	8.0	150				

*No hex bolster



533 98 8 Piece Slotted & Phillips, Heavy Duty Set

Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.		mm	mm		Size	mm	lbs.
533 98	533 10*	4.5	90	534 05*	1	80	3.7
	533 15	5.5	100	534 10	2	100	
	533 20	6.5	125	534 25	3	150	
	533 25	8.0	150				
	533 30	10.0	175				

*No hex bolster



526 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
526 50	1/4	125	5.0	243	9.6	.24	10



Wiha TORX® MicroFinish Handle Non-Slip Grip

527 TORX® Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
527 11	T9	60	2.4	4.0	.157	171	6.7	.15	10
527 13	T10	80	3.1	4.0	.157	191	7.5	.15	10
527 16	T15	80	3.1	4.0	.157	191	7.5	.15	10
527 19	T20	100	3.9	4.0	.157	211	8.3	.15	10
527 22	T25	100	3.9	4.5	.177	211	8.3	.16	10
527 26	T27	115	4.5	5.5	.216	233	9.2	.25	10
527 29	T30	115	4.5	6.0	.236	233	9.2	.27	10
527 32	T40	130	5.1	7.0	.275	254	10.0	.40	10


527 90 Set 5 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Size	mm	lbs.
527 90	527 13 T10	80	527 22 T25	100	1.0
	527 16 T15	80	527 29 T30	115	
	527 19 T20	100			


527 91 Set 8 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Size	mm	lbs.
527 91	527 11 T9	60	527 22 T25	100	1.89
	527 13 T10	80	527 26 T27	115	
	527 16 T15	80	527 29 T30	115	
	527 19 T20	100	527 32 T40	130	

Wiha Powerhandle TORX® Made in Germany

362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 05	T5	50	2.0	2.5	.098	110	4.3	.03	10
362 10	T6	50	2.0	3.5	.139	125	4.9	.06	10
362 12	T7	50	2.0	3.5	.139	125	4.9	.06	10
362 15	T8	60	2.4	3.5	.139	135	5.3	.06	10
362 20	T9	60	2.4	4.0	.157	140	5.5	.09	10
362 25	T10	80	3.1	4.0	.157	170	6.7	.13	10
362 30	T15	80	3.1	4.0	.157	170	6.7	.13	10
362 35	T20	100	3.9	4.0	.157	200	7.9	.17	10
362 40	T25	100	3.9	4.5	.177	200	7.9	.18	10
362 45	T27	115	4.5	5.5	.216	215	8.5	.20	10
362 50	T30	115	4.5	6.0	.236	225	8.9	.28	10


362 92 8 Pc. Set TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:	lbs.
362 92	T6, T8, T10, T15, T20, T25, T27, T30	1.45


362 93 6 Pc. Set TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:	lbs.
362 93	T6, T7, T8, T9, T10, T15	.78



Wiha **TORX®** Protturn Screwdrivers


protturn
TORX®

Through
hardened for
optimum wear
resistance

Molded on
ergonomic handle
proportioned to
blade sizes

High performance
tool steel

Black finish
blades



455 91 Set 6 Pcs. TORX®

Item No.				Size	mm			Size	mm		lbs.
455 91	455 06	T7	50			455 21	T10	80			.72
	455 11	T8	60			455 26	T15	80			
	455 16	T9	60			455 31	T20	100			

455 92 Set 8 Pcs. TORX®

Item No.				Size	mm			Size	mm		lbs.
455 92	455 11	T8	60			455 31	T20	100			1.07
	455 16	T9	60			455 36	T25	100			
	455 21	T10	80			455 41	T27	115			
	455 26	T15	80			455 46	T30	115			



455 89 Set 15 Pcs. TORX®

Item No.				Size	mm			Size	mm		lbs.
455 89	455 05	T6	50			455 31	T20	100			2.2
	455 06	T7	50			455 36	T25	100			
	455 11	T8	60			455 41	T27	115			
	455 16	T9	60			455 46	T30	115			
	455 21	T10	80			455 51	T40	130			
	455 22	T10	275			455 56	T45	130			
	455 26	T15	80			455 61	T50	130			
	455 28	T15	275								



484 00 1/4" Bit Holding Screwdriver, With Wiha-Protturn Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.


Item No.				Size	mm	Inch	mm	Inch	lbs.	pcs.
484 00	1/4			125	5.0	243	9.6	.24	10	

455 TORX® Screwdriver, With Wiha-Protturn Handle

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.											
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.		
455 05	T6	50	2.0	3.5	.139	129	5.1	.05	10		
455 06	T7	50	2.0	3.5	.139	129	5.1	.05	10		
455 11	T8	60	2.4	3.5	.139	139	5.5	.06	10		
455 16	T9	60	2.4	4.0	.157	149	5.8	.08	10		
455 21	T10	80	3.1	4.0	.157	170	6.7	.10	10		
455 22	T10	275	10.8	4.0	.157	363	14.2	.13	10		
455 26	T15	80	3.1	4.0	.157	170	6.7	.10	10		
455 28	T15	275	10.8	4.0	.157	373	14.6	.15	10		
455 31	T20	100	3.9	4.0	.157	190	7.5	.11	10		
455 36	T25	100	3.9	4.5	.177	190	7.5	.11	10		
455 41	T27	115	4.5	5.5	.216	215	8.4	.11	10		
455 46	T30	115	4.5	6.0	.236	215	8.4	.20	10		
455 51	T40	130	5.1	7.0	.275	240	9.4	.28	10		
455 56	T45	130	5.1	8.0	.315	240	9.4	.27	10		
455 61	T50	130	5.1	9.0	.354	240	9.4	.31	10		

Wiha Dynamic Series Screwdrivers - Slotted & Phillips



510 90 5 Piece Slotted & Phillips Set, Wiha-Dynamic Handle

Item									
No.	mm	Inch	mm	Inch	Size	mm	Inch	lbs.	pkg.
510 90	3.0	.118	80	3.1	0	60	2.3	.68	1
	4.0	.157	100	3.9	1	80	3.1		
	5.5	.216	125	4.9					

510 Slotted Screwdriver, With Wiha-Dynamic Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Dynamic-handle high quality plastic.

Item	Slotted	Phillips	Slotted	Phillips	Slotted	Phillips	Slotted	Phillips	Slotted	Phillips
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
510 20	2.0	.08	65	2.5	0.4	.02	165	6.5	.04	10
510 25	2.5	.10	75	3.0	0.4	.02	175	6.9	.04	10
510 30	3.0	.12	80	3.1	0.5	.02	180	7.1	.05	10
510 35	3.5	.14	100	3.9	0.6	.02	205	8.1	.07	10
510 40	4.0	.16	100	3.9	0.8	.03	205	8.1	.08	10
510 55	5.5	.22	125	5.0	1.0	.04	236	9.3	.14	10
510 65	6.5	.26	150	5.9	1.2	.05	267	10.5	.20	10
510 80	8.0	.32	175	7.0	1.2	.05	267	11.6	.29	10



510 99 11 Piece Slotted & Phillips Set, Wiha-Dynamic Handle

Item									
No.	mm	Inch	mm	Inch	Size	mm	Inch	lbs.	pkg.
510 99	2.0	.078	65	2.5	0	60	2.3	1.3	1
	2.5	.098	75	3.0	1	80	3.1		
	3.0	.118	80	3.1	2	100	4.0		
	3.5	.139	100	3.9					
	4.0	.157	100	3.9					
	5.5	.216	125	5.0					
	6.5	.255	150	5.9					
	8.0	.315	175	7.0					

511 Phillips Screwdriver, With Wiha-Dynamic Handle

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
511 05	0	60	2.4	3.0	1/8	160	6.3	.05	10
511 10	1	80	3.1	4.5	3/16	191	7.5	.11	10
511 20	2	100	3.9	6.0	1/4	217	8.5	.17	10



Wiha Cabinet Tip Screwdrivers



186 Slotted Cabinet Tip Screwdriver, With Wiha-Square Handle
Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Tip parallel to shaft. Series includes extra long dimensions for screws in difficult to reach locations. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
186 01	2.0	.08	40	1.6	0.40	.02	100	4.0	.02	10
186 03	2.5	.10	50	2.0	0.40	.02	110	4.3	.02	10
186 06	3.0	.12	75	3.0	0.50	.02	150	5.9	.05	10
186 09	3.0	.12	100	3.9	0.50	.02	175	6.9	.06	10
186 12	3.0	.12	150	5.9	0.50	.02	225	8.9	.06	10
186 15	3.0	.12	200	8.0	0.50	.02	285	11.2	.08	10
186 24	4.0	.16	100	3.9	0.60	.02	185	7.3	.08	10
186 27	4.0	.16	150	5.9	0.60	.02	235	9.3	.10	10
186 30	4.0	.16	200	8.0	0.60	.02	285	11.2	.11	10
186 42	5.0	.20	100	3.9	0.70	.03	195	7.7	.13	10
186 45	5.0	.20	150	5.9	0.70	.03	245	9.6	.15	10
186 48	5.0	.20	200	8.0	0.70	.03	295	11.6	.17	10
186 51	5.0	.20	300	12.0	0.70	.03	395	15.6	.20	10
186 54	6.0	.24	100	3.9	0.90	.04	205	8.1	.19	10
186 57	6.0	.24	150	5.9	0.90	.04	255	10.0	.21	10
186 63	6.0	.24	300	12.0	0.90	.04	405	15.9	.29	10
186 78	8.0	.32	300	12.0	1.20	.05	415	16.3	.39	10
186 81	10.0	.39	200	8.0	1.60	.06	315	12.4	.37	10



153 Phillips Screwdriver, With Wiha-Square Handle
Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
153 05	0	60	2.4	3.0	.12	135	5.3	.05	10
153 10	1	80	3.1	4.5	.18	175	6.9	.11	10
153 15	1	200	8.0	4.5	.18	295	11.6	.15	10
153 25	2	100	3.9	6.0	.24	205	8.1	.18	10
153 30	2	250	10.0	6.0	.24	355	14.0	.27	10
153 35	2	350	13.7	6.0	.24	455	17.8	.33	10
153 40	3	150	5.9	8.0	.32	265	10.4	.33	10



222 Pozidriv® Screwdriver, With Wiha-Square Handle
Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
222 20	1	200	8.0	4.5	.17	295	11.6	.15	10
222 30	2	250	9.8	6.0	.23	355	13.9	.27	10

Wiha Offset Screwdrivers



161 Phillips Offset Screwdriver, With Handle

For working in confined spaces. Blade CVM special steel, hardened, hard chromed. Handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
161 12	1 + 2	125	4.9	5.5	.217	.08	10
161 34	3 + 4	200	8.0	10.0	.315	.33	10

207 Slotted Offset Screwdriver, With Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
207 00	3.5	9/64	90	3.5	0.6	.02	.02	10
207 05	4.0	5/32	100	3.9	0.8	.03	.03	10
207 10	5.5	7/32	125	5.0	1.0	.04	.06	10
207 15	6.5	1/4	125	5.0	1.2	.05	.07	10
207 20	8.0	5/16	150	5.9	1.2	.05	.15	10
207 25	10.0	3/8	175	6.9	1.6	.06	.23	10



207 90 5 Piece Slotted & Phillips Offset Screwdriver Set

Set includes the following drivers:

Item No.	lbs.	Set includes the following drivers:
207 90	.92	Slotted: 6.5, 8.0, 10.0 Phillips: 1 + 2, 3 + 4



207 TORX® Offset Screwdriver With Molded Handle

For working in confined spaces. Blade CVM special steel, hardened, black finish.

Item No.	Size	lbs.	pkg.
207 56	T6 + T8	.02	1
207 57	T7 + T9	.02	1
207 58	T10 + T15	.02	1
207 59	T20 + T25	.07	1
207 60	T27 + T30	.10	1

207 99 TORX® Offset Screwdriver Set, 5 Pcs.

With Molded Handle Blade CVM special steel, hardened, black finish.

Item No.	Set Includes:	lbs.	pkg.
207 99	T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	.24	1

Wiha Long Life Precision Series



260 Slotted Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
260 08	.80	1/32	40	1.6	0.16	.01	120	4.7	.02	10
260 10	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
260 12	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
260 15	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
260 18	1.8	.070	40	1.6	0.30	.01	120	4.7	.02	10
260 20	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
260 22	2.0	5/64	50	2.0	0.40	.02	145	5.7	.02	10
260 23	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
260 25	2.5	3/32	50	2.0	0.40	.02	145	5.7	.03	10
260 27	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
260 28	2.5	3/32	150	6.0	0.40	.02	245	9.6	.04	10
260 30	3.0	1/8	50	2.0	0.50	.02	145	5.7	.03	10
260 32	3.0	1/8	60	2.4	0.50	.02	170	6.7	.04	10
260 33	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
260 34	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
260 35	3.5	9/64	60	2.4	0.60	.02	170	6.7	.05	10
260 40	4.0	5/32	60	2.4	0.80	.03	170	6.7	.05	10
260 41	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
260 42	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



260 90 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
260 90	Slotted:	
	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



260 99 8 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.		lbs.
260 99	Slotted: 1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Rotating cap

for precise turning and control with fingertip

Precision handle

high quality plastic, cadmium free

Molded on tapered handle

allows rapid rotation

High performance blades

chrome-vanadium-molybdenum steel, Hard chrome finished

Tip

precision ground for exact fit, hard chromed non-slip surface

Wiha Precision Slotted/Phillips Drivers



261 Phillips Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
261 02	000	40	1.6	2.0	.08	120	4.7	.02	10
261 00	00	40	1.6	2.0	.08	120	4.7	.02	10
261 01	00	75	3.0	2.0	.08	155	6.1	.02	10
261 05	0	50	2.0	3.0	.12	145	5.7	.02	10
261 08	0	75	3.0	3.0	.12	170	6.7	.03	10
261 07	0	100	3.9	3.0	.12	195	7.6	.05	10
261 09	0	150	5.9	3.0	.12	245	9.6	.06	10
261 10	1	60	2.4	4.0	.16	170	6.7	.05	10
261 13	1	80	3.1	4.0	.16	190	7.5	.05	10
261 14	1	100	3.9	4.0	.16	210	8.2	.06	10
261 15	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



260 92 7 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
260 92	Slotted:	
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	000, 00 x 40mm	
	0 x 50mm, 1 x 60mm	



261 90 7 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
261 90	Slotted:	
	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	



261 94 4 Piece Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished.

Item No.		lbs.
261 94	Phillips: 000, 00 x 40mm	
	0 x 50mm, 1 x 60mm	.18



In canvas storage pouch

261 99 8 Piece Precision Slotted/Phillips Set

Blade high alloy CVM steel, hard chrome finished.

Item No.		lbs.
261 99	Slotted: 1.0, 2.0 x 40mm, 3.0 x 50mm	
	4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm, 0 x 50mm,	
	1 x 60mm	



261 92 5 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
261 92	Slotted:	
	2.5, 3.0, 4.0 x 150mm	.44
	Phillips:	
	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
262 05	0	50	2.0	3.0	.12	145	5.7	.03	10
262 10	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
263 07	.71	.028	40	1.6	120	4.7	.02	10	
263 09	.89	.035	40	1.6	120	4.7	.02	10	
263 13	1.27	.050	40	1.6	120	4.7	.02	10	
263 15	1.5	-	50	2.0	145	5.7	.03	10	
263 20	2.0	5/64	50	2.0	145	5.7	.03	10	
263 25	2.5	-	60	2.4	170	6.7	.04	10	
263 30	3.0	-	60	2.4	170	6.7	.04	10	
263 40	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch Precision Series



263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
263 07	.028	.71	40	1.6	120	4.7	.02	10	
263 09	.035	.89	40	1.6	120	4.7	.02	10	
263 13	.050	1.27	40	1.6	120	4.7	.02	10	
263 16	1/16	-	50	2.0	145	5.7	.03	10	
263 20	5/64	2.0	50	2.0	145	5.7	.03	10	
263 23	3/32	-	60	2.4	170	6.7	.04	10	
263 27	7/64	-	60	2.4	170	6.7	.04	10	
263 31	1/8	-	60	2.4	170	6.7	.04	10	
263 33	9/64	60	2.4	170	6.7	.05	10		
263 36	5/32	60	2.4	170	6.7	.05	10		

*Metric dimensions actual - Inch dimensions approximate



263 91 8 Pc. Precision Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	
263 91 Hex Inch:	lbs.
.028, .035, .050 x 1.6"	.32
1/16, 5/64 x 2.0"	
3/32, 7/64, 1/8 x 2.4"	



263 99 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	
263 99 Hex Inch:	lbs.
.028, .035, .050 x 1.6"	
1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.55



263 90 7 Pc. Precision Hex Driver Set - Metric Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	
263 90 Hex Metric:	lbs.
.71, .89, 1.27 x 40mm	.28
1.5, 2.0 x 50mm	
2.5, 3.0 x 60mm	

Wiha Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
264 13	.050	40	1.6	120	4.7	.02	10
264 16	1/16	50	2.0	145	5.7	.03	10
264 19	5/64	50	2.0	145	5.7	.03	10
264 23	3/32	50	2.0	145	5.7	.03	10
264 27	7/64	60	2.4	170	6.7	.03	10
264 31	1/8	60	2.4	170	6.7	.05	10
264 36	9/64	60	2.4	170	6.7	.05	10
264 39	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
264 13	1.27	.050	40	1.6	120	4.7	.02	10
264 15	1.5	-	50	2.0	145	5.7	.03	10
264 20	2.0	-	50	2.0	145	5.7	.03	10
264 25	2.5	-	60	2.4	170	6.7	.04	10
264 30	3.0	-	60	2.4	170	6.7	.05	10
264 40	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 91 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	lbs.
264 91 Ball End Hex Metric:	.25
1.27 x 40mm	
1.5, 2.0 x 50mm	
2.5, 3.0 x 60mm	



264 90 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
264 90	.050 x 1.6"	.28
	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	



264 99 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Ball End Hex:	lbs.
264 99	.050 x 1.6", 1/16, 5/64, 3/32 x 2.0"	.62
	7/64, 1/8, 9/64, 5/32 x 2.4"	

Wiha Precision Chip Lifter



268 10 Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
268 10	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
267 03	T3	40	1.6	120	4.7	.02	10
267 04	T4	40	1.6	120	4.7	.02	10
267 05	T5	40	1.6	120	4.7	.02	10
267 06	T6	40	1.6	120	4.7	.02	10
267 07	T7	40	1.6	120	4.7	.02	10
267 08	T8	40	1.6	120	4.7	.03	10
267 09	T9	50	2.0	145	5.7	.03	10
267 10	T10	50	2.0	145	5.7	.03	10
267 15	T15	60	2.4	170	6.7	.05	10
267 20	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



921 90 Master Technicians Bench Top Set

Plexiglass frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
921 90	Phillips: #000, #00, #0, #1
	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
lbs. 2.25	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



260 01 Pocket Clip for Precision Screwdrivers

Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	lbs.	pkg.
260 01	Fits all Precision handles .0035	1



260 00 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench.

Also has holes for hanging. Made from high quality plastic.

Item No.	lbs.	pkg.
260 00	Rack for 6 Precision screwdrivers .08	1



911 18 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch.

Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
911 18	14 1/2" W x 7 3/4" L	.13	1



267 99 8 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	lbs.
267 99	TORX®: T3, T4, T5, T6, T7, T8 x 40mm .50
	T9 x T10 x 50mm



267 92 7 Pc. TORX® Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	lbs.
267 92	TORX®: T5, T6, T7, T8 x 40mm .33
	T9, T10 x 50mm
	T15 x 60mm

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes

CVM tool steel blade, hardened, hard chrome finish



Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
260 50	0.8	.03	40	1.6	134	5.3	10
260 51	1.0	.04	40	1.6	134	5.3	10
260 52	1.2	.05	40	1.6	134	5.3	10
260 53	1.5	.06	40	1.6	134	5.3	10
260 54	1.5	.06	60	2.4	154	6.1	10
260 55	1.8	.07	40	1.6	134	5.3	10
260 56	1.8	.07	60	2.4	154	6.1	10
260 60	2.0	.08	40	1.6	140	5.5	10
260 61	2.0	.08	60	2.4	160	6.3	10
260 63	2.0	.08	100	3.9	200	7.9	10
260 65	2.5	.09	50	2.0	150	5.9	10
260 66	2.5	.09	75	3.0	175	6.9	10
260 68	2.5	.09	100	3.9	200	7.9	10
260 70	3.0	.13	50	2.0	150	5.9	10
260 72	3.0	.13	100	3.9	200	7.9	10
260 73	3.0	.13	150	5.9	250	9.8	10
260 74	3.5	.14	60	2.4	160	6.3	10
260 76	4.0	.16	60	2.4	160	6.3	10
260 79	4.0	.16	100	3.9	200	7.9	10
260 80	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



261 Phillips Precision Screwdriver, With Soft PicoFinish

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
261 30	000	40	1.6	2.0	.08	134	5.3	10
261 32	00	40	1.6	2.0	.08	134	5.3	10
261 33	00	60	2.4	2.0	.08	154	6.1	10
261 35	0	50	2.0	3.0	.12	150	5.9	10
261 36	0	75	3.0	3.0	.12	175	6.9	10
261 40	1	60	2.4	4.0	.16	160	6.3	10
261 42	1	80	3.1	4.0	.16	180	7.1	10
261 45	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



260 93 8 Pc. Slotted Precision Screwdriver Set, With Soft

PicoFinish Handle In storage pouch

Item No.		lbs.
260 93	Slotted: .8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 93 8 Pc. Slotted & Phillips Precision Driver Set, With Soft

PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
261 93	Slotted: 1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
267 32	T1	40	1.6	134	5.3	10
267 33	T2	40	1.6	134	5.3	10
267 35	T3	40	1.6	134	5.3	10
267 36	T4	40	1.6	134	5.3	10
267 37	T5	40	1.6	134	5.3	10
267 39	T6	40	1.6	140	5.5	10
267 41	T7	40	1.6	140	5.5	10
267 43	T8	40	1.6	140	5.5	10
267 45	T9	50	2.0	150	5.9	10
267 47	T10	50	2.0	150	5.9	10
267 49	T15	60	2.4	160	6.3	10
267 51	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



267 93 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
267 93	TORX® : T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	lbs. .50



267 96 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
267 96	TORX® : T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	lbs. .57

Wiha Pico Soft Grip Screw Holding



267 MagicSpring Screw Holding TORX® Screwdriver, With

Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
267 21	T6	40	1.6	140	5.5	.03	10
267 23	T7	40	1.6	140	5.5	.03	10
267 25	T8	40	1.6	140	5.5	.03	10
267 27	T9	50	2.0	150	5.9	.04	10
267 29	T10	50	2.0	150	5.9	.04	10
267 31	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



267 98 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.		
267 98	MagicSpring TORX® : T6, T7, T8 x 40mm T9, T10, T15 x 50mm	lbs. .45

Pico Soft Grip Precision Chip Lifter



268 15 Soft PicoFinish Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
268 15	1	3.5	50	150	5.9	.03	1

Standard Soft PicoFinish handle

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	pkg.
263 41	.028(.71)	40	1.6	134	5.3	10
263 43	.035(.89)	40	1.6	134	5.3	10
263 45	.050(1.27)	40	1.6	134	5.3	10
263 49	5/64(2.0)	50	2.0	150	5.9	10
263 63	1/16	50	2.0	144	5.7	10
263 67	3/32	60	2.4	160	6.3	10
263 69	7/64	60	2.4	160	6.3	10
263 71	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

263 92 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Inch:	lbs.
263 92	.028, .035, .050 x 1.6"	.24
	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
263 41	.71(.028)	40	1.6	134	5.3	10
263 43	.89(.035)	40	1.6	134	5.3	10
263 45	1.27(.050)	40	1.6	134	5.3	10
263 47	1.5	50	2.0	144	5.7	10
263 49	2.0(5/64)	50	2.0	150	5.9	10
263 51	2.5	60	2.4	160	6.3	10
263 53	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

263 93 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	lbs.
263 93	.71, .89, 1.27 x 40mm	.22
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft

PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
264 55	1/16	2.0	50	5.9	150	10
264 57	5/64	2.0	50	5.9	150	10
264 59	3/32	2.0	50	5.9	150	10
264 61	7/64	2.4	60	6.3	160	10
264 63	1/8	2.4	60	6.3	160	10
264 65	9/64	2.4	60	6.3	160	10
264 67	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



264 93 7 Piece Inch Ball End Hex Precision Driver Set, With

Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Ball End Hex Inch:	lbs.
264 93	1/16, 5/64, 3/32 x 2.0"	.27
	7/64, 1/8, 9/64, 5/32 x 2.4"	



264 Ball End Hex Metric Screwdriver, With Precision Soft

PicoFinish Handle. Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
264 41	1.27	40	1.6	134	5.3	10
264 43	1.5	50	2.0	150	5.9	10
264 45	2.0	50	2.0	150	5.9	10
264 47	2.5	60	2.4	160	6.3	10
264 49	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Protturn Precision Screwdrivers

protturn

Rotating cap
for precise turning and
control with fingertip

Tapered handle
allows rapid rotation

Tip
precision ground for exact fit

Blade
CVM steel,
black finish blades

Molded on
ergonomic
handle



951 90 6 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
951 90	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	



650 90 9 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	Phillips	Size	mm
650 90	Slotted:	1.5	40	Phillips:	00	40
		2.0	50		0	50
		2.5	60		1	60



968 00 Protturn Precision Chip Lifter

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
968 00	1.0	50	145	5.7	.07	1



629 90 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

629 90 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0

Phillips: #000, #00, #0, #1

lbs. .15



629 93 9 Piece Slotted/Phillips/TORX® Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.


629 93 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0

Phillips: #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

lbs. .35



629 95 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

629 95 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0 Phillips: #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .87

629 94 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.


629 94 Set includes the following blades:

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66 Set in canvas storage pouch

Wiha SYSTEM 4 Precision Handles and Blades



269 SYSTEM 4 Slotted Reversible Blade

High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	↕	↕	↕	↕	↕
No.	mm	mm	mm	Inch	lbs.
269 03	1.5 + 3.0	120	4.7	.05	
269 04	2.0 + 3.5	120	4.7	.05	
269 05	2.5 + 4.0	120	4.7	.06	



269 SYSTEM 4 Phillips Reversible Blade

High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	+	+	+	+	+
No.	Size	Size	mm	Inch	lbs.
269 11	000 + 00	120	4.7	.03	
269 12	0 + 1	120	4.7	.03	



269 00 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	○	○	+	+	+
No.	mm	Inch	mm	Inch	lbs.
269 00	4.0	.1574	14.0	.55	.04



280 00 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	○	○	+	+	+
No.	mm	Inch	mm	Inch	lbs.
280 00	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	↕	+	+	+	+
No.	mm	Size	mm	Inch	lbs.
269 71	1.5+ 000	120	4.7	.05	
269 72	2.0+ 00	120	4.7	.05	
269 73	3.0+ 0	120	4.7	.05	
269 74	4.0+ 1	120	4.7	.06	



269 01 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.
Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	○	○	+	+	+
No.	mm	Inch	mm	Inch	lbs.
269 01	4.0	.1574	14.0	.55	.06



280 01 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.
Advantages:

- Use in ESD sensitive applications. Surface resistant 10^6 - 10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	○	○	+	+	+
No.	mm	Inch	mm	Inch	lbs.
280 01	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Pozidriv® Reversible Blade High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	+	+	+	+	+
No.	Size	Size	mm	Inch	lbs.
269 22	0 + 1	120	4.7	.03	

Wiha SYSTEM 4 Precision Blades



269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade

CVM steel, hardened, hard chromed.
Wiha vapor Chrome-Top finish on tips.
One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
269 32	1.27 + 1.27	120	4.7	.05	
269 33	1.5 + 1.5	120	4.7	.05	
269 34	2.0 + 2.0	120	4.7	.06	
269 35	2.5 + 2.5	120	4.7	.06	
269 36	3.0 + 3.0	120	4.7	.06	
269 37	4.0 + 4.0	120	4.7	.06	



280 SYSTEM 4 Metric Ball End Hex

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
280 33	1.5	120	4.7	.06	1
280 34	2.0	120	4.7	.06	1
280 35	2.5	120	4.7	.06	1
280 36	3.0	120	4.7	.06	1
280 37	4.0	120	4.7	.06	1



280 SYSTEM 4 Inch Ball End Hex

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
280 21	.050	120	4.7	.06
280 23	1/16	120	4.7	.06
280 24	5/64	120	4.7	.06
280 25	3/32	120	4.7	.06
280 26	7/64	120	4.7	.06
280 27	1/8	120	4.7	.06
280 28	9/64	120	4.7	.06
280 29	5/32	120	4.7	.06



269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade

High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
269 13	.71	120	4.7	.06
269 14	.89	120	4.7	.06
269 15	1.27	120	4.7	.06
269 16	1.5	120	4.7	.06
269 17	2.0	120	4.7	.06
269 18	2.5	120	4.7	.06
269 19	3.0	120	4.7	.06
269 20	4.0	120	4.7	.06



269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade

High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
269 21	.050	120	4.7	.06
269 23	1/16	120	4.7	.06
269 24	5/64	120	4.7	.06
269 25	3/32	120	4.7	.06
269 26	7/64	120	4.7	.06
269 27	1/8	120	4.7	.06
269 28	9/64	120	4.7	.06
269 29	5/32	120	4.7	.06



269 SYSTEM 4 TORX® Reversible Blade

High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item			
No.	Size	Size	lbs.
269 51	T6 + T8		.03
269 52	T7 + T9		.03
269 53	T10 + T15		.03
269 54	T15 + T20		.03



269 SYSTEM 4 TORX® Interchangeable Blade

High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item		
No.	Size	lbs.
269 55	T3	.03
269 56	T4	.03
269 57	T5	.03


Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



269 61 ESD Safe Dissipative Precision Drive-Loc Handle

Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
269 61	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades

On 4mm Hex

Item			
No.	mm	mm	lbs.
269 58	1.5 + 3.0		.02
269 59	2.0 + 3.5		.02
269 60	2.5 + 4.0		.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades

On 4mm Hex

Item			
No.	Size	Size	lbs.
269 75	000 + 00		.02
269 76	0 + 1		.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades

On 4mm Hex

Item			
No.	Size	Size	lbs.
269 77	T1 + T2		.02
269 78	T3 + T4		.02
269 79	T5 + T6		.02
269 80	T6 + T8		.02
269 81	T7 + T9		.02
269 82	T10 + T15		.02



269 85 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set

In storage pouch

Item No.	
269 85	ESD Safe Drive-Loc Handle
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .44	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15



Wiha Canvas Pouch Sets



269 90 4 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 3 Wiha interchangeable blades.



269 90 Set includes the following blades:

↓ **Slotted:** 2.0, 3.0, 4.0mm

⊕ **Phillips:** 00, 0, 1

↪ lbs. .17

Canvas Pouch



269 91 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.


269 91 Set includes the following blades:

↓ **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

↪ lbs. .29

Canvas Pouch



269 92 17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 15 Wiha interchangeable blades.

269 92 Set include the following blades:

↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⬢ **Ball End Hex Inch:** .050, 1/16, 5/64, 7/64, 3/32, 1/8"

⬢ **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

Protturn Chip Lifter - #96800

↪ lbs. .63

Canvas Pouch



280 80 22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 20 Wiha interchangeable blades.

280 80 Set includes the following blades:

↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⬢ **Torx:** T3, T4, T5, T6, T7, T8, T9, T10, T15

⬢ **Hex Sizes:** .028, .035

⬢ **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"


Protturn Chip Lifter - #96800

↪ lbs. .33

Canvas Pouch



ESD Technicians Kit Precision Screwdrivers & Tweezers



445 90 12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

445 90 Set includes the following blades:

↓ **Slotted:** 2.0, 3.0, 4.0mm

⊕ **Phillips:** 00, 0, 1

⬢ **Torx:** T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:

44501 Fine Point - AA SA


44509 Extra Fine Point - 5 SA

44505 Flat and Blunt - 2a SA

44510 Curved Fine Point - 7a SA

↪ lbs. .60

Canvas Pouch



Slotted, Phillips, TORX® Set In Steel Box



280 94 11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 10 Wiha interchangeable blades.


280 94 Set includes the following blades:

↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⬢ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

↪ lbs. 1.51



269 93 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

269 93 Set includes the following blades:


↓ **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

↪ lbs. .87



ESD Anti-Static Vinyl Pouch Set



280 91 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

280 91 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

↔ **lbs.** .25



280 97 9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.


280 97 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⚙ **TORX®:** T5, T6, T7, T8, T9, T10, T15

↔ **lbs.** .33



280 84 13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 12 Wiha interchangeable blades.

280 84 Set includes the following blades:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⚙ **Ball End Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ **lbs.** .44



280 87 8 Piece TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe  precision collet lock handle and 7 Wiha interchangeable blades.


280 87 Set includes the following blades:

⚙ **TORX® Sizes on standard blades:** T3, T4, T5

⚙ **TORX® Sizes on reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .29



269 96 5 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 4 Wiha interchangeable blades.

269 96 ⊕ **Phillips:** 000, 00, 0, 1

↓  **Slotted:** 1.5, 2.0, 3.0, 3.5mm

↔ **lbs.** .24



269 97 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha Interchangeable blades.

269 97 ⊕ **Phillips:** 000, 00, 0, 1

↓  **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⚙ **TORX®:** T6, T7, T8, T9, T10, T15

↔ **lbs.** .34



269 99 9 Piece Hex Metric Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

269 99 ⬡ **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

↔ **lbs.** .36



269 89 9 Piece Hex Inch Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

269 89 ⬡ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ **lbs.** .35



269 95 5 Piece TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 4 interchangeable blades.

269 95 ⚙ **TORX®:** T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .24



269 87 8 Piece TORX® Precision Blade Set

Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

269 87 Set includes the following blades:

⚙ **TORX® standard blades:** T3, T4, T5

⚙ **TORX® reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ **lbs.** .33



Wiha Nut Drivers

	Description	Page
	SoftFinish® Nut Drivers	
	Hollow Shaft Nut Drivers	
	T-handle Nut Drivers	
	Drive-Loc VI Blades	
	Precision Nut Drivers	
	PicoFinish® Nut Drivers	
	SYS 4 Nut Driver Blades	

Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip



372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item							
No.	Inch	Inch	mm	mm	Inch	lbs.	pkg.
372 20	3/16	5.9	150	261	10.2	.30	1
372 22	1/4	5.9	150	261	10.2	.42	1
372 24	5/16	5.9	150	261	10.2	.44	1
372 26	3/8	6.9	175	261	10.2	.44	1
372 28	7/16	6.9	175	261	10.2	.44	1
372 30	1/2	6.9	175	261	10.2	.44	1



372 90 6 Piece Flexible Shaft Nut Driver Set, Inch Sizes

Item							
No.	Inch	Inch	Inch	Inch	Inch	lbs.	
372 90	372 20	3/16	5.9	372 26	3/8	6.9	2.50
	372 22	1/4	5.9	372 28	7/16	6.9	
	372 24	5/16	5.9	372 30	1/2	6.9	



372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle

Handle Metric sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
372 35	5.0	150	5.9	261	10.2	.16	1
372 36	5.5	150	5.9	261	10.2	.16	1
372 37	6.0	150	5.9	261	10.2	.17	1
372 38	7.0	150	5.9	261	10.2	.28	1
372 39	8.0	150	5.9	261	10.2	.28	1
372 41	10.0	175	6.9	261	10.2	.44	1
372 44	13.0	175	6.9	261	10.2	.44	1



372 91 7 Piece Flexible Shaft Nut Driver Set, Metric Sizes

Item							
No.	mm	mm	mm	mm	mm	lbs.	
372 91	372 35	5.0	150	372 39	8.0	150	1.93
	372 36	5.5	150	372 41	10.0	175	
	372 37	6.0	150	372 44	13.0	175	
	372 38	7.0	150				

Notes:


Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha Nut Drivers are precision formed to exact tolerances for a perfect fit every time

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles



Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue



341 Nut Driver, With Wiha-SoftFinish® Handle Inch sizes
 Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts.
 Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	○	—	—	—	—	—	—
No.	Inch	Inch	mm	mm	Inch	lbs.	pkg.
341 34	9/64	5.0	125	238	9.4	.18	10
341 35	5/32	5.0	125	238	9.4	.24	10
341 36	3/16	5.0	125	238	9.4	.25	10
341 37	7/32	5.0	125	238	9.4	.26	10
341 38	1/4	5.0	125	246	9.7	.38	10
341 39	5/16	5.0	125	246	9.7	.40	10
341 40	11/32	5.0	125	246	9.7	.40	10
341 41	3/8	5.0	125	246	9.7	.40	10
341 42	7/16	5.0	125	246	9.7	.40	10
341 43	1/2	5.0	125	246	9.7	.40	10
341 44	9/16	5.0	125	246	9.7	.40	10
341 45	5/8	5.0	125	246	9.7	.40	10



341 Nut Driver, With Wiha-SoftFinish® Handle Metric sizes
 Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts.
 Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	○	—	—	—	—	—	—
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
341 20	5.0	125	5.0	238	9.4	.14	10
341 21	5.5	125	5.0	238	9.4	.14	10
341 22	6.0	125	5.0	238	9.4	.15	10
341 23	7.0	125	5.0	238	9.4	.25	10
341 24	8.0	125	5.0	238	9.4	.25	10
341 25	9.0	125	5.0	238	9.4	.26	10
341 26	10.0	125	5.0	238	9.4	.27	10
341 27	11.0	125	5.0	247	9.7	.37	10
341 28	12.0	125	5.0	247	9.7	.40	10
341 29	13.0	125	5.0	247	9.7	.40	10
341 30	14.0	125	5.0	247	9.7	.40	10
341 31	15.0	125	5.0	247	9.7	.40	10



341 93 7 Pcs. Nut Driver Set Inch sizes. Blade CVM steel, hardened.
 Deep drawn 1" socket. Wiha-SoftFinish® handle, multi-component.

Item	○	—	—	○	—	—	—
No.	Inch	Inch		Inch	Inch	lbs.	
341 93	341 36	3/16	5.0	341 41	3/8	5.0	1.89
	341 38	1/4	5.0	341 42	7/16	5.0	
	341 39	5/16	5.0	341 43	1/2	5.0	
	341 40	11/32	5.0				

341 95 10 Piece Nut Driver Set Inch sizes

Item	○	—	—	○	—	—	—
No.	Inch	Inch		Inch	Inch	lbs.	
341 95	341 36	3/16	5.0	341 41	3/8	5.0	3.12
	341 37	7/32	5.0	341 42	7/16	5.0	
	341 38	1/4	5.0	341 43	1/2	5.0	
	341 39	5/16	5.0	341 44	9/16	5.0	
	341 40	11/32	5.0	341 45	5/8	5.0	



341 94 7 Piece Nut Driver Set Metric sizes

Item	○	—	—	○	—	—	—
No.	mm	mm		mm	mm	lbs.	
341 94	341 20	5.0	125	341 24	8.0	125	1.93
	341 21	5.5	125	341 26	10.0	125	
	341 22	6.0	125	341 29	13.0	125	
	341 23	7.0	125				

Wiha SoftFinish® Heavy Duty Nut Drivers



347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle


Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item No.								
	mm	mm	mm	mm	Inch	lbs.	pkg.	
347 12	7.0	125	10.0	238	9.4	.25	10	
347 15	8.0	125	10.0	238	9.4	.25	10	
347 18	9.0	125	10.0	238	9.4	.26	10	
347 21	10.0	125	10.0	238	9.4	.27	10	
347 24	11.0	125	13.0	247	9.7	.37	10	
347 27	12.0	125	13.0	247	9.7	.40	10	
347 30	13.0	125	13.0	247	9.7	.40	10	



347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item No.								
	Inch	Inch	mm	Inch	mm	Inch	lbs.	pkg.
347 53	3/16	5.0	125	5/16	231	9.1	.18	10
347 59	1/4	5.0	125	3/8	238	9.4	.24	10
347 65	5/16	5.0	125	3/8	238	9.4	.25	10
347 71	3/8	5.0	125	3/8	238	9.4	.26	10
347 74	7/16	5.0	125	1/2	246	9.7	.38	10
347 77	1/2	5.0	125	1/2	246	9.7	.40	10



347 91 5 Piece Nut Driver Set Metric sizes

Blade chrome-vanadium-molybdenum steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.						
	mm	mm	mm	mm	mm	lbs.
347 91	341 20*	5.0	125	347 21	10.0	1.42
	341 22*	6.0	125	347 24	11.0	
	347 15	8.0	125			

*Standard blade - no hex bolster.



347 92 6 Piece Nut Driver Set Inch sizes

Item No.						
	Inch	Inch	Inch	Inch	Inch	lbs.
347 92	347 53	3/16	5.0	347 71	3/8	1.94
	347 59	1/4	5.0	347 74	7/16	
	347 65	5/16	5.0	347 77	1/2	

Wiha SoftFinish® Nut Drivers - Hollow Shaft



343 Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle Inch sizes

Item No.							
	Inch	Inch	mm	mm	Inch	lbs.	pkg.
343 36	3/16	2.75	70	175	7.0	.18	10
343 38	1/4	2.75	70	175	7.0	.24	10
343 39	5/16	2.75	70	175	7.0	.25	10
343 40	11/32	2.75	70	182	7.5	.25	10
343 41	3/8	2.75	70	182	7.5	.26	10
343 42	7/16	2.75	70	187	7.6	.38	10
343 43	1/2	2.75	70	187	7.6	.40	10



Inch Color Coded To Size

- Hollow shafts allow for fit over extended bolts
- Finally a handle that makes Nut Drivers useful
- Get 40% more power with SoftFinish cushion grip
- Soft ergonomic molded shape for maximum comfort
- Heavy duty hollow shaft - 3.7" depth
- Hardened for maximum torque and wear resistance
- Chrome plated anti corrosion finish



343 Hollow Shaft Nut Driver With Wiha-SoftFinish® Handle Metric

Item No.							
	mm	mm	mm	Inch	lbs.	pkg.	
343 02	5.0	70	175	7.0	.14	10	
343 04	5.5	70	175	7.0	.14	10	
343 06	6.0	70	175	7.0	.15	10	
343 08	7.0	70	182	7.5	.25	10	
343 10	8.0	70	182	7.5	.25	10	
343 12	10.0	70	187	7.6	.27	10	
343 14	13.0	70	187	7.6	.40	10	



343 90 7 Piece Hollow Shaft Nut Driver Set Inch Sizes

Item							
No.		Inch	Inch		Inch	Inch	lbs.
343 90	343 36	3/16	2.75	343 41	3/8	2.75	1.55
	343 38	1/4	2.75	343 42	7/16	2.75	
	343 39	5/16	2.75	343 43	1/2	2.75	
	343 40	11/32	2.75				



343 91 7 Piece Hollow Shaft Nut Driver Set Metric Sizes

Item								
No.		mm	mm		mm	mm		lbs.
343 91	343 02	5.0	70	343 10	8.0	70		1.41
	343 04	5.5	70	343 12	10.0	70		
	343 06	6.0	70	343 14	13.0	70		
	343 08	7.0	70					

Wiha T-Handle Nut Drivers



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item					
No.	mm	mm	mm	lbs.	pkg.
336 03	6.0	125	100	.16	10
336 06	8.0	125	100	.18	10
336 07	8.0	200	100	.22	10
336 09	9.0	125	100	.23	10
336 12	10.0	125	100	.24	10
336 14	10.0	230	100	.26	10
336 20	12.0	125	100	.26	10
336 22	13.0	125	100	.27	10



336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item					
No.	Inch	Inch	Inch	lbs.	pkg.
336 53	3/16	6.0	4.0	.16	10
336 59	1/4	6.0	4.0	.18	10
336 65	5/16	6.0	4.0	.19	10
336 71	3/8	6.0	4.0	.20	10
336 74	7/16	6.0	4.0	.26	10
336 77	1/2	6.0	4.0	.30	10

336 91 5 Piece Nut Driver T-handle Set Metric Sizes
Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item								
No.		mm	mm			mm	mm	lbs.
336 91	336 03	6.0	125	336 12	10.0	125		1.61
	336 06	8.0	125	336 22	13.0	125		
	336 09	9.0	125					



336 90 6 Piece Nut Driver T-handle Set Inch Sizes
Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item							
No.	Inch	Inch		Inch	Inch		lbs.
336 90	336 53	3/16	6.0	336 71	3/8	6.0	1.58
	336 59	1/4	6.0	336 74	7/16	6.0	
	336 65	5/16	6.0	336 77	1/2	6.0	



388 00 Bit Holder With Wiha T-handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Hex shaft chrome-vanadium-molybdenum steel, nickel-plated. Wiha T-handle high quality plastic, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
388 00	1/4	150	6.0	80	3.0	.18	1

Wiha Drive-Loc VI Nut Drivers


Drive-Loc VI

For Adjustable Length
Locking Blades



Locking mechanism in SoftFinish cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

See Drive-Loc VI
Handles &
Screwdrivers on
pages 20-22



The blade length
can be adjusted from
40mm-120mm. (1.7 to 4.7")



281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	mm	lbs.	pkg.
281 56	3/16	150	.11	1
281 57	7/32	150	.11	1
281 58	1/4	150	.11	1
281 59	9/32	150	.12	1
281 60	5/16	150	.13	1
281 61	11/32	150	.14	1
281 62	3/8	150	.15	1
281 63	7/16	150	.17	1
281 64	1/2	150	.18	1



281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	mm	lbs.	pkg.
281 68	4.0	150	.10	1
281 69	4.5	150	.10	1
281 70	5.0	150	.11	1
281 71	5.5	150	.11	1
281 72	6.0	150	.12	1
281 73	7.0	150	.13	1
281 74	8.0	150	.13	1
281 77	9.0	150	.14	1
281 75	10.0	150	.15	1
281 76	11.0	150	.20	1



281 96 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item No.	lbs.
281 96	1.22
Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	
Wiha SoftFinish® Cushion Grip Blade Lock Handle	



281 98 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item No.	lbs.
281 98	1.00
Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm	
Wiha SoftFinish® Cushion Grip Blade Lock Handle	



281 44 Extension Blade For Drive-Loc VI Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 6.5". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
281 44	6.0	165mm	.14	1



Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
265 10	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
265 15	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
265 20	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
265 25	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
265 30	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
265 32	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
265 35	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
265 40	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
265 45	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
265 50	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
265 55	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
265 60	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
265 70	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 90 8 Pc. Precision Nut Driver Set - Metric

Blade CVM steel.

Item No.	lbs.
265 90 Metric Nut Drivers:	.48
2.5, 3.0, 3.5, 4.0, 4.5,	
5.0, 5.5, 6.0mm x 60mm	



265 Inch Inch Nut Driver With Precision Handle

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
265 23	3/32	60	2.4	155	6.1	.16	.16	.04	10
265 27	7/64	60	2.4	155	6.1	.20	.20	.05	10
265 31	1/8	60	2.4	155	6.1	.20	.20	.05	10
265 36	9/64	60	2.4	155	6.1	.21	.24	.05	10
265 39	5/32	60	2.4	155	6.1	.22	.24	.05	10
265 47	3/16	60	2.4	155	6.1	.25	.28	.05	10
265 56	7/32	60	2.4	170	6.7	.30	.32	.06	10
265 63	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 91 8 Pc. Precision Nut Driver Set - Inch

Blade CVM steel.

Item No.	lbs.
265 91 Inch Nut Drivers:	.47
3/32, 7/64, 1/8, 9/64, 5/32,	
3/16, 7/32, 1/4" x 2.4"	



265 98 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
265 98 Metric Nut Drivers:	.70
2.5, 3.0, 3.5, 4.0, 4.5, 5.0,	
5.5, 6.0mm x 60mm	



265 99 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
265 99 Inch Nut Drivers:	.72
3/32, 7/64, 1/8, 9/64, 5/32,	
3/16, 7/32, 1/4" x 2.4"	

Pico Soft Grip Nut Drivers Inch & Metric



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.							
No.	Inch	Inch	mm	Inch	mm	pkg.	
265 71	3/32	2.4	60	6.3	160	10	
265 72	7/64	2.4	60	6.3	160	10	
265 73	1/8	2.4	60	6.3	160	10	
265 74	9/64	2.4	60	6.3	160	10	
265 75	5/32	2.4	60	6.3	160	10	
265 76	3/16	2.4	60	6.3	160	10	
265 77	7/32	2.4	60	6.3	160	10	
265 78	1/4	2.4	60	6.3	160	10	

*Metric dimensions actual - Inch dimensions approximate



265 93 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle In storage pouch

Item No.							
265 93	Inch Nut Drivers: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"						lbs. .72



265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.							
No.	mm	mm	Inch	mm	Inch	pkg.	
265 79	1.5	60	2.4	160	6.3	10	
265 81	2.0	60	2.4	160	6.3	10	
265 82	2.5	60	2.4	160	6.3	10	
265 83	3.0	60	2.4	160	6.3	10	
265 84	3.5	60	2.4	160	6.3	10	
265 85	4.0	60	2.4	160	6.3	10	
265 86	4.5	60	2.4	160	6.3	10	
265 87	5.0	60	2.4	160	6.3	10	
265 88	5.5	60	2.4	160	6.3	10	
265 89	6.0	60	2.4	160	6.3	10	

*Metric dimensions actual - Inch dimensions approximate



265 96 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle In storage pouch

Item No.							
265 96	Inch Nut Drivers: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm						lbs. .66

Rotating Cap
for precise turning and control

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

Tapered Handle
allows rapid rotation, requires less clearance

Tips
Exact fit, precision machined

Blades
CVM steel, hardened, hard chromed

15mm
Collet Lock Handle
adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm

See
SYSTEM 4
Handles & Blades
on pages
38-41



269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade.

High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. On 4mm Hex shaft. 120mm/4.7" OAL

Item No.							
No.	Inch	Inch	Inch	lbs.			
269 62	3/32	.16	.16	.04			
269 63	7/64	.20	.20	.04			
269 64	1/8	.20	.20	.04			
269 65	9/64	.21	.24	.04			
269 66	5/32	.22	.24	.04			
269 67	3/16	.26	.28	.04			
269 68	7/32	.30	.32	.04			
269 69	1/4	1.34	.36	.04			



269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. On 4mm Hex Shaft. 120mm/4.7" OAL

Item No.							
No.	mm	mm	Inch	Inch	lbs.		
269 40	1.5 + 1.8	.12	.12	.03			
269 41	2.0 + 2.5	.16	.16	.03			
269 38	1.5 -	.11	.11	.04			
269 39	1.8 -	.12	.12	.04			
269 49	2.0 -	.13	.13	.06			
269 50	2.5 -	.16	.16	.06			
269 42	3.0 -	.20	.20	.06			
269 43	3.2 -	.20	.20	.06			
269 44	3.5 -	.22	.24	.06			
269 45	4.0 -	.22	.24	.06			
269 46	4.5 -	.25	.28	.06			
269 47	5.0 -	.27	.28	.06			
269 48	5.5 -	.30	.32	.06			



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
15305	28	26066	34	26423	32	26707	33	26950	49	28119	21
15310	28	26068	34	26425	32	26708	33	26951	39	28120	21
15315	28	26070	34	26427	32	26709	33	26952	39	28122	21
15325	28	26072	34	26430	32	26710	33	26953	39	28123	21
15330	28	26073	34	26431	32	26715	33	26954	39	28124	21
15335	28	26074	34	26436	32	26720	33	26955	39	28126	21
15340	28	26076	34	26439	32	26721	35	26956	39	28127	21
16112	28	26079	34	26440	32	26723	35	26957	39	28128	21
16134	28	26080	34	26441	36	26725	35	26958	39	28129	21
18601	28	26090	29	26443	36	26727	35	26959	39	28130	21
18603	28	26092	30	26445	36	26729	35	26960	39	28132	21
18606	28	26093	34	26447	36	26731	35	26961	39	28133	21
18609	28	26099	29	26449	36	26732	35	26962	49	28134	21
18612	28	26100	30	26455	36	26733	35	26963	49	28135	21
18615	28	26101	30	26457	36	26735	35	26964	49	28136	21
18624	28	26102	30	26459	36	26736	35	26965	49	28137	21
18627	28	26105	30	26461	36	26737	35	26966	49	28138	21
18630	28	26107	30	26463	36	26739	35	26967	49	28139	21
18642	28	26108	30	26465	36	26741	35	26968	49	28140	21
18645	28	26109	30	26467	36	26743	35	26969	49	28142	21
18648	28	26110	30	26490	32	26745	35	26971	38	28143	21
18651	28	26113	30	26491	32	26747	35	26972	38	28144	47
18654	28	26114	30	26493	36	26749	35	26973	38	28149	21
18657	28	26115	30	26499	32	26751	35	26974	38	28150	21
18663	28	26130	34	26510	48	26790	33	26975	39	28151	21
18678	28	26132	34	26515	48	26792	33	26976	39	28156	47
18681	28	26133	34	26520	48	26793	35	26977	39	28157	47
20700	28	26135	34	26523	48	26796	35	26978	39	28158	47
20705	28	26136	34	26525	48	26798	35	26979	39	28159	47
20710	28	26140	34	26527	48	26799	33	26980	39	28160	47
20715	28	26142	34	26530	48	26810	32	26981	39	28161	47
20720	28	26145	34	26531	48	26815	35	36982	39	28162	47
20725	28	26190	30	26532	48	26900	38	26985	39	28163	47
20756	28	26192	30	26535	48	26901	38	26987	41	28164	47
20757	28	26193	34	26536	48	26903	38	26989	41	28168	47
20758	28	26194	30	26539	48	26904	38	26990	40	28169	47
20759	28	26199	30	26540	48	26905	38	26991	40	28170	47
20760	28	26205	31	26545	48	26911	38	26992	40	28171	47
20790	28	26210	31	26547	48	26912	38	26993	40	28172	47
20799	28	26307	31	26550	48	26913	39	26995	41	28173	47
22220	28	26309	31	26555	48	26914	39	26996	41	28174	47
22230	28	26313	31	26556	48	26915	39	26997	41	28175	47
26000	33	26315	31	26560	48	26916	39	26999	41	28176	47
26001	33	26316	31	26563	48	26917	39	28000	38	28177	47
26008	29	26320	31	26570	48	26918	39	28001	38	28190	22
26010	29	26323	31	26571	49	26919	39	28021	39	28192	22
26012	29	26325	31	26572	49	26920	39	28023	39	28193	22
26015	29	26327	31	26573	49	26921	39	28024	39	28194	22
26018	29	26330	31	26574	49	26922	38	28025	39	28195	22
26020	29	26331	31	26575	49	26923	39	28026	39	28196	47
26022	29	26333	31	26576	49	26924	39	28027	39	28197	22
26023	29	26336	31	26577	49	26925	39	28028	39	28198	47
26025	29	26340	31	26578	49	26926	39	28029	39	28199	22
26027	29	26341	36	26579	49	26927	39	28033	39	28290	22
26028	29	26343	36	26581	49	26928	39	28034	39	28486	20
26030	29	26345	36	26582	49	26929	39	28035	39	28487	20
26032	29	26347	36	26583	49	26932	39	28036	39	28488	20
26033	29	26349	36	26584	49	26933	39	28037	39	30202	6
26034	29	26351	36	26585	49	26934	39	28080	40	30203	6
26035	29	26353	36	26586	49	26935	39	28084	41	20204	6
26040	29	26363	36	26587	49	26936	39	28087	41	30205	6
26041	29	26367	36	26588	49	26937	39	28091	41	30206	6
26042	29	26369	36	26589	49	26938	49	28094	40	30208	6
26050	34	26371	36	26590	48	26939	49	28097	41	30210	6
26051	34	26390	31	26591	48	26940	49	28106	20	30211	6
26052	34	26391	31	26592	48	26941	49	28107	20	30215	6
26053	34	26392	36	26593	49	26942	49	28108	20	30217	6
26054	34	26393	36	26596	49	26943	49	28109	20	30218	6
26055	34	26399	31	26598	48	26944	49	28110	20	30219	6
26056	34	26413	32	26599	48	26945	49	28112	20	30220	6
26060	34	26415	32	26703	33	26946	49	28114	21	30222	6
26061	34	26416	32	26704	33	26947	49	28116	21	30223	6
26063	34	26419	32	26705	33	26948	49	28117	21	30225	6
26065	34	26420	32	26706	33	26949	49	28118	21	30226	6

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
30227	6	34126	43	36235	25	36793	12	45526	26	51080	27
30230	6	34127	43	36238	11	36794	12	45527	17	51090	27
30232	6	34128	43	36239	11	37220	42	45528	26	51099	27
30235	6	34129	43	36240	25	37222	42	45530	17	51105	27
30236	6	34130	43	36243	11	37224	42	45531	26	51110	27
30237	14	34131	43	36244	9	37226	42	45536	26	51120	27
30238	6	34134	43	36245	25	37228	42	45540	17	52005	23
30239	6	34135	43	36248	11	37230	42	45541	26	52010	23
30255	6	34136	43	36249	9	37235	42	45545	17	52020	23
30265	6	34137	43	36250	25	37236	42	45546	26	52025	23
30276	8	34138	43	36253	11	37237	42	45550	17	52035	23
30290	8	34139	43	36254	9	37238	42	45551	26	52040	23
30291	8	34140	43	36255	11	37239	42	45556	26	52050	23
30294	7	34141	43	36256	9	37241	42	45561	26	52090	23
30295	7	34142	43	36257	9	37244	42	45589	26	52098	23
30297	7	34143	43	36258	9	37290	42	45591	26	52099	23
30298	7	34144	43	36259	11	37291	42	45592	26	52105	23
30299	8	34145	43	36264	10	38800	46	45593	17	52110	23
30815	5	34193	43	36266	10	39700	9	45595	18	52115	23
30816	5	34194	43	36267	10	39701	9	45597	18	52120	23
30817	5	34195	43	36268	10	39702	9	45598	18	52125	23
30820	5	34302	45	36269	11	39825	9	46094	17	52650	24
30825	5	34304	45	36270	10	39830	9	46095	17	52711	25
30830	5	34306	45	36271	11	39840	9	46097	17	52713	25
30835	5	34308	45	36272	10	39850	9	46098	16	52716	25
30892	5	34310	45	36273	11	39860	9	46099	16	52719	25
30898	5	34312	45	36274	10	39892	9	46702	19	52722	25
31105	6	34314	45	36275	11	39896	9	46704	19	52726	25
31110	6	34336	45	36276	10	40010	14	46706	19	52729	25
31112	6	34338	45	36277	11	44590	40	46708	19	52732	25
31114	6	34339	45	36278	10	45040	16	46710	19	52790	25
31115	6	34340	45	36279	11	45050	16	46712	19	52791	25
31117	6	34341	45	36280	10	45052	16	46714	19	53010	4
31118	6	34342	45	36281	11	45054	16	46715	18	53015	4
31120	6	34343	45	36282	10	45055	16	46716	19	53020	4
31125	6	34390	45	36283	11	45056	16	46718	19	53025	4
31135	6	34391	45	36284	10	45057	16	46720	18	53027	4
31137	14	34712	44	36285	11	45058	16	46722	19	53035	4
31140	6	34715	44	36286	10	45060	16	46724	19	53040	4
31190	7	34718	44	36287	11	45061	16	46725	18	53075	5
31191	7	34721	44	36288	10	45062	16	46726	19	53090	4
31192	7	34724	44	36290	9	45064	16	46728	19	53096	5
31193	7	34727	44	36291	10	45065	16	46730	18	53097	4
31194	14	34730	44	36292	25	45067	16	46740	18	53099	5
31201	5	34753	44	36293	25	45069	16	46750	18	53110	4
31202	5	34759	44	36294	10	45135	16	46760	18	53115	4
31203	5	34765	44	36296	11	45137	16	46780	18	53120	4
31305	6	34771	44	36298	11	45140	16	46786	18	53310	24
31310	6	34774	44	36299	11	45142	16	46793	19	53315	24
31312	6	34777	44	36710	12	45144	16	46794	19	53320	24
31315	6	34791	44	36713	12	45147	16	46796	18	53325	24
31320	6	34792	44	36715	13	45150	16	46797	19	53330	24
33603	46	35800	6	36716	12	45152	16	46799	18	53390	24
33606	46	35801	6	36719	12	45205	17	46803	15	53398	24
33607	46	35802	6	36720	13	45207	17	46806	15	53405	24
33609	46	35803	6	36723	12	45215	17	46812	15	53410	24
33612	46	35894	6	36725	13	45220	17	46815	15	53425	24
33614	46	36201	10	36726	12	45225	17	46912	15	62990	37
33620	46	36202	9	36728	12	45230	17	46915	15	62993	37
33622	46	36203	9	36730	13	45235	17	46921	15	62994	37
33653	46	36205	25	36732	12	45504	17	46924	15	62995	37
33659	46	36207	9	36734	12	45505	26	46933	15	65090	37
33665	46	36210	25	36736	12	45506	26	46991	15	90000	8
33671	46	36211	11	36738	12	45507	17	48106	14	91118	33
33674	46	36212	25	36740	13	45508	17	48190	14	92190	33
33677	46	36215	25	36742	12	45509	17	48400	26	95190	37
33690	46	36220	25	36744	12	45510	17	48401	16	96800	37
33691	46	36223	11	36750	13	45511	26	51020	27		
34120	43	36225	25	36760	13	45515	17	51025	27		
34121	43	36228	11	36780	13	45516	26	51030	27		
34122	43	36229	11	36786	13	45520	17	51035	27		
34123	43	36230	25	36790	13	45521	26	51040	27		
34124	43	36233	11	36791	12	45522	26	51055	27		
34125	43	36234	9	36792	13	45525	17	51065	27		



email: cservice@wihatools.com

Catalog Item No. 99002.w0
version - 11/1/10

Subject to change without notice

©2010 Willi Hahn Corporation

®Torx is a registered
trademark of camcar/textron



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.


www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 763.295.6591
fax: 763.295.6598

Coming soon...



Product Guide

Coming soon...



Shop Tools Catalog

Coming soon...



Tech Tools Catalog



99914.w0 - TORX Catalog



99951.w0 - Bits Catalog



99001.w0 - TorqueControl Catalog



99934.w0 - Hex Tools Catalog



99919.w0 - Insulated Catalog



99945.w0 - ESD Catalog



99977.w0 - Pliers/Crimpers Catalog