




wiha 
Premium Tools




TORX
For
Tooling



Complete **TORX®** *Program*




Torx® Index

	DESCRIPTION	Page
	SoftFinish® Cushion Grip	5
	ESD Safe SoftFinish® Cushion Grip	6
	MicroFinish Non-Slip Grip	8
	3K Series	10
	Protturn	9
	Insulated Cushion Grip	7
	Powerhandle	7
	Wing Handle	17
	Flag Handle	17
	L-Keys Offset Screwdrivers	14-15 15
	T-handle & ComfortGrip	13-14
	PocketStar Fold Outs	16
	Drive-Loc VI Blades	11
	TorqueControl Blades	24
	Bit Sets	31
	Insert & Power Bits	35-36
	Precision Tools	
	ESD Safe	26
	Standard	27
	PicoFinish	27
	SYSTEM 4 Blades	29
	SYSTEM 4 Micro Bits	28
	Sockets & Sets	39-41

* Standard TORX® are not for use in TORXPlus® fasteners

TorxPlus® Index

	DESCRIPTION	Page
	TorqueControl Blade	24
	SoftFinish® Cushion Grip	19
	Insert Bits	38
	Bit-Selectors	31
	Power Bits	38
	T-handles	19
	L-Keys Short/Long Arm	20
	Wing Handle	18
	Flag Handle	18
	ESD Safe Precision	26
	PocketStar Fold Outs	18
	TORXPlus® Sockets	39


NEW From Wiha Ball End Torx® Index

	DESCRIPTION	Page
	SoftFinish Drivers Cushion Grip	12
	L-Keys	12
	Power Bits	12,38

Tamper Resistant Torx® Index

	DESCRIPTION	Page
	SoftFinish® Cushion Grip	6
	L-Keys	15
	PocketStar Fold Outs	16
	Drive-Loc VI Blades	11
	Bit Sets	32
	Insert Bits - 1/4" & 5/16"	37
	Power Bits	37
	SYSTEM 4 Micro Bits	28
	Sockets	39,41

MagicSpring Screw Holding

	DESCRIPTION	Page
	SoftFinish® Screw Holding Cushion Grip	21
	PicoFinish Soft Grip Screw Holding	21
	L-keys Screw Holding	22
	Wing Handle Screw Holding	22
	TorqueControl Blades Screw Holding	24

Wing/Flag & L-keys Index

DESCRIPTION	Page
 Wing Handle Torx®, TorxPlus® & MagicSpring	17-18,22
 Flag Handle Torx® & TorxPlus®	17-18
 L-Keys	14-15
 Offset Screwdrivers	15

Screwdrivers Index

	DESCRIPTION	Page
	SoftFinish® CushionGrip 5-6,19,21 Torx®, Security Torx®, TorxPlus®, MagicSpring	
	ESD Safe SoftFinish® Cushion Grip - Torx®	6
	MicroFinish Non-Slip Grip - Torx®	8
	3K Series - Torx®	10
	Proturn - Torx®	9
	Insulated Cushion Grip - Torx®	7
	Powerhandle- Torx®	7
	Offset Screwdrivers Torx®	15
	T-handle/ComfortGrip Torx® & TorxPlus®	13-14,19
	Precision Tools	
	ESD Safe	26
	Standard	27
	PicoFinish	27

Drive-Loc VI Interchangeable

DESCRIPTION	Page
 Drive-Loc VI Handle SoftFinish® Cushion Grip	11
 Drive-Loc VI Handle ESD Safe Cushion Grip	11
 Drive-Loc VI Handle MicroFinish Non-Slip Grip	11
 Drive-Loc VI Blades Torx® / Security Torx®	11

Fold Outs Index

DESCRIPTION	Page
 PocketStars Torx, Security Torx, TorxPlus	16,18


TorqueControl Index

DESCRIPTION	Page
 Easy Torque Tools	23
 TorqueVario Handle	24
 Torx® / TorxPlus® Blades	24
 ESD Safe TorqueControl	25
 ESD Safe Torx® Blades	25
 T-handle Torque Tools	25
 Interchangeable Blades For Torque T-handle	25
 TorqueControl Sets	25


High Performance Bits Index

DESCRIPTION	Page
 Torx® Dura Insert Bits Tungsten Carbide Coated	34
 Torx® Diamond Bits	34
 Torx® TiN Coated - Titanium	34


Standard Bits Index

DESCRIPTION	Page
 Torx® Insert/Power Bits	35-36

Specialty Bits Index

DESCRIPTION	Page
  Ball End Torx®	12,38
  Torx® Align Bits Insert/Power Bits	36
  Tamper Resistant Torx® Insert/Power Bits	37
  TorxPlus® Bits Insert/Power Bits	38

Bit Sets Index


DESCRIPTION	Page
 BitFlip Sets	30
 Topra Bit Sets	30,32
 Six-in-One Bit Sets	30,32
 Bit Selector Sets	31-32
 Power Bit Belt Packs	31-32
 SYSTEM 4 Sets Micro Bits & Interchangeable Blades	29
 XSelectors	31-32

 See Bit Holders on Pg. 33-34

ESD Blade Set Index

DESCRIPTION	Page
 Interchangeable Blade Set	6

Sockets Index

DESCRIPTION	Page
 Torx® 1/4" Drive	39
 Torx® 3/8" Drive	39
 Torx® 3/8" - 5/16" Bits	39
 Tamper Resistant Torx® 3/8", 1/2"	39
 External Torx® Sockets 1/4", 3/8", 1/2"	40
 6" Bit Sockets 1/4" & 3/8" Drive	40
 Socket Sets	41

Wiha TORX® SoftFinish® Screwdrivers - Ergonomic Cushion Grip Handle




362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 64	T5	60	2.4	2.5	.098	164	6.5	.05	10
362 66	T6	60	2.4	3.5	.139	164	6.5	.06	10
362 68	T7	60	2.4	3.5	.139	164	6.5	.06	10
362 70	T8	60	2.4	3.5	.139	164	6.5	.06	10
362 72	T9	60	2.4	4.0	.157	171	6.7	.10	10
362 74	T10	80	3.1	4.0	.157	191	7.5	.11	10
362 76	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 78	T20	100	3.9	4.0	.157	211	8.3	.11	10
362 80	T25	100	3.9	4.5	.177	211	8.3	.12	10
362 82	T27	115	4.5	5.5	.216	233	9.2	.19	10
362 84	T30	115	4.5	6.0	.236	233	9.2	.20	10
362 86	T40	130	5.1	7.0	.275	254	10.0	.27	10
362 88	T45	130	5.1	8.0	.315	254	10.0	.31	10



362 94 Set 8 Pcs. TORX® Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
362 94	362 66	T6 60	362 78	T20 100	1.24
	362 70	T8 60	362 80	T25 100	
	362 74	T10 80	362 82	T27 115	
	362 76	T15 80	362 84	T30 115	



362 91 Set 6 Pcs. TORX®

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
362 91	362 66	T6 60	362 72	T9 60	.77
	362 68	T7 60	362 74	T10 80	
	362 70	T8 60	362 76	T15 80	

362 01 Set 6 Pcs. TORX®

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
362 01	362 66	T6 60	362 76	T15 80	.83
	362 70	T8 60	362 78	T20 100	
	362 74	T10 80	362 80	T25 100	



362 67 Set 12 Pcs. TORX® Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
362 67	362 64	T5 60	362 76	T15 80	2.03
	362 66	T6 60	362 78	T20 100	
	362 68	T7 60	362 80	T25 100	
	362 70	T8 60	362 82	T27 115	
	362 72	T9 60	362 84	T30 115	
	362 74	T10 80	362 86	T40 130	



Wiha Tamper Resistant **TORX**® Drivers



362 TR Tamper Resistant **TORX® Screwdriver With Wiha-SoftFinish® Handle** Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 69	T7s	60	2.4	3.5	.139	164	6.5	.06	10
362 71	T8s	60	2.4	3.5	.139	164	6.5	.06	10
362 73	T9s	60	2.4	4.0	.157	171	6.7	.10	10
362 75	T10s	80	3.1	4.0	.157	191	7.5	.11	10
362 77	T15s	80	3.1	4.0	.157	191	7.5	.11	10
362 79	T20s	100	3.9	4.0	.157	211	8.3	.11	10
362 81	T25s	100	3.9	4.5	.177	211	8.3	.11	10
362 83	T27s	115	4.5	5.5	.216	233	9.2	.19	10
362 85	T30s	115	4.5	6.0	.236	233	9.2	.20	10
362 87	T40s	130	5.1	7.0	.275	254	10.0	.28	10



362 98 Set 7 Pcs. Tamper Resistant **TORX**®

Item No.	Size	mm	Size	mm	lbs.
362 98	362 69 T7s	60	362 77 T15s	80	.95
	362 71 T8s	60	362 79 T20s	100	
	362 73 T9s	60	362 81 T25s	100	
	362 75 T10s	80			



362 59 Set 10 Pcs. Tamper Resistant **TORX**®

Item No.	Size	mm	Size	mm	lbs.
362 59	362 69 T7s	60	362 79 T20s	100	1.5
	362 71 T8s	60	362 81 T25s	100	
	362 73 T9s	60	362 83 T27s	115	
	362 75 T10s	80	362 85 T30s	115	
	362 77 T15s	80	362 87 T40s	130	

Wiha SoftFinish® ESD Safe Handle



362 ESD Safe **TORX® Screwdriver, With Wiha-SoftFinish® Handle** DIN EN 61340-5-1/ 61340-5-2 Round blade, CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 60	T3	60	2.4	3.5	.139	164	6.5	.06	10
362 04	T4	60	2.4	3.5	.139	164	6.5	.06	10
362 00	T5	60	2.4	3.5	.139	164	6.5	.06	10
362 06	T6	60	2.4	3.5	.139	164	6.5	.06	10
362 08	T8	60	2.4	3.5	.139	164	6.5	.06	10
362 09	T9	60	2.4	4.0	.157	171	6.7	.10	10
362 18	T10	80	3.1	4.0	.157	191	7.5	.11	10
362 19	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 24	T20	100	3.9	4.0	.157	211	8.3	.11	10



362 89 Set 6 Pcs. ESD Safe **TORX**® Screwdrivers

Item No.	Size	mm	Size	mm	lbs.
362 89	362 06 T6	60	362 18 T10	80	.81
	362 08 T8	60	362 19 T15	80	
	362 09 T9	60	362 24 T20	100	

Wiha ESD Safe Interchangeable Blade Set

NEW
From Wiha

In Durable
Pouch



108 93 ESD Safe **TORX**® Interchangeable Blade Set

5 Pc. Set Includes ESD Safe handle & 4 interchangeable blades.

Item No.	lbs.
108 93	.75
TORX®: T6, T7, T8, T9, T10, T15, T20, T25	
Wiha ESD Safe Handle	


Wiha Insulated **TORX®** Screwdrivers



1000Volt

325 TORX® Screwdriver, With Wiha-SoftFinish® Handle
Insulation According to ASTM F-1505-01, New VDE Specification
0682/part 201 and EN/IEC 60900, NFPA70E,  up to 1000 Volt.
Individually Tested. Blade high alloy cvm steel, hardened, black
finish. Insulation molded directly onto blade.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
325 05	T5	60	2.4	164	6.5	.06	10
325 11	T6	60	2.4	164	6.5	.06	10
325 16	T7	60	2.4	164	6.5	.06	10
325 21	T8	60	2.4	164	6.5	.06	10
325 26	T9	60	2.4	164	6.5	.06	10
325 31	T10	60	2.4	164	6.5	.06	10
325 36	T15	80	3.1	191	7.5	.12	10
325 41	T20	80	3.1	191	7.5	.12	10
325 46	T25	80	3.1	198	7.8	.17	10
325 51	T27	100	3.9	218	8.6	.20	10
325 56	T30	100	3.9	218	8.6	.20	10
325 61	T40	150	5.9	274	10.8	.30	10



1000Volt

325 90 Set 6 Pcs. **TORX®**

Item No.	Size	mm	Size	mm	lbs.
325 90	325 21 T8	60	325 36 T15	80	.83
	325 26 T9	60	325 41 T20	80	
	325 31 T10	60	325 46 T25	80	



1000Volt

325 92 Set 10 Pcs. **TORX®**

Item No.	Size	mm	Size	mm	lbs.
325 92	325 11 T6	60	325 36 T15	80	1.2
	325 16 T7	60	325 41 T20	80	
	325 21 T8	60	325 46 T25	80	
	325 26 T9	60	325 51 T27	100	
	325 31 T10	60	325 56 T30	100	

Wiha Powerhandle **TORX®**

Made in Germany




362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel
blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 05	T5	50	2.0	2.5	.098	110	4.3	.03	10
362 10	T6	50	2.0	3.5	.139	125	4.9	.06	10
362 12	T7	50	2.0	3.5	.139	125	4.9	.06	10
362 15	T8	60	2.4	3.5	.139	135	5.3	.06	10
362 20	T9	60	2.4	4.0	.157	140	5.5	.09	10
362 25	T10	80	3.1	4.0	.157	170	6.7	.13	10
362 30	T15	80	3.1	4.0	.157	170	6.7	.13	10
362 35	T20	100	3.9	4.0	.157	200	7.9	.17	10
362 40	T25	100	3.9	4.5	.177	200	7.9	.18	10
362 45	T27	115	4.5	5.5	.216	215	8.5	.20	10
362 50	T30	115	4.5	6.0	.236	225	8.9	.28	10



362 92 8 Pc. Set TORX® Blade high alloy CVM steel, hardened,
hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:	lbs.
362 92	T6, T8, T10, T15, T20, T25, T27, T30	1.45



362 93 6 Pc. Set TORX® Blade high alloy CVM steel, hardened,
hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:	lbs.
362 93	T6, T7, T8, T9, T10, T15	.78


Wiha TORX® MicroFinish Handle Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Blades are hardened & hard chromed

Exact fit precision ground tips

MicroFinish Handle with patented non-slip surface. Ergo handle shape for maximum comfort & exceptional torque transfer

Blade CVM, hardened & tempered tool steel, gives exceptional tool life, wear resistance & high torque performance


527 TORX® Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
527 11	T9	60	2.4	4.0	.157	171	6.7	.15	10
527 13	T10	80	3.1	4.0	.157	191	7.5	.15	10
527 16	T15	80	3.1	4.0	.157	191	7.5	.15	10
527 19	T20	100	3.9	4.0	.157	211	8.3	.15	10
527 22	T25	100	3.9	4.5	.177	211	8.3	.16	10
527 26	T27	115	4.5	5.5	.216	233	9.2	.25	10
527 29	T30	115	4.5	6.0	.236	233	9.2	.27	10
527 32	T40	130	5.1	7.0	.275	254	10.0	.40	10


527 90 Set 5 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Size	mm	lbs.
527 90	527 13	T10 80	527 22	T25 100	1.0
	527 16	T15 80	527 29	T30 115	
	527 19	T20 100			


527 91 Set 8 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Size	mm	lbs.
527 91	527 11	T9 60	527 22	T25 100	1.89
	527 13	T10 80	527 26	T27 115	
	527 16	T15 80	527 29	T30 115	
	527 19	T20 100	527 32	T40 130	

Wiha **TORX®** Protturn Screwdrivers

protturn


TORX®

Through
hardened for
optimum wear
resistance

Molded on
ergonomic handle
proportioned to
blade sizes

High performance
tool steel

Black finish
blades

**455 91 Set 6 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
455 91	455 06 T7	50	455 21 T10	80	.72
	455 11 T8	60	455 26 T15	80	
	455 16 T9	60	455 31 T20	100	

455 92 Set 8 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
455 92	455 11 T8	60	455 31 T20	100	1.07
	455 16 T9	60	455 36 T25	100	
	455 21 T10	80	455 41 T27	115	
	455 26 T15	80	455 46 T30	115	

**455 89 Set 15 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
455 89	455 05 T6	50	455 31 T20	100	2.2
	455 06 T7	50	455 36 T25	100	
	455 11 T8	60	455 41 T27	115	
	455 16 T9	60	455 46 T30	115	
	455 21 T10	80	455 51 T40	130	
	455 22 T10	275	455 56 T45	130	
	455 26 T15	80	455 61 T50	130	
	455 28 T15	275			

**484 00 1/4" Bit Holding Screwdriver, With Wiha-Protturn Handle**

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pcs.
484 00	1/4	125	5.0	243	9.6	.24	10

455 TORX® Screwdriver, With Wiha-Protturn Handle

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
455 05	T6	50	2.0	3.5	.139	129	5.1	.05	10
455 06	T7	50	2.0	3.5	.139	129	5.1	.05	10
455 11	T8	60	2.4	3.5	.139	139	5.5	.06	10
455 16	T9	60	2.4	4.0	.157	149	5.8	.08	10
455 21	T10	80	3.1	4.0	.157	170	6.7	.10	10
455 22	T10	275	10.8	4.0	.157	363	14.2	.13	10
455 26	T15	80	3.1	4.0	.157	170	6.7	.10	10
455 28	T15	275	10.8	4.0	.157	373	14.6	.15	10
455 31	T20	100	3.9	4.0	.157	190	7.5	.11	10
455 36	T25	100	3.9	4.5	.177	190	7.5	.11	10
455 41	T27	115	4.5	5.5	.216	215	8.4	.11	10
455 46	T30	115	4.5	6.0	.236	215	8.4	.20	10
455 51	T40	130	5.1	7.0	.275	240	9.4	.28	10
455 56	T45	130	5.1	8.0	.315	240	9.4	.27	10
455 61	T50	130	5.1	9.0	.354	240	9.4	.31	10

Wiha TORX® 3K Series Drivers and Sets

3K Series

Hole for hanging

Molded on soft grip ergonomic handle, impact resistant

Precision black tip

Blade high alloy CVM steel, hardened



455 98 Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
455 98	455 04	T6 60	455 09	T9 60	.88
	455 07	T7 60	455 10	T10 80	
	455 08	T8 60	455 15	T15 80	



455 TORX® Screwdriver, With Wiha-3K Series Handle

Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
455 04	T6	60	2.4	3.2	9/64	145	5.7	.06	10
455 07	T7	60	2.4	3.5	9/64	129	5.1	.05	10
455 08	T8	60	2.4	3.5	9/64	139	5.5	.06	10
455 09	T9	60	2.4	4.0	5/32	149	5.8	.08	10
455 10	T10	80	3.1	4.0	5/32	170	6.7	.10	10
455 15	T15	80	3.1	4.0	5/32	190	7.5	.11	10
455 20	T20	100	3.9	5.5	7/32	215	8.4	.11	10
455 25	T25	100	3.9	6.0	1/4	215	8.4	.20	10
455 27	T27	115	4.5	7.0	9/32	240	9.4	.28	10
455 30	T30	115	4.5	6.0	1/4	233	9.1	.21	10
455 40	T40	130	5.1	7.0	9/32	248	9.7	.25	10
455 45	T45	130	5.1	8.0	5/16	249	9.8	.30	10
455 50	T50	130	5.1	9.0	3/8	249	9.8	.33	10



455 93 Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
455 93	455 08	T8 60	455 20	T20 100	.86
	455 10	T10 80	455 25	T25 100	
	455 15	T15 80			



455 95 Set 8 Pcs. TORX® Wiha-3K Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
455 95	455 08	T8 60	455 20	T20 100	1.36
	455 09	T9 60	455 25	T25 100	
	455 10	T10 80	455 27	T27 115	
	455 15	T15 80	455 30	T30 115	



455 97 Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set
Blade chrome-vanadium-molybdenum steel, hardened, precision black tip. Wiha-3K Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
455 97	455 04	T6 60	455 20	T20 100	1.72
	455 07	T7 60	455 25	T25 100	
	455 08	T8 60	455 27	T27 115	
	455 09	T9 60	455 30	T30 115	
	455 10	T10 80	455 40	T40 130	
	455 15	T15 80			



Drive-Loc VI

For Adjustable Length Locking Blades



Locking mechanism allows blade length to be adjusted from 40mm-120mm. (1.7 to 4.7" in 1/8" increments)

Blades high quality CVM steel, hard chrome finish.

Ergonomic handles in ESD Safe, cushioned & non-slip grip.



284 88 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
284 88	6.0	115	4.5	36.0	1.41	.20



284 86 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
284 86	6.0	115	4.5	36.0	1.41	.20



284 87 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
284 87	6.0	115	4.5	36.0	1.41	.20



281 TORX® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	Size	lbs.	pkg.
281 26	T6	T8	.09	1
281 27	T7	T9	.09	1
281 28	T10	T15	.10	1
281 29	T20	T25	.10	1
281 30	T30	T40	.10	1



281 Tamper Resistant TORX® Drive-Loc VI Interchangeable Blade

high alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	Size	lbs.	pkg.
281 32	T6s	T8s	.09	1
281 33	T7s	T9s	.09	1
281 34	T10s	T15s	.10	1
281 35	T20s	T25s	.10	1
281 36	T30s	T40s	.10	1



281 95 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. in Durable Pouch

Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item		lbs.
No. 281 95		.85

TORX®: T6&T8, T7&T9, T10&T15, T20&T25, T30&T40

Wiha SoftFinish® Cushion Grip Blade Lock Handle



281 97 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. in Durable Pouch

Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item		lbs.
No. 281 97		.83

Tamper Resistant TORX®: T6s+T8s, T7s+T9s, T10s+T15s,

T20s+T25s, T30s+T40s & SoftFinish® Cushion Grip Blade Lock Handle

Wiha Ball End **TORX**® Screwdrivers

- Ball End For 25° Angle Driving
- Precision Machined Exact Fit Tips
- Through Hardened For Maximum Durability
- WIHA High Performance CRM-72 Tool Steel
- Guaranteed Quality Made By Wiha



362 Ball End **TORX**® Screwdriver, With Wiha-SoftFinish® Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 16	T9	60	2.4	4.0	.157	164	6.5	.10	10
362 17	T10	60	2.4	4.0	.157	184	7.2	.11	10
362 21	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 22	T20	80	3.1	4.0	.157	211	8.3	.11	10
362 26	T25	100	3.9	4.5	.177	218	8.6	.12	10
362 27	T27	115	4.5	5.5	.216	233	9.2	.19	10
362 36	T30	115	4.5	6.0	.236	233	9.2	.20	10



362 37 Set 7 Pcs. **TORX®** Blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Size	mm	lbs.
362 37	362 16	T9 60	362 26	T25 100	1.24
	362 17	T10 60	362 27	T27 115	
	362 21	T15 80	362 36	T30 115	
	362 22	T20 80			

Wiha Ball End **TORX**® L-keys



366 Ball End **TORX**® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
366 31	T9	111	4.4	21	.83	.17	10
366 32	T10	121	4.8	23	.91	.23	10
366 33	T15	136	5.4	27	1.1	.33	10
366 34	T20	148	5.8	29	1.1	.44	10
366 35	T25	163	6.4	33	1.3	.65	10
366 36	T27	176	6.9	36	1.4	.98	10
366 37	T30	191	7.5	38	1.5	1.27	10
366 38	T40	210	8.3	43	1.7	2.09	10



366 92 Ball End **TORX**® L-key Set, 8 Pc. in Plastic Holder

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item No.	lbs.	pkg.
366 92	6.16	1

Wiha Ball End **TORX**® Power Bits



745 Ball End **TORX**® Power Bits 1/4" Hex Drive, Length 2.0"/50mm


Item No.	Size	mm	pkg.	lbs.
745 24	T9	50	10	.18
745 26	T10	50	10	.18
745 28	T15	50	10	.18
745 32	T20	50	10	.18
745 34	T25	50	10	.18
745 37	T27	50	10	.18
745 39	T30	50	10	.18
745 41	T40	50	10	.18

Wiha TORX® Soft Grip Dual Drive T-handle
Two Tools In One!

 Two
 component
 soft grip
 handle

 Short and Long Arm
 In One Powerful Tool

 Torx - Blades of CVM tool steel, through
 hardened durability, hard chrome finish

**Maximum Comfort &
 Maximum Power**

 Through
 the handle
 side driver

364 Soft Grip TORX® T-handle

Blade CVM steel, through hardened, satin chrome finish. Soft grips are molded on and include through the handle side torque drive.


Item				
No.	Size	mm	lbs.	pkg.
364 80	T10	100	.08	10
364 81	T15	100	.08	10
364 82	T20	100	.13	10
364 83	T25	150	.16	10
364 84	T27	150	.19	10
364 86	T30	150	.20	10
364 87	T40	150	.24	10


364 97 Set 7 Pcs. TORX® Soft Grip T-handles

Blade CVM steel, hardened, chrome finish. Wiha soft grip T-handles are molded on and include through the handle side torque drive.

Item						
No.	Size	mm	Size	mm	lbs.	
364 97	364 80	T10	100	364 84	T27	150
	364 81	T15	100	364 86	T30	150
	364 82	T20	100	364 87	T40	150
	364 83	T25	150			


Wiha TORX® T-handle



364 TORX® with Wiha T-handles

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chrome finish. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
364 09	T9	100	3.9	4.0	5/32	80	3.1	.07	10
364 10	T10	100	3.9	4.0	5/32	80	3.1	.07	10
364 15	T15	100	3.9	4.0	5/32	80	3.1	.07	10
364 17	T15	200	7.9	5.5	7/32	80	3.1	.13	10
364 20	T20	100	3.9	4.0	5/32	100	3.9	.10	10
364 22	T20	200	7.9	5.5	7/32	100	3.9	.17	10
364 25	T25	100	3.9	4.0	5/32	100	3.9	.11	10
364 27	T25	200	7.9	5.5	7/32	100	3.9	.17	10
364 30	T27	100	3.9	5.5	7/32	100	3.9	.14	10
364 32	T27	200	7.9	5.5	7/32	100	3.9	.17	10
364 35	T30	100	3.9	7.9	6.0	100	3.9	.14	10
364 37	T30	200	7.9	6.0	1/4	100	3.9	.19	10
364 40	T40	100	3.9	7.0	9/32	100	3.9	.16	10
364 42	T40	200	7.9	7.0	9/32	100	3.9	.23	10
364 45	T45	150	5.9	8.0	5/16	120	4.7	.29	10
364 50	T50	150	5.9	9.0	3/8	120	4.7	.30	10
364 52	T50	250	9.8	9.0	3/8	120	4.7	.45	10



#36492



#36490

364 92 TORX® T-handle Set, 7 Pc.

Equipped with T9, T10, T15, T20, T25, T27, T30

Item No. lbs. pkg.

364 92 1.24 1

364 90 TORX® T-handle Set, 7 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T50

Item No. lbs. pkg.

364 90 2.65 1

- Blade high alloy CVM steel, hardened, hard chrome finish

- Wiha T-handle high quality plastic, impact resistant



364 93 TORX® T-handle Set, 8 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T45, T50

Item No. lbs. pkg.

364 93 3.10 1

Wiha TORX® Short Arm L-keys



363 TORX® L-key, Short Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
363 05	T5	37	1.5	16	.6	.01	10
363 06	T6	39	1.5	16	.6	.01	10
363 07	T7	42	1.7	16	.6	.01	10
363 08	T8	45	1.8	16	.6	.01	10
363 09	T9	48	1.9	16	.6	.01	10
363 10	T10	51	2.0	17	.7	.01	10
363 15	T15	54	2.1	19	.7	.01	10
363 20	T20	58	2.3	19	.7	.01	10
363 25	T25	63	2.5	21	.8	.02	10
363 27	T27	67	2.6	22	.9	.03	10
363 30	T30	73	2.9	24	.9	.05	10
363 40	T40	79	3.1	26	1.0	.06	10
363 45	T45	82	3.2	28	1.1	.09	10
363 50	T50	95	3.7	32	1.3	.13	10
363 55	T55	108	4.3	35	1.4	.27	10
363 60	T60	120	4.7	38	1.5	.40	10



#36392



#36394



#36399

363 92 TORX® Set, 7 Pc. In Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20

Item No. lbs. pkg.

363 92 .10 1

363 94 TORX® Set, 9 Pc. In Plastic Holder

Equipped with T8, T9, T10, T15, T20, T25, T27, T30, T40

Item No. lbs. pkg.

363 94 .30 1

363 99 TORX® Set, 16 Pc.

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Item No. lbs. pkg.

363 99 1.14 1



363 90 TORX® Set, 9 Pc. In Metal Stand

Equipped with T10, T15, T20, T25, T30, T40, T50, T55, T60

Item No. lbs. pkg.

363 90 2.34 1



Wiha TORX® Long Arm L-keys



366 TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
366 45	T5	71	2.8	12	.5	.06	10
366 46	T6	78	3.1	13	.5	.07	10
366 47	T7	87	3.4	16	.6	.10	10
366 48	T8	99	3.9	18	.7	.13	10
366 49	T9	106	4.2	18	.7	.17	10
366 50	T10	118	4.6	21	.8	.23	10
366 51	T15	131	5.2	23	.9	.33	10
366 52	T20	144	5.7	25	1.0	.44	10
366 53	T25	158	6.2	28	1.1	.65	10
366 54	T27	169	6.7	30	1.2	.98	10
366 55	T30	184	7.2	32	1.3	1.27	10
366 59	T40	201	7.9	35	1.4	2.09	10
366 61	T50	213	8.4	40	1.6	3.14	10



366 99 Long Arm TORX® Set, 13 Pc. in Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50

Item		
No.	lbs.	pkg.
366 99	1.13	1



366 98 Long Arm TORX® Set, 10 Pc. In Molded Holder Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item		
No.	lbs.	pkg.
366 98	4.4	1



366 94 26 Piece Combo Pack Long Arm TORX® And Hex Inch L-key Sets, In Pouch

Set includes: 36699-13pc set T5-T50 and 36991-13pc set .050 - 3/8"

Item		
No.	lbs.	pkg.
366 94	2.13	1

Wiha Tamper Resistant TORX® L-keys



Tamper Resistant Torx® L-Keys



363 Tamper Resistant TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
363 21	T7s	42	1.7	16	.6	.01	10
363 23	T8s	45	1.8	16	.6	.01	10
363 26	T9s	48	1.9	16	.6	.01	10
363 28	T10s	51	2.0	17	.7	.01	10
363 29	T15s	54	2.1	19	.7	.01	10
363 32	T20s	58	2.3	19	.7	.02	10
363 35	T25s	63	2.5	21	.8	.02	10
363 37	T27s	67	2.6	22	.9	.03	10
363 39	T30s	73	2.9	24	.9	.04	10
363 42	T40s	79	3.1	26	1.0	.06	10
363 46	T45s	82	3.2	28	1.1	.09	10
363 52	T50s	95	3.7	35	1.3	.13	10
363 57	T55s	108	4.3	38	1.4	.27	10



Tamper Resistant Torx® L-Key Set

363 93 Tamper Resistant TORX® Set, 9 Pcs. In Plastic Holder

Equipped with T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Item		
No.	lbs.	pkg.
363 93	.30	1

Wiha Offset Screwdrivers



207 TORX® Offset Screwdriver With Molded Handle

For working in confined spaces. Blade CVM special steel, hardened, black finish.

Item			
No.	Size	lbs.	pkg.
207 56	T6 + T8	.02	1
207 57	T7 + T9	.02	1
207 58	T10 + T15	.02	1
207 59	T20 + T25	.07	1
207 60	T27 + T30	.10	1

207 99 TORX® Offset Screwdriver Set, 5 Pcs.

With Molded Handle Blade CVM special steel, hardened, black finish.

Item		
No.	Set Includes: T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	lbs. pkg.
207 99		.24 1

Wiha PocketStar Fold Outs



Push button
key release



Blade length range
1.68 - 1.94"

363 96 **TORX®** PocketStar Fold Outs, 7 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.

363 96 PocketStar lbs. .22

TORX®: T7, T8, T9, T10, T15, T20, T25



Push button
key release



Blade length range
1.68 - 1.94"

363 95 Tamper Resistant **TORX®** PocketStar Fold Outs, 7 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8"

Item No.

363 95 PocketStar lbs. .22

TR **TORX®**: T7s, T8s, T9s, T10s, T15s, T20s, T25s



Push button
key release



Blade length range
1.95 - 2.39"

363 98 **TORX®** PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

Item No.

363 98 PocketStar lbs. .24

TORX®: T9, T10, T15, T20, T25, T27, T30, T40



Push button
key release



Blade length range
1.95 - 2.39"

363 97 Tamper Resistant **TORX®** PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74"

Item No.

363 97 PocketStar lbs. .24

TR **TORX®**: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Wiha TORX® Tools



Ideal for use with indexable carbide tooling and also for working in confined spaces



Ideal for use with indexable carbide tooling and also for working in confined spaces

365 TORX® Screwdriver, With Wing Handle

Blade high alloy CVM steel, hardened, black finish.

Wing handle high quality plastic, impact resistant.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
365 10	T6	35	1.4	70	2.7	40	1.6	.02	10
365 12	T7	35	1.4	70	2.7	40	1.6	.02	10
365 15	T8	40	1.6	75	2.9	40	1.6	.02	10
365 20	T9	40	1.6	75	2.9	40	1.6	.02	10
365 25	T10	40	1.6	75	2.9	40	1.6	.02	10
365 30	T15	45	1.8	80	3.1	40	1.6	.02	10
365 35	T20	45	1.8	80	3.1	40	1.6	.02	10

370 TORX® Screwdriver, With Flag Handle

Blade high alloy CVM steel, hardened, black finish.

Flag handle high quality plastic, impact resistant.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
370 13	T5	35	1.4	63	2.6	15.0	.75	.01	10
370 16	T6	35	1.4	63	2.6	15.0	.75	.01	10
370 19	T7	35	1.4	67	2.6	19.0	.75	.01	10
370 22	T8	40	1.6	72	2.8	19.0	.75	.01	10
370 26	T9	40	1.6	74	2.9	23.5	.93	.01	10
370 29	T10	40	1.6	74	2.9	23.5	.93	.01	10
370 32	T15	45	1.8	80	3.1	28.0	1.10	.02	10
370 36	T20	45	1.8	80	3.1	28.0	1.10	.02	10



365 91 Wing Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20 ➡ wt. .16



370 91 Flag Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20 ➡ wt. .14



365 90 Wing Handle TORX® Set, 7 Pc. In Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20 ➡ wt. .32




370 90 Flag Handle TORX® Set, 7 Pc. in Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20 ➡ wt. .31

The TORXPlus® Advantage

The TorxPlus® Drive System offers 100% improvement in driver bit fatigue & 25% average improvement in driver bit torsional strength. In addition its unique design provides optimum torque transfer & eliminates the need for excessive end load pressure while driving the fastener. The TorxPlus® configuration also virtually eliminates tool "camout" & slippage that can damage the head of the fastener and cause reduced tool life.



Not for use in standard Torx fasteners

- Broad Surface For Driving
- Features 0° Drive Angle Between The Fastener & Driver
- Greater Engagement Depth



Wiha PocketStar Fold Out



Push button
key release

366 97 TORXPlus® PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle.

Item No.		
366 97 PocketStar	lbs. .31	
TORXPlus®: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25		

Wiha TORXPlus® Tools

TORXPlus®

 Not for use in standard
Torx fasteners

370 TORXPlus® Screwdriver, With Flag Handle

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.

Item No.									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
370 40	IP5	35	1.4	63	2.6	15.0	.75	.01	10
370 42	IP6	35	1.4	63	2.6	15.0	.75	.01	10
370 44	IP7	35	1.4	67	2.6	19.0	.75	.01	10
370 46	IP8	40	1.6	72	2.8	19.0	.75	.01	10
370 48	IP9	40	1.6	74	2.9	23.5	.93	.01	10
370 50	IP10	40	1.6	74	2.9	23.5	.93	.01	10
370 52	IP15	45	1.8	80	3.1	28.0	1.10	.02	10
370 54	IP20	45	1.8	80	3.1	28.0	1.10	.02	10

370 92 Flag Handle TORXPlus® Set, 7 Pc. in Metal Stand

Set includes:  wt. .31
IP6, IP7, IP8, IP9, IP10, IP15, IP20

TORXPlus®

 Not for use in standard Torx fasteners

365 TORXPlus® Screwdriver, With Wing Handle

Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
365 40	IP5	35	1.4	70	2.7	40	1.6	.02	10
365 42	IP6	35	1.4	70	2.7	40	1.6	.02	10
365 44	IP7	35	1.4	70	2.7	40	1.6	.02	10
365 46	IP8	40	1.6	75	3.0	40	1.6	.02	10
365 48	IP9	40	1.6	75	3.0	40	1.6	.02	10
365 50	IP10	40	1.6	75	3.0	40	1.6	.02	10
365 52	IP15	45	1.8	80	3.1	40	1.6	.02	10
365 54	IP20	45	1.8	80	3.1	40	1.6	.02	10

365 92 TORXPlus® 7 Pc. Wing Handle

Set In Metal Stand

Equipped with IP6, IP7, IP8, IP9, IP10, IP15, IP20

Item No.		
365 92	lbs. .38	pkg. 1



Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

362 TORXPlus® Screwdriver With Wiha SoftFinish Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 11	IP6	60	2.4	3.5	.139	164	6.5	.06	10
362 23	IP7	60	2.4	3.5	.139	164	6.5	.06	10
362 28	IP8	60	2.4	4.0	.157	171	6.7	.10	10
362 29	IP9	60	2.4	4.0	.157	171	6.7	.11	10
362 33	IP10	80	3.1	4.0	.157	191	7.5	.11	10
362 38	IP15	80	3.1	4.0	.157	191	7.5	.11	10
362 39	IP20	100	3.9	4.5	.177	211	8.3	.11	10
362 43	IP25	100	3.9	5.5	.216	211	8.3	.19	10
362 48	IP27	115	4.5	6.0	.236	233	9.2	.20	10
362 53	IP30	115	4.5	7.0	.275	233	9.2	.28	10
362 55	IP40	130	5.1	7.0	.275	254	10.0	.28	10



362 99 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
362 99	362 28	IP8 60	362 43	IP25 100	1.23
	362 33	IP10 80	362 53	IP30 115	
	362 38	IP15 80	362 55	IP40 130	
	362 39	IP20 100			



362 96 Set 6 Pcs. TORXPlus®

Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
362 96	362 11	IP6 60	362 29	IP9 60	.72
	362 23	IP7 60	362 33	IP10 80	
	362 28	IP8 60	362 38	IP15 80	

Wiha T-handle TORXPlus®



Not for use in standard Torx fasteners

364 TORXPlus® Screwdriver, With Wiha T-handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
364 61	IP9	100	3.9	4.0	.157	80	3.1	.07	10
364 63	IP10	100	3.9	4.0	.157	80	3.1	.07	10
364 66	IP15	100	3.9	4.0	.157	80	3.1	.07	10
364 69	IP20	100	3.9	4.0	.157	80	3.1	.10	10
364 72	IP25	150	5.9	8.0	.315	120	4.7	.13	10
364 74	IP27	150	5.9	8.0	.315	120	4.7	.14	10
364 76	IP30	150	5.9	8.0	.315	120	4.7	.16	10
364 78	IP40	150	5.9	8.0	.315	120	4.7	.20	10




364 96 Set 6 Pc. TORXPlus® T-handles

Blade CVM steel, hardened, hard chromed. Chromtop blade tips. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Size	mm	lbs.
364 96	364 63	IP10 100	364 72	IP25 150	1.01
	364 66	IP15 100	364 74	IP27 150	
	364 69	IP20 100	364 76	IP30 150	

TORXPlus®

For Improved Torque and Longer Tool Life



Not for use in standard
Torx fasteners



Not for use in standard
Torx fasteners

361 TORXPlus® L-key, Short Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
361 06	IP6	39	1.5	16	.6	.01	10
361 07	IP7	42	1.7	16	.6	.01	10
361 08	IP8	45	1.8	16	.6	.01	10
361 09	IP9	48	1.9	16	.6	.01	10
361 10	IP10	51	2.0	17	.7	.01	10
361 15	IP15	55	2.2	19	.7	.01	10
361 20	IP20	58	2.3	19	.7	.01	10
361 25	IP25	63	2.5	21	.8	.01	10
361 27	IP27	68	2.7	22	.9	.02	10
361 30	IP30	73	2.9	24	.9	.03	10
361 40	IP40	81	3.2	26	1.0	.05	10

366 TORXPlus® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
366 06	IP6	64	2.5	14	.6	.01	10
366 07	IP7	68	2.7	14	.6	.01	10
366 08	IP8	74	2.9	15	.6	.01	10
366 09	IP9	78	3.1	16	.6	.01	10
366 10	IP10	83	3.3	18	.7	.01	10
366 15	IP15	88	3.5	18	.7	.02	10
366 20	IP20	94	3.7	18	.7	.02	10
366 25	IP25	98	3.9	19	.7	.03	10
366 27	IP27	107	4.2	23	.9	.05	10
366 30	IP30	114	4.5	24	.9	.06	10
366 40	IP40	118	4.6	27	1.0	.09	10



361 97 TORXPlus® L-key, Short Arm, 7 Pc. Set In Holder

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	lbs.	pkg.	Set includes the following L-keys:
361 97	.10	1	IP6, IP7, IP8, IP9, IP10, IP15, IP20



366 90 TORXPlus® L-key, Long Arm, 7 Pc. Set In Holder

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	lbs.	pkg.	Set includes the following L-keys:
366 90	.22	1	IP6, IP7, IP8, IP9, IP10, IP15, IP20



361 99 TORXPlus® L-key, Short Arm, 9 Pc. Set In Holder

Item No.	lbs.	pkg.	Set includes the following L-keys:
361 99	.30	1	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40



366 91 TORXPlus® L-key, Long Arm, 9 Pc. Set In Holder

Item No.	lbs.	pkg.	Set includes the following L-keys:
366 91	.35	1	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40

Wiha MagicSpring TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*

Screw Holding TORX®



Stainless Rotary Spring

Laser Welded MagicSpring Assembly



362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
362 02	T6	60	2.4	3.5	.139	164	6.5	.07	10
362 03	T7	60	2.4	3.5	.139	164	6.5	.07	10
362 07	T8	60	2.4	3.5	.139	164	6.5	.07	10
362 34	T9	60	2.4	4.0	.157	171	6.7	.11	10
362 44	T10	80	3.1	4.0	.157	191	7.5	.11	10
362 49	T15	80	3.1	4.0	.157	191	7.5	.11	10
362 54	T20	100	3.9	4.0	.157	211	8.3	.16	10
362 56	T25	100	3.9	4.5	.177	211	8.3	.17	10
362 57	T27	115	4.5	5.5	.216	233	9.2	.20	10
362 58	T30	115	4.5	6.0	.236	233	9.2	.21	10

267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
267 21	T6	40	1.6	140	5.5	.03	10
267 23	T7	40	1.6	140	5.5	.03	10
267 25	T8	40	1.6	140	5.5	.03	10
267 27	T9	50	2.0	150	5.9	.04	10
267 29	T10	50	2.0	150	5.9	.04	10
267 31	T15	60	2.4	160	6.3	.04	10



362 90 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	Size	mm	Size	mm	lbs.
362 90	362 07 T8	60	362 54 T20	100	.98
	362 44 T10	80	362 56 T25	100	
	362 49 T15	80	362 58 T30	115	

267 98 Set 6 Pcs. MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Size	mm	lbs.
267 98	267 21 T6	40	267 27 T9	50	.45
	267 23 T7	40	267 29 T10	50	
	267 25 T8	40	267 31 T15	60	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha MagicSpring TORX® Tools



371 MagicSpring Screw Holding TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
371 06	T6	63	2.5	14	.55	.001	10
371 07	T7	69	2.7	16	.63	.002	10
371 08	T8	75	3.0	18	.71	.003	10
371 09	T9	80	3.1	19	.75	.005	10
371 10	T10	87	3.4	21	.83	.007	10
371 15	T15	93	3.6	22	.87	.009	10
371 20	T20	100	3.9	25	.98	.01	10
371 25	T25	107	4.2	28	1.1	.02	10
371 27	T27	116	4.6	30	1.2	.03	10
371 30	T30	126	5.0	34	1.3	.04	10
371 40	T40	135	5.3	36	1.4	.07	10


Wiha MagicSpring TORX® Tools



365 MagicSpring Screw Holding TORX® driver, With Wing Handle


Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant. Molded on.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
365 56	T6	35	1.4	70	2.7	40	1.6	.01	10
365 57	T7	35	1.4	70	2.7	40	1.6	.02	10
365 58	T8	40	1.6	75	3.0	40	1.6	.02	10
365 59	T9	40	1.6	75	3.0	40	1.6	.02	10
365 60	T10	40	1.6	75	3.0	40	1.6	.02	10
365 61	T15	45	1.8	80	3.1	40	1.6	.02	10
365 62	T20	45	1.8	80	3.1	40	1.6	.02	10



365 98 MagicSpring Screw Holding TORX® Wing Handle Set, 7 Pc. in Metal Stand

Equipped with T6, T7, T8, T9, T10, T15, T20  .36 lbs.



371 90 MagicSpring Long Arm Screw Holding TORX® Set, 7 Pc. in Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20

Item		
No.	lbs.	pkg.
371 90	.20	1



371 92 MagicSpring Long Arm Screw Holding TORX® Set, 10 Pc. in Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item		
No.	lbs.	pkg.
371 92	.35	1



Screw Holding TORX® Tools

Wiha Easy Torque TORX® & TORXPlus® Tools With Replaceable Blades

“easy” Torque

- Audible Click At Torque
- Replaceable Blades
- +/- 10% Repeatability
- Improve Productivity
- Reduces Waste
- Controls Costs
- Saves Time!

Torque accuracy of +/- 10% to 5000 cycles

Economical Torque Control for tooling assembly and repair

Reverse torque is 50% greater for easy removal using same tool

Each tool factory preset



291 Easy Torque Screwdriver Handle With TORXPlus® Blades

Easy Torque value pre-set. Release accuracy +/- 10%. Internal mechanism slips when torque value has been attained. Light weight, comfortable handle for good power transfer.

Item No.	Pre-Sets	Preset			
	Inch/lbs.	Ft./lbs.	Nm	lbs.	pkg.
291 51	IP5 4.4	0.3	0.5	.26	1
291 52	IP6 5.3	0.4	0.6	.26	1
291 53	IP7 8.0	0.7	0.9	.26	1
291 55	IP8 10.6	0.9	1.2	.26	1
291 56	IP9 12.4	1.0	1.4	.26	1
291 57	IP10 17.7	1.5	2.0	.26	1
291 59	IP15 26.6	2.2	3.0	.26	1

* No Calibration Certificates



291 Easy Torque Screwdriver Handle With TORX® Blades

Easy Torque value pre-set. Release accuracy +/- 10%. Internal mechanism slips when torque value has been attained. Light weight, comfortable handle for good power transfer.

Item No.	Pre-Sets	Preset			
	Inch/lbs.	Ft./lbs.	Nm	lbs.	pkg.
291 32	T5 4.4	0.3	0.5	.26	1
291 33	T6 5.3	0.4	0.6	.26	1
291 34	T7 8.0	0.4	0.9	.26	1
291 36	T8 10.6	0.9	1.2	.26	1
291 37	T9 12.4	1.0	1.4	.26	1
291 38	T10 17.7	1.5	2.0	.26	1
291 40	T15 26.6	2.2	3.0	.26	1

* No Calibration Certificates



291 92 Set 5 Pcs. Easy Torque Handle With TORXPlus® Blade

Easy Torque value pre-set. Release accuracy +/- 10%.

Item No.	Size	mm	Size	mm	lbs.
291 92	291 53	IP7 180	291 57	IP10 180	.65
	291 55	IP8 180	291 59	IP15 180	
	291 56	IP9 180			



291 90 Set 5 Pcs. Easy Torque Handle With TORX® Blade

Easy Torque value pre-set. Release accuracy +/- 10%.

Item No.	Size	mm	Size	mm	lbs.
291 90	291 06	T7 180	291 14	T10 180	.65
	291 10	T8 180	291 18	T15 180	
	291 12	T9 180			



Wiha TorqueControl Screwdrivers

molded cushion grip two component handles
allow for maximum achievable torque to
be reached with comfort

Precise repeatability!

All TorqueVario

tools are
tested and
comply with:

- EN ISO 6798
- BS EN 26789
- ASME B107.14M

Each tool has
unique serial number
and certificate
of calibration



See 4mm Micro Bits on Page 27

Direct Reading Scale



+/-6% accuracy
tolerance
Certificate of
calibration

285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Range				
	Inch lbs.	Increments	mm	lbs.	pkg.
285 01*	15 - 80(in/oz)	2.5 Inch oz	122 - 127	.22	1
285 02	5 - 10	.2 Inch lbs	122 - 127	.41	1
285 04	7.5 - 20	.5 Inch lbs	126 - 131	.50	1
285 06	10 - 50	2 Inch lbs	133 - 138	.59	1
285 08	20 - 70	2 Inch lbs	137 - 142	.74	1

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 27

* +/- 10% (This unit only)



+/-6% accuracy tolerance
Certificate of calibration

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton				
	Meter Scale	Increments	mm	lbs.	pkg.
285 50*	0.1 - 0.6Nm	.02 Nm	122 - 127	.35	1
285 51	0.4 - 1.0Nm	.05 Nm	122 - 127	.35	1
285 52	0.8 - 2.0Nm	.05 Nm	126 - 131	.45	1
285 53	1.0 - 5.0Nm	.20 Nm	133 - 138	.55	1
285 54	2.0 - 8.0Nm	.25 Nm	137 - 142	.70	1

* +/- 10% (This unit only)



285 TORX® Interchangeable Blades For TorqueFix & TorqueVario

TORX® tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
285 61	T5	175	4.0	.07	0.4	1
285 62	T6	175	4.0	.07	0.6	1
285 63	T7	175	4.0	.07	0.9	1
285 64	T8	175	4.0	.07	1.3	1
285 65	T9	175	4.0	.07	2.5	1
285 66	T10	175	4.0	.07	3.8	1
285 67	T15	175	4.0	.07	5.5	1
285 68	T20	175	4.0	.07	8.0	1
285 69	T25	175	4.0	.07	8.0	1



285 TORXPlus® Blades For TorqueFix & TorqueVario

TORXPlus® tip blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
285 71	IP5	175	4.0	.07	0.5	1
285 72	IP6	175	4.0	.07	0.8	1
285 73	IP7	175	4.0	.07	1.3	1
285 74	IP8	175	4.0	.07	2.0	1
285 75	IP9	175	4.0	.07	3.0	1
285 76	IP10	175	4.0	.07	4.5	1
285 77	IP15	175	4.0	.07	6.6	1
285 78	IP20	175	4.0	.07	8.0	1
285 79	IP25	175	4.0	.07	8.0	1



285 MagicSpring TORX® Interchangeable Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
285 12	T6	175	4.0	.07	0.6	1
285 27	T7	175	4.0	.07	0.9	1
285 28	T8	175	4.0	.07	1.3	1
285 29	T9	175	4.0	.07	2.5	1
285 30	T10	175	4.0	.07	3.8	1
285 31	T15	175	4.0	.07	5.5	1
285 32	T20	175	4.0	.07	8.0	1
285 33	T25	175	4.0	.07	8.0	1



Screw Holding



286 MagicSpring TORXPlus® Interchangeable Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
286 11	IP6	175	4.0	.07	0.8	1
286 12	IP7	175	4.0	.07	1.3	1
286 13	IP8	175	4.0	.07	2.0	1
286 14	IP9	175	4.0	.07	3.0	1
286 16	IP10	175	4.0	.07	4.5	1
286 17	IP15	175	4.0	.07	6.6	1
286 18	IP20	175	4.0	.07	8.0	1
286 19	IP25	175	4.0	.07	8.0	1



Screw Holding

TorqueControl Tools



With Certificate
of Calibration

285 97 Set 8 Pc. TorqueControl Set With **TORX**® Blades

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

285 97 TORX®: T7, T8, T9, T10, T15, T20

28506 Handle Range 10 - 50 Inch lbs.



lbs.

1.01



With Certificate
of Calibration

285 98 Set 8 Pc. TorqueControl Set With **TORXPlus**® Blades

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

285 98 TORXPlus®: IP7, IP8, IP9, IP10, IP15, IP20

28506 Handle Range 10 - 50 Inch lbs.



lbs.

1.00

ESD Safe Adjustable TorqueControl Tools



Includes Certificate

285 ESD Safe TorqueVario-S, With Window Scale

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy

Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. With Certificate of accuracy.

Item No.	Range				
	Inch lbs.	Increments	mm	lbs.	pkg.
285 22*	15 - 80 (in/oz)	2.5 Inch oz	122 - 127	.33	1
285 24	5 - 10	.2 Inch lbs	122 - 127	.34	1
285 26	7.5 - 20	.5 Inch lbs	126 - 131	.42	1

* +/- 10% (This unit only)



288 ESD Safe **TORX**® Interchangeable Blades For TorqueVario-S

TORX® tip blades on narrow 5/32" Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	Size	mm	mm	lbs.	Nm	pkg.
288 25	T5	175	4.0	.07	0.4	1
288 26	T6	175	4.0	.07	0.6	1
288 27	T7	175	4.0	.07	0.9	1
288 28	T8	175	4.0	.07	1.3	1
288 29	T9	175	4.0	.07	2.5	1
288 30	T10	175	4.0	.07	3.8	1



Screw
Holding



With Certificate
of Calibration

Certified to
EN ISO 6798,
BS EN 26789,
ASME B107.14M

286 90 Set 8 Pc. TorqueControl Set With MagicSpring **TORX**® Screw Holding Blades

286 90 MagicSpring TORX®:

T7, T8, T9, T10, T15, T20

28506 Handle Range 10 - 50 Inch lbs.



lbs.

1.00

T-handle TorqueControl Tools



Includes
Calibration
Certificate

Ergonomic multi-component
handle, light and compact.

NEW
From Wiha



289 TorqueFix T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
289 31	53.1	6	56 x 120	.81	1
289 33	70.8	8	56 x 120	.82	1
289 35	88.5	10	56 x 120	.79	1
289 37	106.2	12	56 x 120	.79	1
289 38	110.6	12.5	56 x 120	.80	1
289 39	123.9	14	56 x 120	.80	1

289 40 Adjustable TorqueVario STplus T-handle

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
289 40	44.3-123.9	5-14	56 x 120	.81	1

* (1 Nm 8.8507)



289 **TORX**® Interchangeable Blades For TorqueFix T-Handle **TORX**® tip blades on 6mm Hex shafts.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
289 03	T15	130	5.1	6.0	.07	1
289 04	T20	130	5.1	6.0	.07	1
289 05	T25	130	5.1	6.0	.07	1
289 06	T27	130	5.1	6.0	.07	1
289 07	T30	130	5.1	6.0	.07	1
289 08	T40	130	5.1	6.0	.07	1



289 **TORXPlus**® Interchangeable Blades For TorqueFix T-Handle **TORXPlus**® tip blades on 6mm Hex shafts.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
289 10	IP15	130	5.1	6.0	.07	1
289 11	IP20	130	5.1	6.0	.07	1
289 12	IP25	130	5.1	6.0	.07	1
289 13	IP27	130	5.1	6.0	.07	1
289 14	IP30	130	5.1	6.0	.07	1
289 15	IP40	130	5.1	6.0	.07	1



Precision ESD Safe TORX® Drivers



278 TORX® Screwdriver, With Precision ESD Safe Dissipative

Handle Blade high alloy CVM steel. Hard chrome finished. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
278 01	T1	40	1.6	120	4.7	.03	10
278 02	T2	40	1.6	120	4.7	.03	10
278 03	T3	40	1.6	120	4.7	.03	10
278 04	T4	40	1.6	120	4.7	.03	10
278 05	T5	40	1.6	120	4.7	.03	10
278 11	T6	40	1.6	120	4.7	.03	10
278 17	T7	40	1.6	120	4.7	.03	10
278 23	T8	40	1.6	120	4.7	.03	10
278 29	T9	50	2.0	145	5.7	.04	10
278 35	T10	50	2.0	145	5.7	.04	10
278 41	T15	60	2.4	170	6.7	.07	10
278 47	T20	60	2.4	170	6.7	.07	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard
IEC 61340-5-1



278 90 Set 7 Pcs. TORX® Precision ESD Safe Dissipative Handle

Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item						
No.	Size	mm	Size	mm	lbs.	
278 90	278 04	T4 40	278 23	T8 40	.31	
	278 05	T5 40	278 29	T9 50		
	278 11	T6 40	278 35	T10 50		
	278 17	T7 40				



ESD standard
IEC 61340-5-1



278 99 Set 8 Pcs. TORX® Precision ESD Safe Dissipative Handle

Set In Pouch Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material.

Item						
No.	Size	mm	Size	mm	lbs.	
278 99	278 01	T1 40	278 05	T5 40	.30	
	278 02	T2 40	278 06	T6 40		
	278 03	T3 40	278 07	T7 40		
	278 04	T4 40	279 20	Chip Lifter		

Precision ESD Safe TORXPlus® Drivers



278 TORXPlus® Screwdriver, With Precision ESD Safe Dissipative

Handle Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
278 50	IP4	40	1.6	120	4.7	.03	10
278 51	IP5	40	1.6	120	4.7	.03	10
278 52	IP6	40	1.6	120	4.7	.03	10
278 53	IP7	40	1.6	120	4.7	.03	10
278 54	IP8	40	1.6	120	4.7	.03	10
278 55	IP9	50	2.0	145	5.7	.04	10
278 56	IP10	50	2.0	145	5.7	.04	10
278 57	IP15	60	2.4	170	6.7	.07	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard
IEC 61340-5-1



278 94 Set 7 Pcs. TORXPlus® Precision ESD Safe Dissipative

Handle Blade high alloy CVM steel, hardened, hard chromed.

Item						
No.	Size	mm	Size	mm	lbs.	
278 94	278 51	IP5 40	278 55	IP9 50	.32	
	278 52	IP6 40	278 56	IP10 50		
	278 53	IP7 40	278 57	IP15 60		
	278 54	IP8 40				

Wiha TORX® Precision Series



267 TORX® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
267 03	T3	40	1.6	120	4.7	.02	10
267 04	T4	40	1.6	120	4.7	.02	10
267 05	T5	40	1.6	120	4.7	.02	10
267 06	T6	40	1.6	120	4.7	.02	10
267 07	T7	40	1.6	120	4.7	.02	10
267 08	T8	40	1.6	120	4.7	.03	10
267 09	T9	50	2.0	145	5.7	.03	10
267 10	T10	50	2.0	145	5.7	.03	10
267 15	T15	60	2.4	170	6.7	.05	10
267 20	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



267 90 Set 6 Pcs. TORX® Driver

Blade high alloy CVM steel.

Item No.	Size	mm	lbs.
267 90	267 06 T6	40	.25
	267 07 T7	40	
	267 08 T8	40	
	267 09 T9	50	
	267 10 T10	50	
	267 15 T15	60	



267 92 Set 7 Pcs. TORX® Driver

Blade high alloy CVM steel.

Item No.	Size	mm	lbs.
267 92	267 05 T5	40	.27
	267 06 T6	40	
	267 07 T7	40	
	267 08 T8	40	
	267 09 T9	50	
	267 10 T10	50	
	267 15 T15	60	



267 99 Set 8 Pcs. TORX® Drivers In Canvas Pouch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In storage pouch

Item No.	Size	mm	Size	mm	lbs.
267 99	267 03 T3	40	267 07 T7	40	.50
	267 04 T4	40	267 08 T8	40	
	267 05 T5	40	267 09 T9	50	
	267 06 T6	40	267 10 T10	50	

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
267 32	T1	40	1.6	134	5.3	10
267 33	T2	40	1.6	134	5.3	10
267 35	T3	40	1.6	134	5.3	10
267 36	T4	40	1.6	134	5.3	10
267 37	T5	40	1.6	134	5.3	10
267 39	T6	40	1.6	140	5.5	10
267 41	T7	40	1.6	140	5.5	10
267 43	T8	40	1.6	140	5.5	10
267 45	T9	50	2.0	150	5.9	10
267 47	T10	50	2.0	150	5.9	10
267 49	T15	60	2.4	160	6.3	10
267 51	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



267 93 Set 8 Pcs. TORX® Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Size	mm	Size	mm	lbs.
267 93	267 32 T1	40	267 37 T5	40	.50
	267 33 T2	40	267 39 T6	40	
	267 35 T3	40	267 41 T7	40	
	267 36 T4	40	267 43 T8	40	



267 96 Set 8 Pcs. TORX® Precision Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Size	mm	Size	mm	lbs.
267 96	267 37 T5	40	267 45 T9	50	.57
	267 39 T6	40	267 47 T10	50	
	267 41 T7	40	267 49 T15	60	
	267 43 T8	40	267 51 T20	60	

Wiha SYSTEM 4 Handle, Bits & Sets

SYSTEM 4 Handles & Micro Bits

Tips

Exact fit,
precision
machined

Rotating Cap

for precise
turning & control

Tapered Handle

allows rapid rotation,
requires less clearance.
Static Dissipative
10⁶ - 10⁹ ohms

Bits CVM steel,
hardened


Use bits directly in handle or with 4" bit extension



758 01 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle with rotating control cap. For Wiha Micro Bits.

Advantages:

- For working in ESD sensitive applications
Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL



Item					
No.	mm	Inch	mm	Inch	lbs.
758 01	4.0	.1574	14.0	.55	.06



High alloy CVM steel,
hardened, on 4 mm stock

757 SYSTEM 4 TORX® Micro Bits

Item				
No.	Size	mm	Inch	lbs.
757 03	T3	28	1.1	.01
757 04	T4	28	1.1	.01
757 05	T5	28	1.1	.01
757 06	T6	28	1.1	.01
757 07	T7	28	1.1	.01
757 08	T8	28	1.1	.01
757 09	T9	28	1.1	.01
757 10	T10	28	1.1	.01
757 15	T15	28	1.1	.01
757 20	T20	28	1.1	.01

757 92 SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box

Set includes your choice of Wiha
precision handle, bit extension and 9 Wiha
interchangeable bits.

Item SYSTEM 4

No. TORX® Bit Sets

757 92 Set with ESD Safe Precision Handle

Set includes the following bits:

TORX® Sizes:

T3, T4, T5, T6, T7, T8, T9, T10, T15
105mm Bit Extension

lbs. .26



11 Pcs. Set



High alloy CVM steel,
hardened, on 4 mm stock

757 SYSTEM 4 Security TORX® Micro Bits

Item				
No.	Size	mm	Inch	lbs.
757 27	T7s	28	1.1	.01
757 28	T8s	28	1.1	.01
757 29	T9s	28	1.1	.01
757 35	T10s	28	1.1	.01
757 39	T15s	28	1.1	.01
757 42	T20s	28	1.1	.01

750 93 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.

Item No. Combination Bit Set

750 93 Set with Standard Precision Handle

Slotted: 1.5, 2.0, 2.5, 3.0mm

Phillips: 00, 0, 1

TORX®: T6, T7, T8, T9, T10, T15, T20

105mm Bit Extension

lbs. .17



NEW
From Wiha

ESD Safe Precision Handles & Blades



280 00 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item No.					
No.	mm	Inch	mm	Inch	lbs.
280 00	4.0	.1574	14.0	.55	.04



280 01 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

- Use in ESD sensitive applications. Surface resistant 10^6 - 10^9 Ohms.
 - Collet lock allows for quick & easy adjustment.
 - Holds blade securely in place. Accepts all SYSTEM 4 blades.
- 110mm/4.3" OAL

Item No.					
No.	mm	Inch	mm	Inch	lbs.
280 01	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 TORX® Reversible Blade

High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item No.			
No.	Size	Size	lbs.
269 51	T6 + T8		.03
269 52	T7 + T9		.03
269 53	T10 + T15		.03
269 54	T15 + T20		.03



269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha chrome-Top finish on tips. 120mm/4.7" OAL

Item No.		
No.	Size	lbs.
269 55	T3	.03
269 56	T4	.03
269 57	T5	.03



280 87 TORX® Precision Interchangeable

Blade Set, 8 Pcs. Wiha ESD Safe  precision collet lock handle & 7 Wiha blades.

280 87 Set includes the following blades:

 **TORX®** Sizes on standard blades: T3, T4, T5

 **TORX®** Sizes on reversible blades:

T6, T7, T8, T9, T10, T15, T20

 lbs. .31



ESD Safe

TORX® ESD Safe SYSTEM 4 Blade Sets



269 95 TORX® Precision Interchangeable Blade Set, 5 Pcs. Wiha ESD Safe  precision collet lock handle & 4 interchangeable blades.

269 95 Set includes the following blades:

 **TORX®** Sizes:

T6, T7, T8, T9, T10, T15, T20

 lbs. .24



269 87 TORX® Precision Interchangeable Blade Set, 8 Pcs. Wiha ESD Safe  precision collet lock handle and 7 interchangeable blades.

269 87 Set includes the following blades:

 **TORX®** Sizes-standard blades: T3, T4, T5

 **TORX®** Sizes-reversible blades:

T6, T7, T8, T9, T10, T15, T20

 lbs. .33



ESD Safe Drive-Loc Handle & Blades



269 61 ESD Safe Dissipative Precision Drive-Loc Handle

Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 110mm/4.3" OAL

Item No.					
No.	mm	Inch	mm	Inch	lbs.
269 61	4.0	.1574	23	.91	.08

NEW
From Wiha



269 SYSTEM 4 TORX® Drive-Loc Reversible Blades

Item No.			
No.	Size	Size	lbs.
269 77	T1 + T2		.03
269 78	T3 + T4		.03
269 79	T5 + T6		.03
269 80	T6 + T8		.03
269 81	T7 + T9		.03
269 82	T10 + T15		.03

NEW
From Wiha

Wiha CushionGrip Stubby Bit Holders

Stubby 6 in 1 Multi-Bit Driver Sets

Ergo soft grip handles

Stainless steel bit holder

Bits hardened for extreme durability

Just 2.5" over all length




380 45 TORX® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

 **TORX®** Sizes: T8, T10, T15, T20, T25, T30 lbs. .20

Wiha Ratchet Handle Set



282 95 TORX® Topra Ratchet Bit Set, 12 Pcs.

Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits: lbs.

 **TORX®** Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 .65

Wiha Insert PokitPak



NEW
From Wiha

711 95 PokitPak - TORX® Insert Bits In Molded Case -

Set includes 6 - 1/4" Insert Bits & Magnetic Bit Holder

 **TORX®**: lbs.
T8, T10, T15, T20, T25, T30 .15

Wiha BitFlip Bit Set

"8 In 1 Bit Set"

BitFlip standard SoftFinish® handle, multi-component, cushion grip, easy access & 8 bit storage

Blade CVM tool steel, hardened



BitFlip Standard



380 28 TORX® BitFlip Standard

with Wiha cushion grip handle and insulated shaft.

Set includes the following 1/4" bits:

 **TORX®** Sizes: T8, T10, T15, T20, lbs.
T25, T27, T30, T40 .44

Wiha Multi-Bit Screwdriver Sets



380 03 TORX® Multi-Bit Screwdriver with Wiha Powerhandle

Set includes the following 1/4" bits:

 **TORX®** Sizes: lbs.
T5, T6, T7, T8, T9, T10 .36

380 04 TORX® Multi-Bit Screwdriver with Wiha Powerhandle

Set includes the following 1/4" bits:

 **TORX®** Sizes: lbs.
T8, T9, T10, T15, T20, T25 .36

380 08 TORX® Multi-Bit Screwdriver with Wiha Powerhandle

Set includes the following 1/4" bits:

 **TORX®** Sizes: lbs.
T10, T15, T20, T25, T30, T40 .36

Wiha XSelector Bit Sets



Easy bit
access with
hinged cover



Includes Clicfix quick release holder

794 45	XSelector Bit Set With TORX® Bits	
	Set Includes Quick Release Holder	lbs.
	and the following 10 bits:	.29
	TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	


Wiha Insert Bit Selectors



792 42	Bit-Selector With TORX® Bits	
	Set includes magnetic 1/4" bit holder	lbs.
	and the following 10 bits:	
	TORX® Sizes: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30	.32

792 45	Bit-Selector With TORX® Bits	
	Set includes magnetic 1/4" bit holder	lbs.
	and the following 10 bits:	
	TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	.32


Wiha Power Bit Belt Packs



NEW
From Wiha



749 81	Power Bit Belt Pack With TORX® Align Bits	
	Set includes the following 10 bits:	lbs.
	TORX® Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	.28



NEW
From Wiha



749 85	Power Bit Belt Pack With TORX® Bits	
	Set includes the following 10 bits:	lbs.
	TORX® Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	.28

Wiha TORXPlus® Bit Sets

Wiha Insert Bit Selectors



716 90	Bit-Selector With TORXPlus® Bits	
	Set includes magnetic 1/4" bit holder	lbs.
	and the following 10 bits:	
	TORXPlus® Sizes:	.31
	IP7, IP8, IP9, IP10, IP15, IP20, IP25 IP27, IP30, IP40	

716 92	Bit-Selector With TORXPlus® Bits	
	Set includes magnetic 1/4" bit holder	lbs.
	and the following 10 bits:	
	TORXPlus® Sizes:	.31
	IP3, IP4, IP5, IP6, IP7, IP8, IP9, IP10, IP15, IP20	

Wiha TORXPlus® Power Bit Belt Packs



NEW
From Wiha



749 82	Power Bit Belt Pack With TORXPlus® Bits	
	Set includes the following 10 bits:	lbs.
	TORXPlus® Sizes: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25, IP30	.28

Wiha Security TORX® Bit Sets

Wiha Multi-Bit Screwdriver Sets



380 09 Security TORX® Screwdriver With Wiha Powerhandle

Set includes the following 1/4" bits: 

- ✱ Tamper Resistant TORX® Sizes: lbs.
T7s, T8s, T9s, T10s, T15s, T20s .36

380 10 Security TORX® Screwdriver With Wiha Powerhandle

Set includes the following 1/4" bits: 

- ✱ Tamper Resistant TORX® Sizes: lbs.
T10s, T15s, T20s, T25s, T30s, T40s .36

Wiha Ratchet Handle Sets



282 97 Tamper Resistant TORX® Topra Ratchet Bit Set, 12 Pcs.

Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits: lbs.

- ✱ Tamper Resistant TORX® Sizes: .65
T7s, T8s, T9s, T10s, T15s,
T20s, T25s, T27s, T30s, T40s

Wiha Power Bit Belt Packs



749 87 Power Bit Belt Pack With Security TORX® Bits

Set includes the following 10 bits: 

- ✱ Security TORX® Sizes: T7s, T8s, T9s, lbs.
T10s, T15s, T20s, T27s, T25s, T30s, T40s .29

Wiha XSelector Bit Sets



XSelector Pocket Sized
3 1/8" x 2 1/8" x 1/2"

794 47 XSelector Bit Set With Tamper Resistant TORX® Bits

Set Includes Quick Release Holder  lbs.
and the following 10 bits: .27

- ✱ TR TORX® Sizes: T7s, T8s, T9s, T10s,
T15s, T20s, T25s, T27s, T30s, T40s

Wiha Insert Bit Selectors



792 47 Bit-Selector With Tamper Resistant TORX® Bits

Set includes magnetic 1/4" bit holder  lbs.
and the following 10 bits:

- ✱ Tamper Resistant TORX® Sizes: .32
T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

701 90 Bit-Selector With Tamper Resistant TORX® Bits

Set includes the following 7 bits: 

- ✱ Tamper Resistant TORX® Sizes: lbs.
T7s, T8s, T9s, T10s, T15s, T20s, T25s .21

Wiha Stubby Bit Holders



380 47 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits: 

- ✱ Security TORX® Sizes: T8s, T10s, lbs.
T15s, T20s, T25s, T30s .20


Wiha Bit Holders



Magnetic

384 1/4" Magnetic Bit Holding Screwdrivers, With Wiha-SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

Item	○	—	—	—	—	—	—
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
384 50	1/4"	125	5.0	240	9.46	.23	1
384 60	1/4"	300	11.8	400	15.69	.37	1

Adjustable Blade Length
Magnetic Bit Holder

284 89 Drive-Loc VI Bit Holder

High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item	○	—	—	—	—
No.	Inch	Extends		lbs.	pkg.
284 89	1/4"	1-3/4" to 4-7/8"		.36	1



281 03 1/4" Magnetic Bit Holder With Wiha SoftFinish® Stubby Handle

For working in confined spaces. Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item	○	—	—	—	—
No.	Inch	mm	Inch	lbs.	pkg.
281 03	1/4"	57	2.2	.11	1



(bits not included)

380 15 1/4" Magnetic Bit Holder, Wiha-Powerhandle impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, stainless steel, magnetic, holds bit and screw. Shaft CVM steel. Cavity holds up to 6 bits.

Item	○	—	—	—	—	—	—
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
380 15	1/4"	120	4.7	230	9.0	.25	1

Wiha Bit Holders



714 ClicFix Bit Holder, Magnetic For Insert Bits. Quick release


Item	○	↑↓	—	—
No.	Size	Size	mm	Inch
714 90	1/4"	1/4"	60	2.4
714 91	1/4"	1/4"	75	2.9



714 80 CentroFix Bit Holder For Power Bits

Quick release

Item	○	↑↓	—	—
No.	Size	Size	mm	Inch
714 80	1/4"	1/4"	60	2.3



NEW
From Wiha

714 1/4" Quick Release Bit Holder

Item	○	—	—	—
No.	Size	mm	Inch	lbs.
714 75	2.4"	60	2.4	.06
714 76	3.9"	100	3.9	.09
714 77	5.9"	150	5.9	.11
714 78	7.9"	200	7.8	.14
714 79	9.9"	250		.17

714 74 5 Pc. 1/4" Quick Release Bit Holder Set

Includes: 60mm, 100mm, 150mm, 200mm, 250mm

lbs. .58



NEW
From Wiha

714 94 Stainless Steel Bit Holder, 1/4" For Insert Bits

Internal C-ring for bit holding & magnet.

Item	○	↑↓	—	—	—
No.	Size	Size	mm	Inch	lbs.
714 94	1/4"	1/4"	54	2.1"	.05



NEW
From Wiha

714 70 Auto Lock Magnetic Bit Holder, Spring Loaded Bit Ejection, 1/4" For Insert & Power Bits

Item	○	↑↓	—	—	—
No.	Size	Size	mm	Inch	lbs.
714 70	1/4"	1/4"	60	2.4	.08

Wiha 1/4" Bit Holders - Holds 1/4" Bits



714 Stainless Steel Bit Holder, 1/4" For Insert Bits

Internal C-ring for bit holding & magnet.

Item					
No.	Size	Size	mm	Inch	lbs.
714 94	1/4"	1/4"			.05



71493 Has Magnet

Holds 1" (25mm) Bits

All Stainless with Rubber O-Ring



711 Universal Magnetic Bit Holder, 1/4" For Insert Bits

Item					
No.	Size	Size	mm	Inch	lbs.
711 30	1/4"	1/4"	74	2.9	.06
711 31	1/4"	1/4"	59	2.3	.05




714 Screw Cap Bit Holder with O-Ring

Item					
No.	Size	Size	mm	Inch	lbs.
714 92	1/4"	1/4"	62	2.4	.08
714 93	1/4"	1/4"	76	3.0	.08

Dura Torsion Insert Bits

With the Dura bit Wiha has again proved it's power of innovation.

The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.




Positive location in the screw head with decrease of:

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

Diamond Torsion Insert Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.



- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect

The ideal bit even for the most difficult of applications

TiN Coated Insert Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance



715 TORX® Dura Bits, 1/4"

Item			
No.	Size	mm	lbs.
715 74	T10	25	.02
715 76	T15	25	.02
715 78	T20	25	.02
715 80	T25	25	.02
715 82	T30	25	.02
715 84	T40	25	.03



715 TORX® Diamond Bits, 1/4"

Item			
No.	Size	mm	lbs.
715 16	T10	25	.02
715 17	T15	25	.02
715 18	T20	25	.02
715 19	T25	25	.02
715 21	T30	25	.02
715 22	T40	25	.03



715 TORX® TiN Coated Insert Bits, 1/4"

Item			
No.	Size	mm	lbs.
715 85	T5	25	.02
715 86	T6	25	.02
715 87	T7	25	.02
715 88	T8	25	.02
715 62	T9	25	.02
715 63	T10	25	.02
715 64	T15	25	.02
715 65	T20	25	.02
715 66	T25	25	.02
715 69	T27	25	.02
715 67	T30	25	.02
715 68	T40	25	.02

TiN - Titanium Nitride

TORX® Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine
Hardness HRC 59-61



715 TORX® Bits, 1/4"

Item	No.	Size	mm	pkg.	lbs.
715 05	T5	25	10	.12	
715 06	T6	25	10	.12	
715 07	T7	25	10	.12	
715 08	T8	25	10	.12	
715 09	T9	25	10	.12	
715 10	T10	25	10	.12	
715 15	T15	25	10	.12	
715 20	T20	25	10	.12	
715 25	T25	25	10	.12	
715 27	T27	25	10	.13	
715 30	T30	25	10	.14	
715 40	T40	25	10	.15	

725 TORX® Bits, 1/4" Bulk Packs

Item	No.	Size	mm	pkg.	lbs.
725 73	T8	25	30	.36	
725 75	T10	25	30	.36	
725 76	T15	25	30	.36	
725 77	T20	25	30	.36	
725 78	T25	25	30	.36	
725 79	T27	25	30	.36	
725 80	T30	25	30	.36	
725 81	T40	25	30	.36	



725 TORX® Bits, 5/16"

Item	No.	Size	mm	pkg.	lbs.
725 25	T25	35	10	.27	
725 27	T27	35	10	.27	
725 30	T30	35	10	.27	
725 40	T40	35	10	.28	
725 45	T45	35	10	.31	
725 50	T50	35	10	.32	
725 55	T55	35	10	.52	



2 bit pack

725 TORX® Insert Bit Packs, 5/16"

Item	No.	Size	mm	lbs.
725 31	T30	35	.28	
725 41	T40	35	.28	
725 46	T45	35	.31	
725 51	T50	35	.32	
725 56	T55	35	.52	



745 TORX® Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Size	mm	pkg.	lbs.
745 11	T6	50	10	.18	
745 12	T7	50	10	.18	
745 13	T8	50	10	.18	
745 17	T9	50	10	.18	
745 19	T10	50	10	.18	
745 21	T15	50	10	.18	
745 23	T20	50	10	.18	
745 29	T25	50	10	.18	
745 31	T27	50	10	.18	
745 33	T30	50	10	.18	
745 35	T40	50	10	.18	



745 TORX® Power Bits

1/4" Hex Drive, Length 2.75"/70mm

Item	No.	Size	mm	pkg.	lbs.
745 36	T6	70	1	.02	
745 38	T7	70	1	.02	
745 42	T8	70	1	.02	
745 44	T9	70	1	.02	
745 46	T10	70	1	.02	
745 48	T15	70	1	.02	
745 51	T20	70	1	.03	
745 53	T25	70	1	.03	
745 56	T27	70	1	.04	
745 58	T30	70	1	.04	
745 61	T40	70	1	.04	



745 TORX® Power Bits

1/4" Hex Drive, Length 3.5"/90mm

Item	No.	Size	mm	pkg.	lbs.
745 63	T6	90	10	.03	
745 65	T7	90	10	.03	
745 67	T8	90	10	.03	
745 69	T9	90	10	.03	
745 71	T10	90	10	.03	
745 73	T15	90	10	.03	
745 75	T20	90	10	.04	
745 77	T25	90	10	.04	
745 79	T27	90	10	.04	
745 81	T30	90	10	.04	
745 83	T40	90	10	.04	



745 TORX® Power Bits

1/4" Hex Drive, Length 6.0"/152mm

Item	No.	Size	mm	pkg.	lbs.
745 86	T10	152	10	.04	
745 87	T15	152	10	.04	
745 88	T20	152	10	.04	
745 89	T25	152	10	.04	
745 90	T27	152	10	.04	
745 91	T30	152	10	.04	

Wiha TORX® Bit Packs



2 bit pack

715 TORX® Insert Bit Packs

1" CVM S2 modified tool steel.

Item	No.	Size	mm	lbs.
715 50	T5	25	.03	
715 51	T6	25	.03	
715 52	T7	25	.03	
715 53	T8	25	.03	
715 54	T9	25	.03	
715 55	T10	25	.03	
715 56	T15	25	.03	
715 57	T20	25	.03	
715 58	T25	25	.03	
715 59	T27	25	.04	
715 60	T30	25	.04	
715 61	T40	25	.04	

Wiha TORX® Bit Packs



715 71 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

715 71 Set includes the following bits:

Torx® Sizes:

T15, T20, T25, T27,
wt. .08 T30, T40 x 1" (25mm)

715 70 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

715 70 Set includes the following bits:

Torx® Sizes:

T5, T6, T7, T8, T9,
wt. .07 T10 x 1" (25mm)



2 bit
pack



745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel

Item				
No.	Size	mm	lbs.	
745 01	T6	50	.05	
745 02	T7	50	.05	
745 03	T8	50	.05	
745 04	T9	50	.05	
745 06	T10	50	.05	
745 08	T15	50	.05	
745 10	T20	50	.05	
745 14	T25	50	.06	
745 15	T27	50	.06	
745 16	T30	50	.06	
745 18	T40	50	.06	



744 TORX® Double End Bits

1/4" Hex Drive, Length 2.56"/65mm

Item				
No.	Size	Size	mm	pkg. lbs.
744 11	T6	T6	65	10 .32
744 13	T7	T7	65	10 .32
744 15	T8	T8	65	10 .32
744 17	T9	T9	65	10 .32
744 19	T10	T10	65	10 .32
744 21	T15	T15	65	10 .32
744 23	T20	T20	65	10 .32
744 29	T25	T25	65	10 .33
744 31	T27	T27	65	10 .34
744 33	T30	T30	65	10 .35
744 35	T40	T40	65	10 .38

Wiha TORX® Align Insert Bits and Power Bits

Torx® Align Tapered For Snug Fit In Screw

Highly resistant
to wear and
tear for a
long tool life



Impact resistant modified
chrome-vanadium-
molybdenum, tool steel,
hardened

**Made in Germany -
Production Quality**

Suitable for all applications
for both manual and machine
Hardness HRC 59-61



715 TORX® Align Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
715 36	T6	25	10	.12
715 37	T7	25	10	.12
715 38	T8	25	10	.12
715 39	T9	25	10	.12
715 41	T10	25	10	.12
715 42	T15	25	10	.12
715 43	T20	25	10	.12
715 44	T25	25	10	.13
715 45	T27	25	10	.13
715 46	T30	25	10	.14
715 47	T40	25	10	.15

*Also Known As Torx Wedge Fit



747 TORX® Align Bits, 1/4" Hex Drive,
Length 2.0"/50mm

Item				
No.	Size	mm	pkg.	lbs.
747 11	T6	50	10	.18
747 14	T7	50	10	.18
747 17	T8	50	10	.18
747 21	T9	50	10	.18
747 24	T10	50	10	.18
747 28	T15	50	10	.20
747 32	T20	50	10	.22
747 36	T25	50	10	.22
747 39	T27	50	10	.22
747 42	T30	50	10	.22

*Also Known As Torx Wedge Fit



2 bit
pack



733 TORX® Align Insert Bit Packs, 1"

CVM S2 modified tool steel

Item				
No.	Size	mm	lbs.	
733 10	T6	25	.03	
733 11	T7	25	.03	
733 12	T8	25	.03	
733 13	T9	25	.03	
733 14	T10	25	.03	
733 15	T15	25	.03	
733 16	T20	25	.03	
733 17	T25	25	.03	
733 18	T27	25	.03	
733 19	T30	25	.03	
733 20	T40	25	.04	



2 bit
pack



747 TORX® Align Power Bit Packs, 2"

Item				
No.	Size	mm	lbs.	
747 60	T6	50	.05	
747 61	T7	50	.05	
747 62	T8	50	.05	
747 63	T9	50	.05	
747 64	T10	50	.05	
747 65	T15	50	.05	
747 66	T20	50	.06	
747 67	T25	50	.06	
747 68	T27	50	.06	
747 69	T30	50	.06	

Wiha Tamper Resistant TORX® Insert Bits and Power Bits

Tamper Resistant Torx®

Made in Germany - Production Quality



Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine
Hardness HRC 59-61



2 bit pack


705 Tamper Resistant TORX® Power Bit Packs, 2"

Item	Size	mm	lbs.
705 56	T7s	50	.07
705 57	T8s	50	.07
705 58	T9s	50	.07
705 59	T10s	50	.07
705 60	T15s	50	.07
705 61	T20s	50	.07
705 62	T25s	50	.07
705 63	T27s	50	.07
705 64	T30s	50	.07
705 65	T40s	50	.07
705 66	T45s	50	.07
705 67	T50s	50	.07
705 68	T55s	50	.07


701 TR TORX® Bits, Tamper Resistant, 1/4"

Item	Size	mm	pkg.	lbs.
701 27	T7s	25	10	.12
701 28	T8s	25	10	.12
701 29	T9s	25	10	.12
701 35	T10s	25	10	.12
701 39	T15s	25	10	.12
701 42	T20s	25	10	.12
701 48	T25s	25	10	.12
701 60	T27s	25	10	.13
701 63	T30s	25	10	.13
701 68	T40s	25	10	.14



2 bit pack


701 Tamper Resistant Torx® Insert Bit Packs, 1" CVM S2 modified tool steel.

Item	Size	mm	lbs.
701 50	T7s	25	.03
701 51	T8s	25	.03
701 52	T9s	25	.03
701 53	T10s	25	.03
701 54	T15s	25	.03
701 55	T20s	25	.03
701 56	T25s	25	.03
701 57	T27s	25	.03
701 58	T30s	25	.03
701 59	T40s	25	.03



5/16"

725 TR TORX® Bits, Tamper Resistant, 5/16"

Item	Size	mm	pkg.	lbs.
725 42	T40s	35	10	.28
725 47	T45s	35	10	.32
725 52	T50s	35	10	.34
725 57	T55s	35	10	.52



2 bit pack


725 TR TORX® Bits, Tamper Resistant, 5/16" 2 Bit Pack

Item	Size	mm	lbs.
725 62	T40s	35	.28
725 63	T45s	35	.29
725 64	T50s	35	.30
725 67	T55s	35	.32


716 TORXPlus® Security Insert Bits, 1/4" Hex, 1" OAL

Item	Size	mm	pkg.	lbs.
716 48	IPR8	25	1	.11
716 50	IPR10	25	1	.11
716 52	IPR15	25	1	.11
716 54	IPR20	25	1	.12
716 56	IPR25	25	1	.13
716 57	IPR27	25	1	.13
716 58	IPR30	25	1	.14
716 60	IPR40	25	1	.14

IPR - 5 point Security TorxPlus bits are available for special order to authorized OEM's and their certified service agents. You must submit a written certification/documentation to purchase this product. Call our customer service department: (800) 494-6104 for information.

Torx® Profiles



Torx®



Security Torx®



TorxPlus®



Security TorxPlus®



Ball End Torx®

Wiha Tamper Resistant TORXPlus® Insert Bit


Wiha TORXPlus® Insert Bits and Power Bits
TORXPlus®

*Made in Germany -
Production Quality*

Highly resistant
to wear and
tear for a
long tool
life



Impact resistant modified
chrome-vanadium-molybdenum,
tool steel, hardened

Suitable for all applications
for both manual and machine
Hardness HRC 59-61


716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item				
No.	Size	mm	pkg.	lbs.
716 03	IP3	25	10	.12
716 04	IP4	25	10	.12
716 05	IP5	25	10	.12
716 06	IP6	25	10	.12
716 07	IP7	25	10	.12
716 08	IP8	25	10	.12
716 09	IP9	25	10	.12
716 10	IP10	25	10	.12
716 15	IP15	25	10	.12
716 20	IP20	25	10	.12
716 25	IP25	25	10	.12
716 27	IP27	25	10	.13
716 30	IP30	25	10	.13
716 40	IP40	25	10	.15


746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

Item				
No.	Size	mm	pkg.	lbs.
746 01	IP5	50	10	.18
746 02	IP6	50	10	.18
746 03	IP7	50	10	.18
746 04	IP8	50	10	.18
746 08	IP9	50	10	.18
746 12	IP10	50	10	.20
746 16	IP15	50	10	.20
746 20	IP20	50	10	.20
746 24	IP25	50	10	.20
746 28	IP27	50	10	.25
746 32	IP30	50	10	.25
746 36	IP40	50	10	.25



2 bit
pack


716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item			
No.	Size	mm	lbs.
716 31	IP3	25	.03
716 32	IP4	25	.03
716 33	IP5	25	.03
716 34	IP6	25	.03
716 35	IP7	25	.03
716 36	IP8	25	.03
716 37	IP9	25	.03
716 38	IP10	25	.03
716 39	IP15	25	.03
716 41	IP20	25	.03
716 42	IP25	25	.03
716 43	IP27	25	.03
716 44	IP30	25	.03
716 45	IP40	25	.04



2 bit
pack


746 TorxPlus® Power Bit Packs, 2"

Item			
No.	Size	mm	lbs.
746 59	IP5	50	.05
746 60	IP6	50	.05
746 61	IP7	50	.05
746 62	IP8	50	.05
746 63	IP9	50	.05
746 64	IP10	50	.05
746 65	IP15	50	.05
746 66	IP20	50	.05
746 67	IP25	50	.05
746 68	IP27	50	.05
746 69	IP30	50	.05
746 70	IP40	50	.05

Wiha Ball End TORX® Bits

**745 Ball End TORX® Bits, 1/4" Hex Drive,
Length 2.0"/50mm**

Item				
No.	Size	mm	pkg.	lbs.
745 24	T9	50	10	.18
745 26	T10	50	10	.18
745 28	T15	50	10	.18
745 32	T20	50	10	.18
745 34	T25	50	10	.18
745 37	T27	50	10	.18
745 39	T30	50	10	.18
745 41	T40	50	10	.18



2 bit pack


745 Ball End TORX® Power Bit Packs, 1"

CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
745 05	T9	50	.05
745 20	T10	50	.05
745 22	T15	50	.05
745 43	T20	50	.05
745 45	T25	50	.06
745 47	T27	50	.06
745 49	T30	50	.08
745 50	T40	50	.08

See additional Ball End TORX
Tools on Page 12

Wiha Sockets



Set Screw
Replaceable
Bit

761 TORX® Sockets 1/4" Square Drive

Item				
No.	Size	mm	lbs.	
761 06	T6	38	.04	
761 07	T7	38	.04	
761 09	T8	38	.04	
761 11	T9	38	.04	
761 13	T10	38	.04	
761 17	T15	38	.04	
761 19	T20	38	.04	
761 21	T25	38	.04	
761 23	T27	38	.04	
761 29	T30	38	.05	
761 31	T40	38	.05	



763 TORX® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item				
No.	Size	mm	lbs.	
763 12	T9	42	.09	
763 14	T10	42	.09	
763 16	T15	42	.09	
763 18	T20	42	.09	
763 22	T25	42	.09	
763 24	T27	42	.09	
763 26	T30	42	.09	
763 28	T40	42	.09	



763 TORX® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 5/16" Bit. 2" OAL

Item				
No.	Size	mm	lbs.	
763 46	T40	51	.11	
763 48	T45	51	.11	
763 52	T50	51	.11	
763 54	T55	51	.13	



716 TORXPlus® Sockets 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item				
No.	Size	mm	lbs.	
716 61	IP6	38	.04	
716 62	IP7	38	.04	
716 63	IP8	38	.04	
716 64	IP9	38	.04	
716 65	IP10	38	.04	
716 66	IP15	38	.04	
716 67	IP20	38	.04	
716 68	IP25	38	.04	
716 69	IP27	38	.04	
716 70	IP30	38	.04	
716 71	IP40	38	.04	



716 TORXPlus® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item				
No.	Size	mm	lbs.	
716 73	IP9	42	.09	
716 74	IP10	42	.09	
716 75	IP15	42	.09	
716 76	IP20	42	.09	
716 77	IP25	42	.09	
716 78	IP27	42	.09	
716 80	IP30	42	.09	
716 81	IP40	42	.09	



Set Screw
Replaceable
Bit

763 Tamper Resistant TORX® Sockets 1/4" Square drive, 1/4" bits

Item			
No.	Size	mm	
763 29	T7s	38	
763 30	T8s	38	
763 31	T9s	38	
763 32	T10s	38	
763 33	T15s	38	
763 34	T20s	38	
763 35	T25s	38	
763 36	T27s	38	
763 37	T30s	38	
763 38	T40s	38	



Set Screw
Replaceable
Bit

701 Tamper Resistant TORX® Sockets 3/8" Square drive, 1/4" bits. 2" OAL

Item				
No.	Size	mm	lbs.	
701 07	T7s	42	.09	
701 08	T8s	42	.09	
701 09	T9s	42	.09	
701 10	T10s	42	.09	
701 13	T15s	42	.09	
701 15	T20s	42	.09	
701 17	T25s	42	.09	
701 19	T27s	42	.09	
701 21	T30s	42	.09	
701 23	T40s	42	.09	



Set Screw
Replaceable
Bit

763 Tamper Resistant TORX® Sockets 3/8" Square drive, 5/16" bits

Item			
No.	Size	mm	
763 39	T40s	51	
763 40	T45s	51	
763 41	T50s	51	
763 42	T55s	51	

1/2" Square Drive Sockets



Set Screw
Replaceable
Bit

764 TORX® Sockets 1/2" Square Drive

Item				
No.	Size	mm	lbs.	pkg.
764 03	T30	59	.10	1
764 04	T40	59	.10	1
764 05	T45	59	.10	1
764 06	T50	59	.10	1
764 07	T55	59	.11	1



Set Screw
Replaceable
Bit

764 Tamper Resistant TORX® Sockets 1/2" Square Drive

Item				
No.	Size	mm	lbs.	pkg.
764 11	T40s	59	.11	1
764 12	T45s	59	.11	1
764 13	T50s	59	.11	1
764 14	T55s	59	.12	1

Wiha Long Blade Sockets



771 TORX® Sockets

1/4" Drive 6" Long Bit Socket.

Item No.	Size	Inch	lbs.
771 51	T8	6	.12
771 53	T9	6	.12
771 52	T10	6	.12
771 54	T15	6	.12
771 56	T20	6	.12
771 58	T25	6	.12
771 60	T27	6	.12
771 62	T30	6	.12
771 64	T40	6	.12

771 93 7 Pc. TORX® Socket Blade Set

TORX®: T10, T15, T20, T25, T27, T30, T40  wt. .69



771 TORX® Sockets

3/8" Drive 6" Long Bit Socket.

Item No.	Size	Inch	lbs.
771 01	T8	6	.12
771 03	T9	6	.12
771 05	T10	6	.12
771 07	T15	6	.12
771 09	T20	6	.12
771 11	T25	6	.12
771 13	T27	6	.12
771 15	T30	6	.12
771 17	T40	6	.12

771 95 9 Pc. TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40  wt. .93

Wiha External Sockets



773 TORX® External Sockets 1/4" Square drive socket.

Item No.	Size	mm	lbs.
773 04	E4	25	.03
773 05	E5	25	.03
773 06	E6	25	.03
773 07	E7	25	.04
773 08	E8	25	.04
773 10	E10	25	.04

773 TORX® External Sockets 3/8" Square drive socket.

Item No.	Size	mm	lbs.
773 31	E8	28	.07
773 33	E10	28	.07
773 35	E12	28	.07
773 37	E14	28	.08



773 TORX® External Sockets 1/2" Square drive socket.

Item No.	Size	mm	lbs.
773 41	E12	37	.12
773 43	E14	37	.12
773 45	E16	37	.14
773 47	E18	37	.14
773 49	E20	37	.15
773 53	E24	40	.26



773 90 22 pc. TORX® Set 1/4" Drive Socket

Ratchet 5.5", extension 2" & 4", swivel and hand driver in steel box. Hard chromed and polished.

Item No.

773 90	lbs.	Set includes the following:
2.14	E4, E5, E6, E7, E8, E10, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	

Wiha E-TORX® Socket Set On Molded Rails



773 91 8 pc. E- TORX® Socket Set

Item No.

773 91	lbs.	Set includes the following:
	.62	1/4" drive: E6, E7, E8, E10
		3/8" drive: E12, E14
		1/2" drive: E16, E18

Wiha Socket Sets On Molded Rails



761 91 10 pc. **TORX**® Socket Set

1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.
OAL 1.5"

Item No.

761 91 lbs. Set includes the following:
.48 T7, T8, T9, T10, T15,
T20, T25, T27, T30, T40



761 94 6 pc. **TORX**® Socket Set

1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No.

761 94 lbs. Set includes the following:
.20 T10, T15, T20, T25, T27, T30



763 95 8 pc. **TORX**® Socket Set 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.

763 95 lbs. Set includes the following:
.75 T9, T10, T15, T20, T25,
T27, T30, T40



763 96 8 pc. **TORX**® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.

763 96 lbs. Set includes the following:
.84 1/4": T20, T25, T27, T30, T40,
5/16": T45, T50, T55


Security Torx®



701 95 10 pc. Tamper Resistant **TORX**® Socket Set 1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.

Item No.


701 95 lbs. Set includes the following:
.48 T7s, T8s, T9s, T10s, T15s,
T20s, T25s, T27s, T30s, T40s



763 97 9 pc. Tamper Resistant **TORX**® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.

763 97 lbs. Set includes the following:
.85 1/4": T10s, T15s, T20s, T27s, T30s
3/8": T40s (1/4" bit)
3/8": T45s, T50s (5/16" bit)



NEW
From Wiha

763 99 12 pc. Tamper Resistant **TORX**® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.

763 99 lbs. Set includes the following:
.77 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
5/16": T45s, T50s, T55s



716 98 8 pc. **TORXPlus**® Socket Set On Rail In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.

Item No.

716 98 lbs. Set includes the following:
.60 1/4": IP9, IP10, IP15, IP20
3/8": IP25, IP27, IP30, IP40

Item No. page

10893	6	27854	26	28614	24	36199	20	36286	5	36476	19	36691	20
20756	15	27855	26	28616	24	36200	6	36287	6	36478	19	36692	12
20757	15	27856	26	28617	24	36201	5	36288	5	36480	13	36694	15
20758	15	27857	26	28618	24	36202	21	36289	6	36481	13	36697	18
20759	15	27890	26	28619	24	36203	21	36290	21	36482	13	36698	15
20760	15	27894	26	28690	25	36204	6	36291	5	36483	13	36699	15
20799	15	27899	26	28825	25	36205	7	36292	7	36484	13	37013	17
26703	27	28000	29	28826	25	36206	6	36293	7	36486	13	37016	17
26704	27	28001	29	28827	25	36207	21	36294	5	36487	13	37019	17
26705	27	28087	29	28828	25	36208	6	36296	19	36490	14	37022	17
26706	27	28103	33	28829	25	36209	6	36298	6	36492	14	37026	17
26707	27	28126	11	28830	25	36210	7	36299	19	36493	14	37029	17
26708	27	28127	11	28903	25	36211	19	36305	14	36496	19	37032	17
26709	27	28128	11	28904	25	36212	7	36306	14	36497	13	37036	17
26710	27	28129	11	28905	25	36215	7	36307	14	36510	17	37040	18
26715	27	28130	11	28906	25	36216	12	36308	14	36512	17	37042	18
26720	27	28132	11	28907	25	36217	12	36309	14	36515	17	37044	18
26721	21	28133	11	28908	25	36218	6	36310	14	36520	17	37046	18
26723	21	28134	11	28910	25	36219	6	36315	14	36525	17	37048	18
26725	21	28135	11	28911	25	36220	7	36320	14	36530	17	37050	18
26727	21	28136	11	28912	25	36221	12	36321	15	36535	17	37052	18
26729	21	28195	11	28913	25	36222	12	36323	15	36540	18	37054	18
26731	21	28197	11	28914	25	36223	19	36325	14	36542	18	37090	17
26732	27	28295	30	28915	25	36224	6	36326	15	36544	18	37091	17
26733	27	28297	32	28931	25	36225	7	36327	14	36546	18	37092	18
26735	27	28486	11	28933	25	36226	12	36328	15	36548	18	37106	22
26736	27	28487	11	28935	25	36227	12	36329	15	36550	18	37107	22
26737	27	28488	11	28937	25	36228	19	36330	14	36552	18	37108	22
26739	27	28489	33	28938	25	36229	19	36332	15	36554	18	37109	22
26741	27	28501	24	28939	25	36230	7	36335	15	36556	22	37110	22
26743	27	28502	24	28940	25	36233	19	36337	15	36557	22	37115	22
26745	27	28504	24	29132	23	36234	21	36339	15	36558	22	37120	22
26747	27	28506	24	29133	23	36235	7	36340	14	36559	22	37125	22
26749	27	28508	24	29134	23	36236	12	36342	15	36560	22	37127	22
26751	27	28512	24	29136	23	36237	12	36345	14	36561	22	37130	22
26790	27	28522	25	29137	23	36238	19	36346	15	36562	22	37140	22
26792	27	28524	25	29138	23	36239	19	36350	14	36590	17	37190	22
26793	27	28526	25	29140	23	36240	7	36352	15	36591	17	37192	22
26796	27	28527	24	29151	23	36243	19	36355	14	36592	18	38003	30
26798	21	28528	24	29152	23	36244	21	36357	15	36598	22	38004	30
26799	27	28529	24	29153	23	36245	7	36360	14	36606	20	38008	30
26951	29	28530	24	29155	23	36248	19	36390	14	36607	20	38009	32
26952	29	28531	24	29156	23	36249	21	36392	14	36608	20	38010	32
26953	29	28532	24	29157	23	36250	7	36393	15	36609	20	38015	33
26954	29	28533	24	29159	23	36253	19	36394	14	36610	20	38028	30
26955	29	28550	24	29190	23	36254	21	36395	16	36615	20	38045	30
26956	29	28551	24	29192	23	36255	19	36396	16	36620	20	38047	32
26957	29	28552	24	32505	7	36256	21	36397	16	36625	20	38450	33
26961	29	28553	24	32511	7	36257	21	36398	16	36627	20	38460	33
26977	29	28554	24	32516	7	36258	21	36399	14	36630	20	45504	10
26978	29	28561	24	32521	7	36259	6	36409	14	36631	12	45505	9
26979	29	28562	24	32526	7	36260	6	36410	14	36632	12	45506	9
26980	29	28563	24	32531	7	36264	5	36415	14	36633	12	45507	10
26981	29	28564	24	32536	7	36266	5	36417	14	36634	12	45508	10
26982	29	28565	24	32541	7	36267	5	36420	14	36635	12	45509	10
26987	29	28566	24	32546	7	36268	5	36422	14	36636	12	45510	10
26995	29	28567	24	32551	7	36269	6	36425	14	36637	12	45511	9
27801	26	28568	24	32556	7	36270	5	36427	14	36638	12	45515	10
27802	26	28569	24	32561	7	36271	6	36430	14	36640	20	45516	9
27803	26	28571	24	32590	7	36272	5	36432	14	36645	15	45520	10
27804	26	28572	24	32592	7	36273	6	36435	14	36646	15	45521	9
27805	26	28573	24	36106	20	36274	5	36437	14	36647	15	45522	9
27811	26	28574	24	36107	20	36275	6	36440	14	36648	15	45525	10
27817	26	28575	24	36108	20	36276	5	36442	14	36649	15	45526	9
27823	26	28576	24	36109	20	36277	6	36445	14	36650	15	45527	10
27829	26	28577	24	36110	20	36278	5	36450	14	36651	15	45528	9
27835	26	28578	24	36115	20	36279	6	36452	14	36652	15	45530	10
27841	26	28579	24	36120	20	36280	5	36461	19	36653	15	45531	9
27847	26	28597	25	36125	20	36281	6	36463	19	36654	15	45536	9
27850	26	28598	25	36127	20	36282	5	36466	19	36655	15	45540	10
27851	26	28611	24	36130	20	36283	6	36469	19	36659	15	45541	9
27852	26	28612	24	36140	20	36284	5	36472	19	36661	15	45545	10
27853	26	28613	24	36197	20	36285	6	36474	19	36690	20	45546	9

45550 10	70562 37	71571 36	72540 35	74533 35	74760 36	76396 41
45551 9	70563 37	71574 34	72541 35	74534 12,38	74761 36	76397 41
45556 9	70564 37	71576 34	72542 37	74535 35	74762 36	76399 41
45561 9	70565 37	71578 34	72545 35	74536 35	74763 36	76403 39
45589 9	70566 37	71580 34	72547 37	74537 12,38	74764 36	76404 39
45591 9	70567 37	71582 34	72546 35	74538 35	74765 36	76405 39
45592 9	70568 37	71584 34	72550 35	74539 12,38	74766 36	76406 39
45593 10	71130 34	71585 34	72551 34	74541 12,38	74767 36	76407 39
45595 10	71131 34	71586 34	72552 37	74542 35	74768 36	76411 39
45597 10	71195 30	71587 34	72555 35	74543 38	74769 36	76412 39
45598 10	71470 33	71588 34	72556 35	74544 35	74981 31	76413 39
48400 9	71474 33	71603 38	72557 37	74545 38	74982 31	76414 39
52711 8	71475 33	71604 38	72562 37	74546 35	74985 31	77101 40
52713 8	71476 33	71605 38	72563 37	74547 38	74987 32	77103 40
52716 8	71477 33	71606 38	72564 37	74548 35	75093 28	77105 40
52719 8	71478 33	71607 38	72567 37	74549 38	75703 28	77107 40
52722 8	71479 33	71608 38	72573 35	74550 38	75704 28	77109 40
52726 8	71480 33	71609 38	72575 35	74551 35	75705 28	77111 40
52729 8	71490 33	71610 38	72576 35	74553 35	75706 28	77113 40
52732 8	71491 33	71615 38	72577 35	74556 35	75707 28	77115 40
52790 8	71492 34	71620 38	72578 35	74558 35	75708 28	77117 40
52791 8	71493 34	71625 38	72579 35	74561 35	75709 28	77151 40
70107 39	71494 33	71627 38	72580 35	74563 35	75710 28	77152 40
70108 39	71505 35	71630 38	72581 35	74565 35	75715 28	77153 40
70109 39	71506 35	71631 38	73310 36	74567 35	75720 28	77154 40
70110 39	71507 35	71632 38	73311 36	74569 35	75727 28	77156 40
70113 39	71508 35	71633 38	73312 36	74571 35	75728 28	77158 40
70115 39	71509 35	71634 38	73313 36	74573 35	75729 28	77160 40
70117 39	71510 35	71635 38	73314 36	74575 35	75735 28	77162 40
70119 39	71515 35	71636 38	73315 36	74577 35	75739 28	77164 40
70121 39	71516 34	71637 38	73316 36	74579 35	75742 28	77193 40
70123 39	71517 34	71638 38	73317 36	74581 35	75792 28	77195 40
70127 37	71518 34	71639 38	73318 36	74583 35	75801 28	77304 40
70128 37	71519 34	71640 38	73319 36	74586 35	76106 39	77305 40
70129 37	71520 35	71641 38	73320 36	74587 35	76107 39	77306 40
70135 37	71521 34	71642 38	74411 36	74588 35	76109 39	77307 40
70139 37	71522 34	71643 38	74413 36	74589 35	76111 39	77308 40
70142 37	71525 35	71644 38	74415 36	74590 35	76113 39	77310 40
70148 37	71527 35	71645 38	74417 36	74591 35	76117 39	77331 40
70150 37	71530 35	71648 37	74419 36	74601 38	76119 39	77333 40
70151 37	71536 36	71650 37	74421 36	74602 38	76121 39	77335 40
70152 37	71537 36	71652 37	74423 36	74603 38	76123 39	77337 40
70153 37	71538 36	71654 37	74429 36	74604 38	76129 39	77341 40
70154 37	71539 36	71656 37	74431 36	74608 38	76131 39	77343 40
70155 37	71540 35	71657 37	74433 36	74612 38	76191 41	77345 40
70156 37	71541 36	71658 37	74435 36	74616 38	76194 41	77347 40
70157 37	71542 36	71660 37	74501 36	74620 38	76312 39	77349 40
70158 37	71543 36	71661 39	74502 36	74624 38	76314 39	77353 40
70159 37	71544 36	71662 39	74503 36	74628 38	76316 39	77390 40
70160 37	71545 36	71663 39	74504 36	74632 38	76318 39	77391 40
70163 37	71546 36	71664 39	74505 38	74636 38	76322 39	79242 31
70168 37	71547 36	71665 39	74506 36	74639 38	76324 39	79245 31
70190 32	71550 35	71666 39	74508 36	74660 38	76326 39	79247 32
70195 41	71551 35	71667 39	74510 36	74661 38	76328 39	79445 31
70507 37	71552 35	71668 39	74511 35	74662 38	76329 39	79447 32
70508 37	71553 35	71669 39	74512 35	74663 38	76330 39	
70509 37	71554 35	71670 39	74513 35	74664 38	76331 39	
70510 37	71555 35	71671 39	74514 36	74665 38	76332 39	
70515 37	71556 35	71673 39	74515 36	74666 38	76333 39	
70520 37	71557 35	71674 39	74516 36	74667 38	76334 39	
70525 37	71558 35	71675 39	74517 35	74668 38	76335 39	
70527 37	71559 35	71676 39	74518 36	74669 38	76336 39	
70530 37	71560 35	71677 39	74519 35	74670 38	76337 39	
70540 37	71561 35	71678 39	74520 38	74711 36	76338 39	
70545 37	71562 34	71680 39	74521 35	74714 36	76339 39	
70550 37	71563 34	71681 39	74522 38	74717 36	76340 39	
70555 37	71564 34	71690 31	74523 35	74721 36	76341 39	
70556 37	71565 34	71692 31	74524 12,38	74724 36	76342 39	
70557 37	71566 34	71698 41	74526 12,38	74728 36	76346 39	
70558 37	71567 34	72525 35	74528 12,38	74732 36	76348 39	
70559 37	71568 34	72527 35	74529 35	74736 36	76352 39	
70560 37	71569 34	72530 35	74531 35	74739 36	76354 39	
70561 37	71570 36	72531 35	74532 12,38	74742 36	76395 41	



(800) 494-6104
 fax: (800) 494-7456
 email: cservice@wihatools.com



Wiha Quality Tools

1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 763.295.6591
 fax: 763.295.6598

Catalog Item No. 99914 .wo
 version - 11/1/10

Subject to change
 without notice

©2010 Willi Hahn
 Corporation

To:

Coming soon...



99004.wo - Shop Tools Catalog



99006.wo - Tech Tools Catalog

Also
 available...



99002.wo - Screwdrivers Catalog



99951.wo - Bits Catalog



99001.wo-TorqueControl Catalog



99977.wo - Pliers/Crimpers Catalog



99945.wo - ESD Catalog



99919.wo - Insulated Catalog



99934.wo - Hex Tools Catalog