



wiha 
Premium Tools

HEX Tools
Inch & Metric




Innovations that work





Wiha Hex Tools Index

	DESCRIPTION	Page
	T-handles	10
	L-keys - Long/Short Nickel & Black Finish	16-19
	PocketStar Fold Outs	15
	Drive-Loc VI Blades	22
	Insulated T-handle	20
	Insulated L-keys	21
	Insulated Sockets	21
	ESD Safe Precision	25
	Precision	26
	PicoFinish	28
	SYSTEM 4 Blades	29
	SYSTEM 4 Micro Bits	30
	XSelectors	33
	Insert/Power Bit Sets	32
	Bit Insert & Power Bits	34-35
	Sockets	36


Wiha Tamper Resistant Hex Index

	DESCRIPTION	Page
	Insert Bits	35
	SYSTEM 4 Micro Bits	30
	Sockets	36

Wiha Ball End Hex Tools Index

	DESCRIPTION	Page
	Ball End L-keys & Sets Black Finish	5
	Ball End L-keys & Sets Chrome Finish	6
	3K Series Screwdrivers	13-14
	Soft Grip T-handles Chrome & Black Finish	8-9
	Precision	27
	PicoFinish Soft Grip	28
	SYSTEM 4 Blades	29
	Drive-Loc VI Blades	22
	Stubby Bit Holder Sets	31
	Ball End Hex Insert Bit	34
	Ball End Hex Socket	36

MagicRing Screw Holding Hex Tools Index

	DESCRIPTION	Page
	L-keys Screw Holding	4
	T-handles Screw Holding	7
	Insert Bits Screw Holding	32
	Power Bits Screw Holding	32
	Bit-Selectors Screw Holding Insert & Power Bits	32
	SoftFinish Screw Holding Cushion Grip	11-12
	PocketStars Screw Holding	15

Wiha Drive-Loc VI Index

DESCRIPTION	Page
 Drive-Loc VI Handle SoftFinish® Cushion Grip	22
 Drive-Loc VI Handle ESD Safe Cushion Grip	22
 Drive-Loc VI Handle MicroFinish Non-Slip Grip	22
 Drive-Loc VI Blades	22
 Ball End Hex & Hex Inch/Metric	
 Drive-Loc VI Blade Set	22


Wiha TorqueControl Tools Index

DESCRIPTION	Page
 TorqueFix Handle	23
 TorqueVario Handle	23
 Hex Inch/Metric Blades	23
 T-handle Torque Tools	24
 Hex Inch/Metric Blades	24


Wiha Bit Sets Index

DESCRIPTION	Page
 Stubby Bit Holder Sets	31
 Topra Bit Sets	31
 Bit Selector Sets	32
 Power Bit Belt Packs	33
 MicroBit Sets	30
 XSelectors	33
 PokitPaks	33

Wiha Power & Insert Bits Index

DESCRIPTION	Page
 Hex Inch & Metric Insert/Power Bits	34-35
 Ball End Hex Inch & Metric	34
 MagicRing Hex Inch & Metric Insert/Power Bits	32
 Security Bits Inch & Metric Insert/Power Bits	35

Wiha Sockets & Sets Index

DESCRIPTION	Page
 Insulated Sockets	21
 Hex Bit Sockets 1/4" Drive	36
 Hex Bit Sockets 3/8" Drive	36
 Ball End Sockets	36
 6" Bit Sockets 1/4" & 3/8" Drive	36
 Socket Sets	37

MagicRing Ball End Hex Keys



Ball End Hex Keys

Chamfered ends for easy insertion

Ball End Hex Keys


CVM steel, hardened, hard chromed, screw holding

ProStar Holder (9-13 pc. Sets)
Sliding front detachable

ProStar Holder

Every key can be taken out separately without having to move another key

U.S. Patent 6,302,001 B1



Hard Chrome Finish

669 MagicRing Ball End Metric Hex L-key, Long

Blade CVM steel, hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.	
669 04*	1.5	90	14	.01	10	No Ring
669 08*	2.0	99	16	.01	10	No Ring
669 12*	2.5	111	18	.01	10	No Ring
MagicRing						
669 16	3.0	125	20	.02	10	
669 20	4.0	138	25	.04	10	
669 24	5.0	158	28	.07	10	
669 28	6.0	178	32	.12	10	
669 36	8.0	198	36	.23	10	
669 44	10.0	221	40	.40	10	

* Standard Ball - No Ring



Hard Chrome Finish


669 90 9 Piece MagicRing Long Metric Ball End Hex L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

Item No.	mm	mm	mm	mm	mm	lbs.
669 90	669 04*	1.5	90	669 24	5.0	158
	669 08*	2.0	99	669 28	6.0	178
	669 12*	2.5	111	669 36	8.0	197
	669 16	3.0	125	669 44	10.0	221
	669 20	4.0	138			

* Standard Ball - No Ring

Screw Holding Hex Tools!



Hard Chrome Finish



669 MagicRing Ball End Inch Hex L-key, Long

Blade CVM steel, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.	
669 45*	.050	2.8	.5	.01	10	No Ring
669 46*	1/16	3.1	.6	.01	10	No Ring
669 47*	5/64	3.5	.7	.01	10	No Ring
669 50*	3/32	3.9	.7	.01	10	No Ring
669 52*	7/64	4.3	.7	.02	10	No Ring
MagicRing						
669 53	1/8	4.6	.8	.02	10	
669 55	9/64	5.2	.9	.03	10	
669 56	5/32	5.7	1.0	.04	10	
669 59	3/16	6.2	1.1	.06	10	
669 62	7/32	6.7	1.2	.09	10	
669 65	1/4	7.3	1.2	.13	10	
669 68	5/16	8.0	1.4	.22	10	
669 71	3/8	8.8	1.6	.36	10	

* Standard Ball - No Ring




Hard Chrome Finish

669 91 13 Piece MagicRing Long Inch Ball End Hex L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

Item No.							
		Inch	Inch		Inch	Inch	lbs.
669 91	669 45*	.050	2.8	669 56	5/32	5.7	1.14
	669 46*	1/16	3.1	669 59	3/16	6.2	
	669 47*	5/64	3.5	669 62	7/32	6.7	
	669 50*	3/32	3.9	669 65	1/4	7.3	
	669 52*	7/64	4.3	669 68	5/16	8.0	
	669 53	1/8	4.6	669 71	3/8	8.8	
	669 55	9/64	5.2				

* Standard Ball - No Ring




669 92 22 Piece Combination MagicRing L-key Set, In ProStar Holder

Blade CVM steel, hardened, hard chrome finish.

Item No.	lbs.
669 92	Set includes: 2.21
	66990 Set - 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
	66991 Set - .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

* Standard Ball - No Ring

Metric Ball End Hex Keys Black Finish



369 Ball End Hex Metric L-key, Long Arm

Blade CVM steel, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.
369 04	1.5	90	14	.004	10
369 08	2.0	99	16	.007	10
369 12	2.5	111	18	.012	10
369 16	3.0	125	20	.019	10
369 20	4.0	138	25	.042	10
369 24	5.0	158	28	.072	10
369 28	6.0	178	32	.12	10
369 36	8.0	198	36	.23	10
369 44	10.0	221	40	.40	10



369 90 9 Piece Metric Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

Item					
No.	mm	mm	mm	mm	lbs.
369 90	369 04	1.5 90	369 24	5.0 158	.98
	369 08	2.0 99	369 28	6.0 178	
	369 12	2.5 111	369 36	8.0 198	
	369 16	3.0 125	369 44	10.0 221	
	369 20	4.0 138			




369 92 6 Piece Metric Ball End Long Hex L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

Item							
No.		mm	mm	mm	mm	lbs.	
369 92	369 04	1.5	90	369 16	3.0	125	.30
	369 08	2.0	99	369 20	4.0	138	
	369 12	2.5	111	369 24	5.0	158	

Inch Ball End Hex Keys Black Finish



369 Ball End Hex Inch L-key, Long Arm

Blade CVM steel, hardened, black finish.


Item No.	Inch	Inch	Inch	lbs.	pkg.
369 45	.050	2.8	.5	.002	10
369 46	1/16	3.1	.6	.004	10
369 47	5/64	3.5	.7	.007	10
369 50	3/32	3.9	.7	.010	10
369 52	7/64	4.3	.7	.016	10
369 53	1/8	4.6	.8	.021	10
369 55	9/64	5.2	.9	.029	10
369 56	5/32	5.7	1.0	.035	10
369 59	3/16	6.2	1.1	.059	10
369 62	7/32	6.7	1.2	.092	10
369 65	1/4	7.3	1.2	.13	10
369 68	5/16	8.0	1.4	.22	10
369 71	3/8	8.8	1.6	.36	10



369 91 13 Piece Inch Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.		lbs.
369 91	13 pc. set includes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1.0 lbs.



369 93 8 Piece Inch Ball End Hex Long L-key Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish.


Item No.		lbs.
369 93	8 pc. set includes: 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"	.62 lbs.



369 95 2 Pack Inch & Metric Ball End Hex L-key Sets High alloy CVM steel, hardened, black finish. Molded ergonomic handle.

Item No		lbs.
369 95	2 Sets with 22 L-keys include: Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.21

Metric Ball End Hex Keys Chrome Finish



669 Ball End Metric Hex L-key, Long Arm

Blade CVM steel, hardened, hard chrome finish.


Item No.	mm	mm	mm	lbs.	pkg.
669 04	1.5	90	14	.004	10
669 08	2.0	99	16	.007	10
669 12	2.5	111	18	.012	10
669 18	3.0	125	20	.019	10
669 22	4.0	138	25	.042	10
669 26	5.0	158	28	.072	10
669 30	6.0	178	32	.12	10
669 37	8.0	198	36	.23	10
669 38	10.0	221	40	.40	10



669 94 9 Piece Metric Ball End Hex Long L-key Set

Blade CVM steel, hardened, hard chrome finish.

Standard Hex Head Screws				Standard Hex Head Screws				
Item								
No.		mm	mm			mm	mm	lbs.
669 94	669 04	1.5	90	669 26	5.0	158		.98
	669 08	2.0	99	669 30	6.0	178		
	669 12	2.5	111	669 37	8.0	198		
	669 18	3.0	125	669 38	10.0	221		
	669 22	4.0	138					




669 95 6 Piece Metric Ball End Hex Long L-key Set

Blade CVM steel, hardened, hard chrome finish.

Item				Item			
No.							
		mm	mm		mm	mm	lbs.
669 95	669 04	1.5	90	669 18	3.0	125	.21
	669 08	2.0	99	669 22	4.0	138	
	669 12	2.5	111	669 26	5.0	158	

Inch Ball End Hex Keys Chrome Finish



369 Ball End Inch Hex L-key, Long Arm

Blade CVM steel, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
369 40	.050	2.8	.5	.002	10
369 41	1/16	3.1	.6	.004	10
369 42	5/64	3.5	.7	.007	10
369 43	3/32	3.9	.7	.010	10
369 48	7/64	4.3	.7	.016	10
369 49	1/8	4.6	.8	.021	10
369 51	9/64	5.2	.9	.029	10
369 54	5/32	5.7	1.0	.035	10
369 57	3/16	6.2	1.1	.059	10
369 58	7/32	6.7	1.2	.092	10
369 60	1/4	7.3	1.2	.13	10
369 61	5/16	8.0	1.4	.22	10
369 63	3/8	8.8	1.6	.36	10



369 98 13 Piece Inch Ball End Hex Long L-key Set, In Plastic Holder

Blade CVM steel, hardened, hard chrome finish.

Blade Size: 3/8" steel, hardened, hard chrome finish.							
Item No.							
		Inch	Inch		Inch	Inch	lbs.
369 98	369 40	.050	2.8	369 54	5/32	5.7	1.0
	369 41	1/16	3.1	369 57	3/16	6.2	
	369 42	5/64	3.5	369 58	7/32	6.7	
	369 43	3/32	3.9	369 60	1/4	7.3	
	369 48	7/64	4.3	369 61	5/16	8.0	
	369 49	1/8	4.6	369 63	3/8	8.8	
	369 51	9/64	5.2				



669 93 2 Pack Inch & Metric Ball End Hex L-key Sets High alloy CVM steel, hardened, hard chrome finish. In molded Holders

Item No	lbs.
669 93	2 Sets with 22 L-keys include:
Sizes - 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.0
Sizes - .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	

Wiha MagicRing Screw Holding T-handle

Screw Holding Hex Tools



540 MagicRing Ball End, With Wiha T-handle Blade CVM steel, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
540 40	4.0	150	80	176	6.9	.08	10
540 50	5.0	150	100	182	7.1	.14	10
540 60	6.0	150	100	182	7.1	.17	10
540 80	8.0	200	100	232	9.1	.29	10
540 86	10.0	200	120	238	9.3	.49	10

540 MagicRing Ball End, With Wiha T-handle Blade CVM steel, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.	Inch	Inch	Inch	Inch	lbs.	pkg.
540 12	5/32	5.8	2.8	6.9	.08	10
540 14	3/16	5.8	4.0	7.2	.14	10
540 16	7/32	5.8	4.0	7.2	.16	10
540 18	1/4	5.8	4.0	7.2	.19	10
540 22	5/16	7.8	4.0	7.2	.29	10
540 24	3/8	7.8	4.7	7.5	.45	10



540 90 5 Piece MagicRing Ball End T-handle Set, Metric Sizes

Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item							
No.		mm	mm		mm	mm	lbs.
540 90	540 40	4.0	150	540 80	8.0	200	1.49
	540 50	5.0	150	540 86	10.0	200	
	540 60	6.0	150				




540 91 6 Piece MagicRing Ball End T-handle Set, Inch Sizes

Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.							
		Inch	Inch		Inch	Inch	lbs.
540 91	540 12	5/32	5.8	540 18	1/4	5.8	1.59
	540 14	3/16	5.8	540 22	5/16	7.8	
	540 16	7/32	5.8	540 24	3/8	7.8	

Wiha Soft Grip Dual Drive T-handle



540 Soft Grip Ball End Hex Metric Dual Drive T-handle

Item No.	mm	mm	Tip	lbs.	pkg.
540 20	2.0	150	Ball	.06	10
540 25	2.5	150	Ball	.06	10
540 30	3.0	150	Ball	.07	10
540 42	4.0	150	Ball	.09	10
540 52	5.0	150	Ball	.18	10
540 62	6.0	150	Ball	.21	10
540 82	8.0	200	Ball	.35	10
540 88	10.0	200	Ball	.55	10

540 95 8 Piece Ball End Hex Metric Soft Grip T-handle Set

Item		 		 			
No.		mm	mm	mm	mm	lbs.	
540 95	540 20	2.0	150	540 52	5.0	150	1.90
	540 25	2.5	150	540 62	6.0	150	
	540 30	3.0	150	540 82	8.0	200	
	540 42	4.0	150	540 88	10.0	200	

540 92 8 Piece Ball End Hex Metric Soft Grip T-handle Set


Blade chrome-vanadium-molybdenum steel, hardened, chrome finish.
Wiha soft grips are molded on with through the handle side torque drive.



In metal stand

Item No.	mm	mm	lbs.	
540 92	540 20	2.0	150	3.34
	540 25	2.5	150	
	540 30	3.0	150	
	540 42	4.0	150	
	540 52	5.0	150	
	540 62	6.0	150	
	540 82	8.0	200	
	540 88	10.0	200	

In metal stand




540 Soft Grip Ball End Hex Inch Dual Drive T-handle CVM steel, hardened, hard chrome finish. Ball tip for speed & easy insertion.
Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	Tip	lbs.	pkg.
540 07	3/32	5.9	Ball	.06	10
540 08	7/64	5.9	Ball	.07	10
540 09	1/8	5.9	Ball	.08	10
540 10	9/64	5.9	Ball	.08	10
540 01	5/32	5.9	Ball	.09	10
540 02	3/16	5.9	Ball	.17	10
540 03	7/32	5.9	Ball	.20	10
540 04	1/4	5.9	Ball	.23	10
540 05	5/16	7.9	Ball	.35	10
540 06	3/8	7.9	Ball	.51	10

540 97 10 Piece Ball End Hex Inch Soft Grip T-handle Set

Item							
No.		Inch	Inch		Inch	Inch	lbs.
540 97	540 07	3/32	5.9	540 02	3/16	5.9	2.15
	540 08	7/64	5.9	540 03	7/32	5.9	
	540 09	1/8	5.9	540 04	1/4	5.9	
	540 10	9/64	5.9	540 05	5/16	7.9	
	540 01	5/32	5.9	540 06	3/8	7.9	




540 94 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Blade chrome-vanadium-molybdenum steel, hardened, chrome finish.
Wiha soft grips are molded on with through the handle side torque drive.

Item								
No.		Inch	Inch		Inch	Inch		lbs.
540 94	540 09	1/8	5.9	540 03	7/32	5.9		3.37
	540 10	9/64	5.9	540 04	1/4	5.9		
	540 01	5/32	5.9	540 05	5/16	5.9		
	540 02	3/16	5.9	540 06	3/8	7.9		

Soft Grip Dual Drive T-handle - Black Finish



334 Soft Grip Ball End Hex Metric Dual Drive T-handle CVM steel, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	mm	mm	lbs.	pkg.
334 42*	2.0	150	.06	10
334 44*	2.5	150	.06	10
334 46*	3.0	150	.07	10
334 48	4.0	150	.09	10
334 50	5.0	150	.18	10
334 52	6.0	150	.21	10
334 54	8.0	200	.35	10
334 58	10.0	200	.55	10

*No Ball - Standard Hex



334 96 8 Pc. Ball End Hex Metric Soft Grip T-handle Set

Blade CVM steel, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.							
		mm	mm		mm	mm	lbs.
334 96	334 42*	2.0	150	334 50	5.0	150	2.04
	334 44*	2.5	150	334 52	6.0	150	
	334 46*	3.0	150	334 54	8.0	200	
	334 48	4.0	150	334 58	10.0	200	

*No Ball - Standard Hex


334 89 8 Piece Ball End Hex Metric Soft Grip T-handle Set

Blade chrome-vanadium-molybdenum steel, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.



Item No.			
	mm	mm	lbs.
334 89	334 42*	2.0 150	3.33
	334 44*	2.5 150	
	334 46*	3.0 150	
	334 48	4.0 150	
	334 50	5.0 150	
	334 52	6.0 150	
	334 54	8.0 200	
	334 58	10.0 200	

*No Ball - Standard Hex



334 Soft Grip Ball End Hex Inch Dual Drive T-handle CVM steel, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	lbs.	pkg.
334 18*	5/64	5.9	.06	10
334 20*	3/32	5.9	.06	10
334 22*	7/64	5.9	.07	10
334 24*	1/8	5.9	.08	10
334 26*	9/64	5.9	.08	10
334 28	5/32	5.9	.09	10
334 30	3/16	5.9	.17	10
334 32	7/32	5.9	.20	10
334 33	1/4	5.9	.23	10
334 39	5/16	7.9	.35	10
334 40	3/8	7.9	.51	10

*No Ball - Standard Hex

334 94 11 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set

Item							
No.		Inch	Inch		Inch	Inch	lbs.
334 94	334 18*	5/64	5.9	334 30	3/16	5.9	2.39
	334 20*	3/32	5.9	334 32	7/32	5.9	
	334 22*	7/64	5.9	334 33	1/4	5.9	
	334 24*	1/8	5.9	334 39	5/16	7.9	
	334 26*	9/64	5.9	334 40	3/8	7.9	
	334 28	5/32	5.9				

*No Ball - Standard Hex


334 98 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Item No.							
		Inch	Inch		Inch	Inch	lbs.
334 98	334 24*	1/8	5.9	334 32	7/32	5.9	2.15
	334 26*	9/64	5.9	334 33	1/4	5.9	
	334 28	5/32	5.9	334 39	5/16	7.9	
	334 30	3/16	5.9	334 40	3/8	7.9	

*No Ball - Standard Hex

334 99 8 Piece Ball End Hex Inch Soft Grip T-handle Set


Blade chrome-vanadium-molybdenum steel, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.



In metal

Item No.			
	mm	mm	lbs.
334 99	334 24*	1/8 5.9	3.46
	334 26*	9/64 5.9	
	334 28	5/32 5.9	
	334 30	3/16 5.9	
	334 32	7/32 5.9	
	334 33	1/4 5.9	
	334 39	5/16 7.9	
	334 40	3/8 7.9	

*No Ball - Standard Hex



Wiha T-handle Hex Tools

Ergonomic handle design for high torque

Hole for hanging



Handle is molded directly onto blade

Smooth edges prevent injuries & eliminate pressure marks

Blade CVM tool steel, hardened, nickel-plated

Yellow = Inch
Red = Metric

334 Hex Driver, With Wiha T-handle Chamfered tip for easy insertion. Wiha-T-handle high quality plastic, impact resistant.

Item No.	Inch	Inch	Inch	Inch	lbs.	pkg.
334 53	3/32	6.0	2.8	7.0	.05	10
334 56	7/64	6.0	2.8	7.0	.05	10
334 59	1/8	6.0	2.8	7.0	.06	10
334 62	9/64	6.0	2.8	7.0	.07	10
334 65	5/32	6.0	2.8	7.0	.08	10
334 68	3/16	6.0	3.5	7.0	.13	10
334 71	7/32	6.0	3.5	7.0	.16	10
334 74	1/4	6.0	3.5	7.0	.18	10
334 77	5/16	6.0	3.5	7.0	.25	10
334 80	3/8	6.0	4.1	7.0	.39	10

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
334 01	2.0	100	80	126	4.9	.05	10
334 36	2.0	200	80	226	8.9	.05	10
334 02	2.5	100	80	126	4.9	.05	10
334 37	2.5	200	80	226	8.9	.08	10
334 03	3.0	100	80	126	4.9	.05	10
334 04	3.0	150	80	176	6.9	.08	10
334 05	3.0	200	80	226	8.9	.09	10
334 35	3.0	350	100	382	15.0	.22	10
334 06	4.0	100	80	126	4.9	.07	10
334 07	4.0	150	80	176	6.9	.10	10
334 08	4.0	200	80	226	8.9	.09	10
334 38	4.0	350	100	382	15.0	.26	10
334 09	5.0	100	100	132	5.2	.13	10
334 10	5.0	150	100	182	7.1	.17	10
334 11	5.0	200	100	232	9.1	.16	10
334 12	5.0	350	100	382	15.0	.26	10
334 13	5.0	450	120	488	19.1	.53	10
334 14	6.0	100	100	132	5.2	.14	10
334 15	6.0	150	100	182	7.1	.18	10
334 16	6.0	200	100	232	9.1	.20	10
334 17	6.0	350	100	382	15.0	.32	10
334 19	7.0	200	100	232	9.1	.22	10
334 21	8.0	100	100	132	5.2	.20	10
334 23	8.0	200	100	232	9.1	.29	10
334 34	8.0	350	100	372	14.6	.48	10
334 25	10.0	100	120	138	5.4	.34	10
334 27	10.0	200	120	238	9.3	.49	10
334 29	12.0	200	120	238	9.3	.58	10




334 92 10 Piece Hex Driver T-handle Set, Inch Sizes

Item No.	Inch	Inch	Inch	Inch	lbs.
334 53	3/32	6.0	334 68	3/16	6.0
334 56	7/64	6.0	334 71	7/32	6.0
334 59	1/8	6.0	334 74	1/4	6.0
334 62	9/64	6.0	334 77	5/16	6.0
334 65	5/32	6.0	334 80	3/8	6.0



334 93 8 Piece Hex Driver T-handle Set, Metric Sizes

Item No.	mm	mm	mm	mm	lbs.
334 01	2.0	100	334 09	5.0	100
334 02	2.5	100	334 16	6.0	200
334 03	3.0	100	334 23	8.0	200
334 06	4.0	100	334 27	10.0	200



334 84 8 Pc. Hex Driver T-handle Set, Inch Sizes - In metal stand

Item No.	Inch	Inch	Inch	Inch	lbs.
334 59	1/8	6.0	334 71	7/32	6.0
334 62	9/64	6.0	334 74	1/4	6.0
334 65	5/32	6.0	334 77	5/16	6.0
334 68	3/16	6.0	334 80	3/8	6.0

334 88 8 Pc. Hex Driver T-handle Set, Metric Sizes - In metal stand

Item No.	mm	mm	mm	mm	lbs.
334 01	2.0	100	334 10	5.0	150
334 02	2.5	100	334 15	6.0	150
334 03	3.0	100	334 23	8.0	200
334 06	4.0	100	334 27	10.0	200

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Hard Chrome Finish

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed.

Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	mm	mm	lbs.	pkg.
367 10*	.050	3.1	80	179	.06	10
367 13*	1/16	3.1	80	204	.06	10
367 16*	5/64	3.9	100	204	.07	10
367 19*	3/32	3.9	100	204	.07	10
367 23*	7/64	3.9	100	211	.07	10
With MagicRing						
367 26	1/8	3.9	100	243	.12	10
367 28	9/64	3.9	100	243	.12	10
367 32	5/32	5.0	125	271	.12	10
367 34	3/16	6.0	150	271	.16	10
367 36	7/32	6.0	150	271	.23	10
367 38	1/4	6.0	150	271	.25	10
367 42	5/16	8.0	200	271	.37	10
367 44	3/8	8.0	200	271	.54	10

* Standard Ball - No Ring

Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!




367 91 13 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

chromed. Wind Coll. mesh, hardie, multi component, cushion grip.

Item					
No.	Inch	Inch	Inch	Inch	lbs.
367 91	367 10*	.050 3.0	367 32	5/32 5.0	2.58
	367 13*	1/16 3.0	367 34	3/16 6.0	
	367 16*	5/64 4.0	367 36	7/32 6.0	
	367 19*	3/32 4.0	367 38	1/4 6.0	
	367 23*	7/64 4.0	367 42	5/16 8.0	
	367 26	1/8 4.0	367 44	3/8 8.0	
	367 28	9/64 4.0			


* Standard Ball - No Ring



367 93 8 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item							
No.		Inch	Inch		Inch	Inch	lbs.
367 93	367 26	1/8	4.0	367 36	7/32	6.0	2.25
	367 28	9/64	4.0	367 38	1/4	6.0	
	367 32	5/32	5.0	367 42	5/16	8.0	
	367 34	3/16	6.0	367 44	3/8	8.0	



367 94 6 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item							
No.		Inch	Inch	Inch	Inch	lbs.	
367 94	367 26	1/8	4.0	367 34	3/16	6.0	1.34
	367 28	9/64	4.0	367 36	7/32	6.0	
	367 32	5/32	5.0	367 38	1/4	6.0	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed.

Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	lbs.	pkg.
367 15*	1.5	75	179	.06	10
367 20*	2.0	100	204	.07	10
367 25*	2.5	100	204	.07	10
With MagicRing					
367 30	3.0	100	204	.07	10
367 40	4.0	125	211	.12	10
367 50	5.0	150	243	.16	10
367 60	6.0	150	243	.23	10
367 80	8.0	200	268	.37	10
367 86	10.0	200	271	.54	10

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel

367 90 9 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
367 15*	1.5	75	367 50	5.0	150
367 20*	2.0	100	367 60	6.0	150
367 25*	2.5	100	367 80	8.0	200
367 30	3.0	100	367 86	10.0	200
367 40	4.0	125			

* Standard Ball - No Ring




367 92 6 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
367 30	3.0	100	367 60	6.0	150
367 40	4.0	125	367 80	8.0	200
367 50	5.0	150	367 86	10.0	200

Wiha Ball End 3K Series Drivers & Sets




Inch / Soft Grip

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.


Item No.	Inch	Inch	Inch	lbs.	pkg.
467 02	.050	2.9	6.3	.07	10
467 04	1/16	2.9	6.3	.07	10
467 06	5/64	3.9	7.3	.07	10
467 08	3/32	3.9	7.3	.07	10
467 10	7/64	3.9	7.3	.07	10
467 12	1/8	3.9	7.7	.09	10
467 14	9/64	3.9	7.7	.10	10
467 16	5/32	3.9	7.7	.11	10
467 18	3/16	3.9	7.7	.12	10
467 22	7/32	5.9	10.0	.19	10
467 24	1/4	5.9	10.0	.22	10
467 26	5/16	7.9	12.0	.34	10
467 28	3/8	7.9	12.5	.48	10

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry



467 93 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.	Inch	Inch	Inch	Inch	lbs.
467 93	467 02	.050	2.9	467 10	7/64 3.9
	467 04	1/16	2.9	467 12	1/8 3.9
	467 06	5/64	3.9	467 14	9/64 3.9
	467 08	3/32	3.9	467 16	5/32 3.9



467 97 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	Inch	Inch	Inch	Inch	lbs.
467 97	467 02	.050	2.9	467 16	5/32 3.9
	467 04	1/16	2.9	467 18	3/16 2.9
	467 06	5/64	3.9	467 22	7/32 5.9
	467 08	3/32	3.9	467 24	1/4 5.9
	467 10	7/64	3.9	467 26	5/16 7.9
	467 12	1/8	3.9	467 28	3/8 7.9
	467 14	9/64	3.9		



467 94 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item No.	Inch	Inch	Inch	Inch	lbs.
467 94	467 12	1/8	3.9	467 18	3/16 3.9
	467 14	9/64	3.9	467 22	7/32 5.9
	467 16	5/32	3.9	467 24	1/4 5.9

Yellow = Inch
 Red = Metric

Wiha Ball End 3K Series Drivers & Sets

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry



467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	mm	mm	mm	lbs.	pkg.
467 15	1.5	75	161	.07	10
467 20	2.0	100	186	.07	10
467 25	2.5	100	186	.07	10
467 30	3.0	100	186	.07	10
467 40	4.0	100	197	.11	10
467 50	5.0	100	197	.13	10
467 60	6.0	150	257	.21	10
467 80	8.0	200	307	.34	10
467 86	10.0	200	319	.52	10

 Yellow = Inch
 Red = Metric




467 96 7 Piece Metric Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish.

Molded on Wiha-3k Ergo soft grip handles.

Item No.	mm	mm	mm	mm	lbs.
467 15	1.5	75	467 40	4.0	100
467 20	2.0	100	467 50	5.0	100
467 25	2.5	100	467 60	6.0	150
467 30	3.0	100			



467 99 9 Piece Metric Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish.

Molded on Wiha-3k Ergo soft grip handles.

Item No.	mm	mm	mm	mm	lbs.
467 15	1.5	75	467 50	5.0	100
467 20	2.0	100	467 60	6.0	150
467 25	2.5	100	467 80	8.0	200
467 30	3.0	100	467 86	10.0	200
467 40	4.0	100			

Wiha PocketStar Fold-Ups



Push button key release

369 97 9 Piece MagicRing Inch PocketStar Fold Outs

High alloy CVM steel, hardened, molded ergonomic handle.

Item No 

369 97 PocketStar lbs. .46

Inch: 5/64", 3/32", 7/64", 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

* Standard Ball - No Ring



Push button key release

369 96 7 Piece MagicRing Metric PocketStar Fold Outs

High alloy CVM steel, hardened, molded ergonomic handle.

Item No 

369 96 PocketStar lbs. .50

Metric: 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm

* Standard Ball - No Ring



Push button key release

669 97 2 Pack MagicRing PocketStar Fold Outs Inch & Metric

High alloy CVM steel, hardened, molded ergonomic handle.

Item No 

669 97 Fold Outs Inch/Metric Includes: lbs. .98

369 96 - 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm

369 97 - 5/64", 3/32", 7/64", 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

* Standard Ball - No Ring



#35195

#35196

351 95 7 Piece Metric Hex PocketStar Fold Outs

High alloy CVM steel, hardened, molded ergonomic handle.

Item No 

351 95 PocketStar lbs. .51

Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

351 96 7 Piece Metric Hex PocketStar Fold Outs

High alloy CVM steel, hardened, molded ergonomic handle.

Item No 

351 96 PocketStar lbs. .31

Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



Push button key release

351 97 9 Piece Inch Hex PocketStar Fold Outs

High alloy CVM steel, hardened, molded ergonomic handle.

Item No 

351 97 PocketStar lbs. .47

Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



Push button key release

351 98 6 Pc. Slotted, Phillips & Hex Metric PocketStar Fold Outs

High alloy CVM steel, hardened, molded ergonomic handle.

Item No 

351 98 PocketStar lbs. .35

Slotted: 5.5mm **Phillips:** #2

Metric: 3.0, 4.0, 5.0, 6.0mm

Nickel-Plated Long Arm Hex L-keys



Nickel-Plated

- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

352 Metric L-wrench Hex Key, Long Arm high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
352 01	1.5	89	3.5	14	.6	.01	10
352 02	2.0	99	3.9	16	.6	.01	10
352 04	2.5	110	4.3	18	.7	.02	10
352 06	3.0	124	4.9	20	.8	.02	10
352 08	4.0	138	5.4	25	1.0	.04	10
352 10	5.0	158	6.2	28	1.1	.07	10
352 11	6.0	178	7.0	32	1.3	.12	10
352 12	7.0	187	7.4	34	1.3	.17	10
352 14	8.0	196	7.7	36	1.4	.23	10
352 17	10.0	219	8.6	40	1.6	.40	10
352 19	12.0	245	9.6	45	1.8	.77	1
352 21	14.0	277	10.9	56	2.2	1.12	1
352 23	17.0	316	12.4	63	2.5	1.80	1
352 27	19.0	355	14.0	70	2.8	2.46	1



352 97 9 Piece Metric Hex L-wrench Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item		
No.	lbs.	pkg.
352 97	1.00	1



Nickel-Plated

- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

352 Inch L-wrench Hex Key, Long Arm

Item						
No.	Inch	mm	Inch	lbs.	pkg.	
352 31	.050	75	3.0	.01	10	
352 33	1/16	78	3.1	.01	10	
352 35	5/64	82	3.2	.01	10	
352 37	3/32	85	3.3	.01	10	
352 39	7/64	92	3.6	.01	10	
352 41	1/8	95	3.7	.02	10	
352 43	9/64	100	3.9	.03	10	
352 51	5/32	105	4.1	.03	10	
352 52	3/16	113	4.4	.05	10	
352 53	7/32	122	4.8	.07	10	
352 54	1/4	135	5.3	.10	10	
352 55	5/16	152	6.0	.18	10	
352 56	3/8	173	6.8	.30	10	
352 57	1/2	209	8.2	.77	1	
352 58	9/16	230	9.1	1.04	1	
352 59	5/8	245	9.6	1.27	1	
352 61	3/4	286	11.3	2.01	1	



352 95 13 Piece Inch Hex L-wrench Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Item		
No.	lbs.	pkg.
352 95	.90	1

Black Finish Long Arm Hex L-keys



Black Finish



352 Metric L-wrench Hex Key, Long Arm, high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
352 00	0.7	66	2.6	5	.2	.01	10
352 03	0.9	68	2.7	8	.3	.01	10
352 05	1.3	72	2.8	12	.5	.01	10
352 15	1.5	89	3.5	14	.6	.01	10
352 20	2.0	99	3.9	16	.6	.01	10
352 25	2.5	110	4.3	18	.7	.02	10
352 30	3.0	124	4.9	20	.8	.02	10
352 40	4.0	138	5.4	25	1.0	.04	10
352 50	5.0	158	6.2	28	1.1	.07	10
352 60	6.0	178	7.0	32	1.3	.12	10
352 70	7.0	187	7.4	34	1.3	.18	10
352 80	8.0	196	7.7	36	1.4	.24	10
352 82	10.0	219	8.6	40	1.6	.40	10
352 84	12.0	245	9.6	45	1.8	.77	1
352 85	14.0	277	10.9	56	2.2	1.13	1
352 86	17.0	316	12.4	63	2.5	1.80	1
352 88	19.0	355	14.0	70	2.8	2.45	1



Black Finish



352 Inch L-wrench Hex Key, Long Arm

Item						
No.	Inch	mm	Inch	lbs.	pkg.	
352 00	.028	67	2.6	.01	10	
352 03	.035	69	2.7	.01	10	
352 13	.050	75	3.0	.01	10	
352 16	1/16	78	3.1	.01	10	
352 18	5/64	82	3.2	.01	10	
352 22	3/32	85	3.3	.01	10	
352 24	7/64	92	3.6	.02	10	
352 26	1/8	95	3.7	.02	10	
352 28	9/64	100	3.9	.03	10	
352 32	5/32	105	4.1	.04	10	
352 34	3/16	113	4.4	.05	10	
352 36	7/32	122	4.8	.07	10	
352 38	1/4	135	5.3	.10	10	
352 42	5/16	152	6.0	.18	10	
352 44	3/8	173	6.8	.30	10	
352 45	1/2	209	8.2	.75	1	
352 46	9/16	230	9.1	.99	1	
352 47	5/8	245	9.6	1.26	1	
352 48	3/4	286	11.3	2.02	1	
352 49	1"	359	14.1	4.38	1	



352 90 9 Piece Metric Hex L-wrench Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item		
No.	lbs.	pkg.
352 90	.97	1

352 91 13 Piece Inch Hex L-wrench Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"


Item		
No.	lbs.	pkg.
352 91	.98	1

Short Arm Hex L-keys Nickel Finish



- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

Nickel-Plated



351 Metric L-wrench Hex Key, Short Arm high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
351 04	1.5	45	1.8	14	.6	.01	10
351 08	2.0	49	1.9	16	.6	.01	10
351 12	2.5	55	2.2	18	.7	.01	10
351 16	3.0	61	2.4	20	.8	.02	10
351 20	4.0	68	2.7	25	1.0	.03	10
351 24	5.0	78	3.1	28	1.1	.04	10
351 28	6.0	88	3.5	32	1.3	.07	10
351 32	7.0	92	3.6	34	1.3	.10	10
351 36	8.0	97	3.8	36	1.4	.13	10
351 40	9.0	103	4.1	38	1.5	.18	10
351 44	10.0	109	4.3	40	1.6	.23	10
351 45	12.0	122	4.8	45	1.8	.40	1
351 75	14.0	137	5.4	56	2.2	.61	1
351 77	17.0	156	6.1	63	2.5	1.02	1
351 79	19.0	176	6.9	70	2.8	1.40	1



351 91 9 Piece Metric Hex L-wrench Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1



351 93 6 Piece Metric Hex L-wrench Set, In Plastic Holder


Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm

lbs. .20 pkg. 1



- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

Nickel-Plated



351 Inch L-wrench Hex Key, Short Arm Nickel-plated

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
351 43	.050	40	1.6	10	.39	.01	10
351 46	1/16	46	1.8	14	.55	.01	10
351 47	5/64	50	2.0	16	.63	.01	10
351 50	3/32	52	2.1	19	.75	.01	10
351 52	7/64	54	2.1	19	.75	.01	10
351 53	1/8	58	2.3	21	.83	.02	10
351 55	9/64	62	2.4	23	.91	.02	10
351 56	5/32	68	2.7	25	.99	.02	10
351 59	3/16	70	2.8	26	1.0	.04	10
351 62	7/32	77	3.1	29	1.2	.05	10
351 65	1/4	88	3.5	31	1.2	.08	10
351 68	5/16	98	3.9	36	1.4	.13	10
351 71	3/8	107	4.2	38	1.5	.20	10
351 74	1/2	133	5.2	44	1.7	.46	1
351 76	9/16	158	6.2	64	2.5	.64	1
351 78	5/8	175	6.9	71	2.8	.85	1
351 80	3/4	198	7.8	89	3.5	1.40	1



351 92 8 Piece Inch Hex L-wrench Set, In Plastic Holder

Equipped with 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"

lbs. .41 pkg. 1



351 94 13 Piece Inch Hex L-wrench Set, In Plastic Holder

Equipped with .050 - 3/8"

lbs. .72 pkg. 1

Short Arm Hex L-keys Black Finish


 Black Finish

353 Metric L-wrench Hex Key, Short Arm high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
353 01	0.7	31	1.2	-	-	.01	10
353 02	0.9	31	1.2	-	-	.01	10
353 03	1.3	40	1.6	12	.5	.01	10
353 04	1.5	45	1.8	14	.6	.01	10
353 05	2.0	49	1.9	16	.6	.01	10
353 06	2.5	55	2.2	18	.7	.01	10
353 07	3.0	61	2.4	20	.8	.02	10
353 08	4.0	68	2.7	25	1.0	.03	10
353 09	5.0	78	3.1	28	1.1	.04	10
353 10	6.0	88	3.5	32	1.3	.07	10
353 11	7.0	92	3.6	34	1.3	.10	10
353 12	8.0	97	3.8	36	1.4	.13	10
353 13	9.0	103	4.1	38	1.5	.17	10
353 14	10.0	109	4.3	40	1.6	.23	10
353 16	11.0	115	4.5	42	1.7	.29	10
353 17	12.0	122	4.8	45	1.8	.40	1
353 18	14.0	137	5.4	56	2.2	.61	1
353 19	17.0	156	6.1	63	2.5	1.03	1
353 20	19.0	176	6.9	70	2.8	1.40	1
353 21	22.0	195	7.7	80	3.1	2.17	1


 Black Finish

353 Inch L-wrench Hex Key, Short Arm black finish


Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
353 01	.028	31	1.2	-	-	.01	10
353 02	.035	31	1.2	-	-	.01	10
353 30	.050	40	1.6	10	.4	.01	10
353 31	1/16	46	1.8	14	.6	.01	10
353 32	5/64	50	2.0	16	.6	.01	10
353 33	3/32	52	2.1	19	.8	.01	10
353 34	7/64	54	2.1	19	.8	.01	10
353 35	1/8	58	2.3	21	.8	.02	10
353 36	9/64	62	2.4	23	.9	.02	10
353 37	5/32	68	2.7	25	1.0	.02	10
353 38	3/16	70	2.8	26	1.0	.05	10
353 39	7/32	77	3.1	29	1.2	.07	10
353 40	1/4	88	3.5	31	1.2	.07	10
353 41	5/16	98	3.9	36	1.4	.13	10
353 42	3/8	107	4.2	38	1.5	.20	10
353 43	1/2	133	5.2	44	1.7	.49	1
353 45	9/16	158	6.2	64	2.5	.66	1
353 46	5/8	175	6.9	71	2.8	.86	1
353 47	3/4	198	7.8	89	3.5	1.45	1
353 48	1"	220	8.7	91	3.6	3.14	1



353 90 9 Piece Metric Hex L-wrench Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm


 lbs. .59  pkg. 1



353 92 5 Piece Mini Metric Hex L-wrench Set, In Plastic Holder

Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm

 lbs. .03  pkg. 1



369 89 9 Piece Short Arm Metric Ball End Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm


 lbs. .59  pkg. 1



353 91 13 Piece Inch Hex L-wrench Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

 lbs. .64  pkg. 1



353 93 5 Piece Mini Inch Hex L-wrench Set, In Plastic Holder

Equipped with .028, .035, .050, 1/16, 5/64"

 lbs. .03  pkg. 1



Wiha Insulated T-handles

Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E, CSA

Responds to OSHA's use specification 29 CFR1910



Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

Insulation

Molded directly onto blade for permanent bonding

Blade

CVM tool steel, hardened to average 58/60RC

 **1000V**



 **1000Volt**




 **1000Volt**

334 1/4 Inch T-handle, With Wiha-Molded Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201, EN/IEC 60900, NFPA70E and CSA, up to 1000 Volt. Individually Tested.

Blade CVM steel, hardened. Insulation molded directly onto blade.

Wiha-SoftFinish® handle, multi-component.

Item No.							
	Inch	Inch	Inch	mm	lbs.	pkg.	
334 81	5/32	5.9	6.9	176	.09	10	
334 82	3/16	5.9	6.9	176	.15	10	
334 83	7/32	5.9	6.9	176	.19	10	
334 85	1/4	6.9	6.9	176	.20	10	
334 86	5/16	6.9	6.9	176	.26	10	
334 87	3/8	6.9	6.9	176	.44	10	



 **1000Volt**

334 Metric T-handle, With Wiha-Molded Handle Insulation According to ASTM F-1505-01, VDE Specification 0682/part 201, EN/IEC 60900, NFPA70E and CSA, up to 1000 Volt. Individually Tested.

Blade CVM steel, hardened. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component.

Item No.							
	mm	mm	Inch	mm	Inch	lbs.	pkg.
334 41	4.0	150	5.9	176	6.9	.09	10
334 43	5.0	150	5.9	176	6.9	.15	10
334 45	6.0	150	5.9	176	6.9	.18	10
334 47	8.0	150	5.9	176	6.9	.26	10



 **1000Volt**

334 91 4 Piece Hex Metric T-handle Set

Item No.						
	mm	mm	mm	mm	mm	.99 lbs.
334 91	334 41	4.0	150	334 45	6.0	150
	334 43	5.0	150	334 47	8.0	150

Wiha Insulated Hex L-keys

Insulation Test Standards:

Insulation according to ASTM, F-1505-01, EN/IEC 60900 and CSA



Insulation

Applied directly onto blade for permanent bonding

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

 **1000V**



 **1000V**

136 Inch Insulated Hex L-keys, With Insulated Handle

Insulation According to IEC 60900 specification, up to 1000 Volt. Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	 mm	OAL	OAL		
No.	Inch	mm	Inch	lbs.	pkg.
136 63	1/8	104	4.1	.06	1
136 65	5/32	104	4.1	.06	1
136 66	3/16	134	5.3	.10	1
136 67	7/32	134	5.3	.12	1
136 68	1/4	134	5.3	.16	1
136 69	5/16	144	5.7	.24	1
136 62	3/8	234	9.2	.51	1
136 64	1/2	234	9.2	.77	1



 **1000V**

136 90 8 Piece Insulated Hex L-key Set - Inch

Item		 MM	OAL		 MM	OAL	
No.		Inch	Inch		Inch	Inch	lbs.
136 90	136 63	1/8	4.1	136 68	1/4	5.3	2.17
	136 65	5/32	4.1	136 69	5/16	5.7	
	136 66	3/16	5.3	136 62	3/8	9.2	
	136 67	7/32	5.3	136 64	1/2	9.2	



 **1000V**

136 Metric Insulated Hex L-keys, With Insulated Handle

Insulation According to IEC 60900 specification, up to 1000 Volt. Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	 mm	OAL	OAL		
No.	mm	mm	Inch	lbs.	pkg.
136 53	3	130	5.1	.10	1
136 54	4	120	4.7	.10	1
136 55	5	140	5.5	.10	1
136 56	6	140	5.5	.13	1
136 58	8	150	5.9	.24	1
136 59	10	220	8.7	.51	1
136 57	12	260	10.2	.77	1

 **1000V**

136 91 7 Piece Insulated Hex L-key Set - Metric

Item		OAL		OAL			
No.	mm	mm	mm	mm	lbs.		
136 91	136 53	3	130	136 58	8	150	2.07
	136 54	4	120	136 59	10	220	
	136 55	5	140	136 57	12	260	
	136 56	6	140				

Wiha Insulated 3/8" Bit Sockets & Set



 **1000V**

318 Insulated 3/8" Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 specification, up to 1000 Volt.

Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

Item No.	Inch	OAL		
No.	Inch	OAL	lbs.	pkg.
318 05	3/16	3.1"	.13	1
318 07	7/32	3.1"	.14	1
318 09	1/4	3.1"	.14	1
318 11	5/16	3.1"	.16	1
318 13	3/8	3.1"	.18	1
318 15	7/16	3.1"	.20	1
318 17	1/2	3.1"	.22	1

*Sockets must be used with insulated ratchets & extensions



 **1000V**

318 90 7 Piece Insulated 3/8" Drive Socket Set - Inch

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No. 318 90 Set includes the following:

 lbs. 1.7 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2"



Wiha Drive-Loc VI Handles



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

284 88 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
284 88	6.0	115	4.5	36.0	1.41	.26



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

284 86 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
284 86	6.0	115	4.5	36.0	1.41	.21



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

284 87 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.


Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
284 87	6.0	115	4.5	36.0	1.41	.20



Wiha Drive-Loc VI Blades



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade

Blade High alloy CVM steel, through hardened, hard chrome finish.

Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm	mm + mm	lbs.	pkg.
281 16	2.5	2.5	.10	1
281 17	3	3	.10	1
281 18	4	4	.10	1
281 19	5	5	.10	1
281 20	6	6	.10	1



281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm	mm + mm	lbs.	pkg.
281 49	2.0	2.5	.09	1
281 50	3.0	4.0	.10	1
281 51	5.0	6.0	.10	1



281 Hex Inch Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Inch + Inch	Inch + Inch	lbs.	pkg.
281 22	3/32	7/64	.10	1
281 23	1/8	9/64	.10	1
281 24	5/32	3/16	.10	1



NEW
From Wiha

281 92 7 Piece Hex Inch & Metric Drive-Loc VI Blade Set

Blade CVM steel, hardened, hard chromed. In storage pouch

Item	
No. 281 92	lbs.
Inch: 3/32 x 7/64, 1/8 x 9/64, 5/32 x 3/16	.74
Metric: 2.0 x 2.5, 3.0 x 4.0, 5.0 x 6.0	
Wiha SoftFinish® Cushion Grip Handle	

TorqueControl Tools



+/-6% accuracy
tolerance
Certificate of
calibration

285 TorqueFix, With Wiha-SoftFinish® Handle

Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%. Audible and perceptible click when pre-set torque has been attained.

Automatically resets for next torque cycle; 50% greater reverse torque.

Item No.	Pre-Sets						
	oz.	lbs.	Nm	mm	Inch	lbs.	pkg.
285 03	80	5	0.56	112	4.4	.16	1
285 05	120	7.5	0.84	112	4.4	.15	1
285 07	160	10	1.12	119	4.7	.28	1
285 09	200	12.5	1.41	119	4.7	.27	1
285 11	240	15	1.69	119	4.7	.27	1
285 13	320	20	2.25	119	4.7	.28	1
285 15	400	25	2.82	126	4.9	.37	1
285 17	480	30	3.39	126	4.9	.37	1
285 18	560	35	3.95	126	4.9	.37	1
285 19	640	40	4.52	126	4.9	.37	1
285 21	800	50	5.65	132	5.2	.52	1
285 23	960	60	6.78	132	5.2	.52	1
285 25	1120	70	7.91	132	5.2	.52	1

Direct Reading Scale



+/-6% accuracy
tolerance
Certificate of
calibration

285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Range				
	Inch	lbs.	Increments	mm	lbs.
285 01*	15 - 80(in/oz)		2.5 Inch oz	122 - 127	.22
285 02	5 - 10		.5 Inch lbs	122 - 127	.41
285 04	7.5 - 20		.5 Inch lbs	126 - 131	.50
285 06	10 - 50		2 Inch lbs	133 - 138	.59
285 08	20 - 70		2 Inch lbs	137 - 142	.74

Above includes Micro Bit Holder 28583 See 4mm Micro Bits on Page 30

* +/- 10% (This unit only)

* (1 Nm = 8.8507)



+/-6% accuracy
tolerance
Certificate of calibration

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale	Increments			
			mm	lbs.	pkg.
285 50*	0.1 - 0.6Nm	.02 Nm	122 - 127	.35	1
285 51	0.4 - 1.0Nm	.05 Nm	122 - 127	.35	1
285 52	0.8 - 2.0Nm	.05 Nm	126 - 131	.45	1
285 53	1.0 - 5.0Nm	.20 Nm	133 - 138	.55	1
285 54	2.0 - 8.0Nm	.25 Nm	137 - 142	.70	1

* +/- 10% (This unit only)

* (1 Nm 8.8507)



285 Hex Metric Interchangeable Blades For TorqueFix &

TorqueVario Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.				Max. Torque	
	mm	mm	lbs.	Nm	pkg.
285 45	1.5	175	.07	0.9	1
285 46	2.0	175	.07	1.8	1
285 47	2.5	175	.07	3.8	1
285 48	3.0	175	.07	8.0	1
285 49	4.0	175	.07	8.0	1



285 Hex Inch Interchangeable Blades For TorqueFix &

TorqueVario Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.				Max. Torque	
	Inch	mm	lbs.	Nm	pkg.
285 55	.050	175	.07	.3	1
285 56	1/16	175	.07	.5	1
285 57	5/64	175	.07	.6	1
285 58	3/32	175	.07	1.3	1
285 59	7/64	175	.07	2.5	1
285 60	1/8	175	.07	3.8	1
285 87	9/64	175	.07	8.0	1
285 88	5/32	175	.07	8.0	1

T-handle TorqueControl Tools



Includes Calibration
Certificate

289 TorqueFix T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy

Ergonomic multi-component handle, light and compact.

With Certificate of calibration.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
289 31	53.1	6	56 x 120	.81	1
289 33	70.8	8	56 x 120	.82	1
289 35	88.5	10	56 x 120	.79	1
289 37	106.2	12	56 x 120	.79	1
289 38	110.6	12.5	56 x 120	.80	1
289 39	123.9	14	56 x 120	.80	1

Each TorqueFix T-handle has unique serial
number and certificate of calibration



Includes Calibration
Certificate

289 40 Adjustable TorqueVario STplus T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy

Ergonomic multi-component handle, light and compact.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
289 40	44.3-123.9	5-14	56 x 120	.81	1

* (1 Nm 8.8507)



289 Hex Metric Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	Inch	lbs.	pkg.
289 16	3.0	130	5.1	.11	1
289 17	4.0	130	5.1	.11	1
289 18	5.0	130	5.1	.11	1
289 19	6.0	130	5.1	.11	1



289 Hex Inch Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Inch	mm	Inch	lbs.	pkg.
289 20	1/8	130	5.1	.11	1
289 21	9/64	130	5.1	.11	1
289 22	5/32	130	5.1	.11	1
289 23	3/16	130	5.1	.11	1
289 24	7/32	130	5.1	.11	1



Adjustable from
Nm 5-14 or
In-lbs. 44.3-123.9

Wiha Precision ESD Safe Hex Drivers

Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas.



Rotating cap for precise turning & control with fingertip

Molded Precision handle of impact resistant dissipative material

Tapered handle allows rapid rotation

Blade, CVM steel, hardened, hard chrome finish

Tip, precision ground for exact fit, Wiha Chromtop finish

ESD Standard IEC 61340-5-1

Surface resistance of handles is $10^6 - 10^9$ Ohms



275 Inch Hex Driver, With Precision ESD Safe Dissipative

Handle Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
275 05	.028	40	1.6	120	4.7	.02	10
275 10	.035	40	1.6	120	4.7	.02	10
275 13	.050	40	1.6	120	4.7	.02	10
275 37	1/16	50	2.0	145	5.7	.03	10
275 39	5/64	50	2.0	145	5.7	.03	10
275 41	3/32	60	2.4	170	6.7	.04	10
275 43	7/64	60	2.4	170	6.7	.04	10
275 45	1/8	60	2.4	170	6.7	.04	10
275 47	9/64	60	2.4	170	6.7	.05	10
275 49	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



275 Metric Hex Driver, With Precision ESD Safe Dissipative

Handle Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
275 07	.71	40	1.6	120	4.7	.02	10
275 09	.89	40	1.6	120	4.7	.02	10
275 13	1.27	40	1.6	120	4.7	.03	10
275 15	1.5	50	2.0	145	5.7	.03	10
275 20	2.0	50	2.0	145	5.7	.04	10
275 25	2.5	60	2.4	170	6.7	.05	10
275 30	3.0	60	2.4	170	6.7	.05	10
275 35	4.0	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard
IEC 61340-5-1

275 90 Set 8 Pcs. Hex Metric Precision ESD Safe Dissipative

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item					
No.	mm	mm	mm	mm	lbs.
275 90	275 07	.71 40	275 20	2.0 50	.53
	275 09	.89 40	275 25	2.5 60	
	275 13	1.27 40	275 30	3.0 60	
	275 15	1.5 50	275 35	4.0 60	



ESD standard
IEC 61340-5-1

275 91 8 Piece Hex Inch Precision Set, ESD Safe Dissipative

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item											
No.		Inch	Inch			Inch	Inch			Inch	lbs.
275 91	275 13	.050	1.6			275 43	7/64	2.4			.57
	275 37	1/16	2.0			275 45	1/8	2.4			
	275 39	5/64	2.0			275 47	9/64	2.4			
	275 41	3/32	2.4			275 49	5/32	2.4			

Wiha Hex Precision Series



263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item								
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
263 07	.71	.028	40	1.6	120	4.7	.02	10
263 09	.89	.035	40	1.6	120	4.7	.02	10
263 13	1.27	.050	40	1.6	120	4.7	.02	10
263 15	1.5	-	50	2.0	145	5.7	.03	10
263 20	2.0	5/64	50	2.0	145	5.7	.03	10
263 25	2.5	-	60	2.4	170	6.7	.04	10
263 30	3.0	-	60	2.4	170	6.7	.04	10
263 40	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item								
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
263 07	.028	.71	40	1.6	120	4.7	.02	10
263 09	.035	.89	40	1.6	120	4.7	.02	10
263 13	.050	1.27	40	1.6	120	4.7	.02	10
263 16	1/16	-	50	2.0	145	5.7	.03	10
263 20	5/64	2.0	50	2.0	145	5.7	.03	10
263 23	3/32	-	60	2.4	170	6.7	.04	10
263 27	7/64	-	60	2.4	170	6.7	.04	10
263 31	1/8	-	60	2.4	170	6.7	.04	10
263 33	9/64	-	60	2.4	170	6.7	.05	10
263 36	5/32	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



263 90 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Item			
No.	mm	mm	lbs.
263 90	263 07	.71	40
	263 09	.89	40
	263 13	1.27	40
	263 15	1.5	50
	263 20	2.0	50
	263 25	2.5	60
	263 30	3.0	60



263 91 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Item			
No.	Inch	Inch	lbs.
263 91	263 07	.028	1.6
	263 09	.035	1.6
	263 13	.050	1.6
	263 16	1/16	2.0
	263 20	5/64	2.0
	263 23	3/32	2.4
	263 27	7/64	2.4
	263 31	1/8	2.4



911 18 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item			
No.	Size	lbs.	pkg.
911 18	14 1/2" W x 7 3/4" L	.13	1



263 99 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item						
No.	Inch	Inch	Inch	Inch	Inch	lbs.
263 99	263 07	.028	1.6	263 20	5/64	2.0
	263 09	.035	1.6	263 23	3/32	2.4
	263 13	.050	1.6	263 27	7/64	2.4
	263 16	1/16	2.0	263 31	1/8	2.4

Wiha Ball End Precision Series




264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item	No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
264 13		.050	40	1.6	120	4.7	.02	10
264 16		1/16	50	2.0	145	5.7	.03	10
264 19		5/64	50	2.0	145	5.7	.03	10
264 23		3/32	50	2.0	145	5.7	.03	10
264 27		7/64	60	2.4	170	6.7	.03	10
264 31		1/8	60	2.4	170	6.7	.05	10
264 36		9/64	60	2.4	170	6.7	.05	10
264 39		5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate




264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item	No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
264 13		1.27	.050	40	1.6	120	4.7	.02	10
264 15		1.5	-	50	2.0	145	5.7	.03	10
264 20		2.0	-	50	2.0	145	5.7	.03	10
264 25		2.5	-	60	2.4	170	6.7	.04	10
264 30		3.0	-	60	2.4	170	6.7	.05	10
264 40		4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 91 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	mm	mm	lbs.
264 91	264 13	1.27	40	.31
	264 15	1.5	50	
	264 20	2.0	50	
	264 25	2.5	60	
	264 30	3.0	60	



264 90 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°.

Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Inch	Inch	lbs.
264 90	264 13	.050	1.6	.40
	264 16	1/16	2.0	
	264 19	5/64	2.0	
	264 23	3/32	2.0	
	264 27	7/64	2.4	
	264 31	1/8	2.4	
	264 36	9/64	2.4	
	264 39	5/32	2.4	




264 99 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	No.	Inch	Inch	lbs.
264 99	264 13	.050	1.6	.62
	264 16	1/16	2.0	
	264 19	5/64	2.0	
	264 23	3/32	2.0	
	264 27	7/64	2.4	
	264 31	1/8	2.4	
	264 36	9/64	2.4	
	264 39	5/32	2.4	

Wiha Ball End Precision Series



629 95 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack

Wiha Protum precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

629 95 Set includes the following blades:

♣ Slotted: 1.5, 2.0, 3.0, 4.0 ♣ Phillips: #000, #00, #0, #1

♣ TORX®: T6, T7, T8, T9, T10, T15, T20

♣ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

♣ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

♣ lbs. .87

629 94 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protum precision ball retainer handle & 13 Wiha interchangeable blades.

629 94 Set includes the following blades:

♣ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

♣ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

♣ lbs. .66 Set in canvas storage pouch

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft

PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item	Hex	Inch	Inch	mm	Inch	mm	pkg.
No.		Inch	Inch	mm	Inch	mm	pkg.
264 55	1/16	2.0	50	5.9	150	10	
264 57	5/64	2.0	50	5.9	150	10	
264 59	3/32	2.0	50	5.9	150	10	
264 61	7/64	2.4	60	6.3	160	10	
264 63	1/8	2.4	60	6.3	160	10	
264 65	9/64	2.4	60	6.3	160	10	
264 67	5/32	2.4	60	6.3	160	10	

*Metric dimensions actual - Inch dimensions approximate



264 93 7 Piece Inch Ball End Hex Precision Driver Set, With

Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	Hex	Inch	Inch	mm	Inch	mm	lbs.
No.		Inch	Inch	mm	Inch	mm	lbs.
264 93	264 55	1/16	2.0	264 63	1/8	2.4	.27
	264 57	5/64	2.0	264 65	9/64	2.4	
	264 59	3/32	2.0	264 67	5/32	2.4	
	264 61	7/64	2.4				



264 Ball End Hex Metric Screwdriver, With Precision Soft

PicoFinish Handle. Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item	Hex	mm	mm	Inch	mm	Inch	pkg.
No.		mm	mm	Inch	mm	Inch	pkg.
264 41	1.27	40	1.6	134	5.3	10	
264 43	1.5	50	2.0	150	5.9	10	
264 45	2.0	50	2.0	150	5.9	10	
264 47	2.5	60	2.4	160	6.3	10	
264 49	3.0	60	2.4	160	6.3	10	

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item	Hex	Inch	mm	Inch	mm	Inch	pkg.
No.		Inch	mm	Inch	mm	Inch	pkg.
263 41	.028(.71)	40	1.6	134	5.3	10	
263 43	.035(.89)	40	1.6	134	5.3	10	
263 45	.050(1.27)	40	1.6	134	5.3	10	
263 49	5/64(2.0)	50	2.0	150	5.9	10	
263 63	1/16	50	2.0	144	5.7	10	
263 67	3/32	60	2.4	160	6.3	10	
263 69	7/64	60	2.4	160	6.3	10	
263 71	1/8	60	2.4	160	6.3	10	

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

263 92 8 Piece Hex Inch Precision Driver Set

Item	Hex	Inch	Inch	mm	Inch	mm	lbs.
No.		Inch	Inch	mm	Inch	mm	lbs.
263 92	263 41	.028	1.6	263 63	1/16	2.0	.24
	263 43	.035	1.6	263 67	3/32	2.4	
	263 45	.050	1.6	263 69	7/64	2.4	
	263 49	5/64	2.0	263 71	1/8	2.4	



263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item	Hex	mm	mm	Inch	mm	Inch	pkg.
No.		mm	mm	Inch	mm	Inch	pkg.
263 41	.71(.028)	40	1.6	134	5.3	10	
263 43	.89(.035)	40	1.6	134	5.3	10	
263 45	1.27(.050)	40	1.6	134	5.3	10	
263 47	1.5	50	2.0	144	5.7	10	
263 49	2.0(5/64)	50	2.0	150	5.9	10	
263 51	2.5	60	2.4	160	6.3	10	
263 53	3.0	60	2.4	160	6.3	10	

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

263 93 7 Pc. Hex Metric Precision Driver Set

Item	Hex	mm	mm	mm	mm	lbs.
No.		mm	mm	mm	mm	lbs.
263 93	263 41	.71	40	263 49	2.0	50
	263 43	.89	40	263 51	2.5	60
	263 45	1.27	40	263 53	3.0	60
	263 47	1.5	50			

Rotating Cap
for precise
turning and
control

**Precision
Handle**
high quality
plastic,
cadmium
free. ESD
Safe or
Standard
styles

Tapered Handle
allows rapid
rotation,
requires less
clearance

Tips
Exact fit,
precision
machined

Blades
CVM steel, hardened, hard chromed

15mm

Collet Lock Handle
adjustable blade
length from
15 to 95mm/
.6" to 3.75"

95mm



280 00 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
280 00	4.0	.1574	14.0	.55	.04



280 01 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.
Advantages:

- Use in ESD sensitive applications. Surface resistant 10^6 - 10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
280 01	4.0	.1574	14.0	.55	.04



280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
280 33	1.5	120	4.7	.06	1
280 34	2.0	120	4.7	.06	1
280 35	2.5	120	4.7	.06	1
280 36	3.0	120	4.7	.06	1
280 37	4.0	120	4.7	.06	1



280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	Inch	mm	Inch	lbs.	
280 21	.050	120	4.7	.06	
280 23	1/16	120	4.7	.06	
280 24	5/64	120	4.7	.06	
280 25	3/32	120	4.7	.06	
280 26	7/64	120	4.7	.06	
280 27	1/8	120	4.7	.06	
280 28	9/64	120	4.7	.06	
280 29	5/32	120	4.7	.06	



269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
269 13	.71	120	4.7	.06
269 14	.89	120	4.7	.06
269 15	1.27	120	4.7	.06
269 16	1.5	120	4.7	.06
269 17	2.0	120	4.7	.06
269 18	2.5	120	4.7	.06
269 19	3.0	120	4.7	.06
269 20	4.0	120	4.7	.06



269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
269 21	.050	120	4.7	.06
269 23	1/16	120	4.7	.06
269 24	5/64	120	4.7	.06
269 25	3/32	120	4.7	.06
269 26	7/64	120	4.7	.06
269 27	1/8	120	4.7	.06
269 28	9/64	120	4.7	.06
269 29	5/32	120	4.7	.06



Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades



269 99 9 Pc. Hex Metric Precision Blade Set
Set includes the following blades:
Hex Metric: .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
lbs. .36



Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades



269 89 9 Pc. Hex Inch Precision Blade Set
Set includes the following blades:
Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
lbs. .35

269 00 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
269 00	4.0	.1574	14.0	.55	.04



269 01 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.
• Allows adjustable blade from 15 to 95mm.
• Collet lock allows for quick & easy adjustment.
• Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
269 01	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade
Wiha vapor Chrome-Top finish on tips. One side hex, other side ball end hex.

Item					
No.	mm	mm	mm	Inch	lbs.
269 32	1.27 + 1.27	120	4.7	.05	
269 33	1.5 + 1.5	120	4.7	.05	
269 34	2.0 + 2.0	120	4.7	.06	
269 35	2.5 + 2.5	120	4.7	.06	
269 36	3.0 + 3.0	120	4.7	.06	
269 37	4.0 + 4.0	120	4.7	.06	



Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits

Tips

Exact fit,
precision
machined

Rotating Cap

for precise
turning and
control

Tapered Handle

allows rapid rotation,
requires less clearance

Bits CVM steel,
hardened

Use bits directly in handle or with 4" bit extension



758 00 SYSTEM 4 Standard Precision Bit

Handle with rotating control cap. Precision handle, tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
758 00	4.0	.1574	14.0	.55	.06	



758 01 SYSTEM 4 ESD Safe Dissipative

Precision Bit Handle with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications
Surface resistant 10^6 - 10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
758 01	4.0	.1574	14.0	.55	.06	



759 01 Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits Shaft CVM steel, hardened. Magnetic bit holder.

Item	No.	Size	mm	mm	lbs.
759 01	4.0	105	4.0	.04	



753 SYSTEM 4 Hex Metric Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item	No.	mm	mm	Inch	lbs.
753 07	.71	28	1.1	.01	
753 09	.89	28	1.1	.01	
753 13	1.27	28	1.1	.01	
753 15	1.5	28	1.1	.01	
753 20	2.0	28	1.1	.01	
753 25	2.5	28	1.1	.01	
753 30	3.0	28	1.1	.01	
753 40	4.0	28	1.1	.01	



753 SYSTEM 4 Hex Inch Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item	No.	Inch	mm	Inch	lbs.
753 07	.028	28	1.1	.01	
753 09	.035	28	1.1	.01	
753 13	.050	28	1.1	.01	
753 50	1/16	28	1.1	.01	
753 52	5/64	28	1.1	.01	
753 54	3/32	28	1.1	.01	
753 56	7/64	28	1.1	.01	
753 58	1/8	28	1.1	.01	
753 60	9/64	28	1.1	.01	
753 40	5/32	28	1.1	.01	



753 SYSTEM 4 Metric Tamper Resistant Hex Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item	No.	mm	mm	Inch	lbs.
753 22	2.0	28	1.1	.01	
753 27	2.5	28	1.1	.01	
753 32	3.0	28	1.1	.01	
753 42	4.0	28	1.1	.01	



753 SYSTEM 4 Tamper Resistant Hex Inch Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item	No.	Inch	mm	Inch	lbs.
753 62	5/64	28	1.1	.01	
753 64	3/32	28	1.1	.01	
753 66	7/64	28	1.1	.01	
753 68	1/8	28	1.1	.01	
753 70	9/64	28	1.1	.01	
753 72	5/32	28	1.1	.01	

Wiha SYS 4 Micro Bits & Compact Bit Sets



18 Pc. Set

753 95 18 Piece SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, In Compact Fold Out Box

Wiha precision handle, bit extension & 16 Wiha interchangeable bits.

Item No. Combination Bit Set

753 95 Set with Standard Precision Handle

Set includes the following bits:

Hex Metric: .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

105mm Bit Extension

lbs. .31

NEW
From Wiha



750 96 16 Piece Precision Micro Bit Hex Inch & Metric Sets

ESD Safe precision handle, Bit Extension and 14 CVM steel Micro Bits.

Set includes the following Micro Bits:

Inch: 0.89/0.35", 1.27/.050", 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. 14



759 00 Extension Blade For SYSTEM 4

Micro Bits Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits.

Item	No.	Size	mm	mm	lbs.
759 00	4.0	105	4.0	.07	

Wiha Cushion Grip Stubby Bit Holder

Stubby 6 in 1 Multi-Bit Driver Sets



Ergo soft grip handles

Stainless steel bit holder

Bits hardened for extreme durability

Just 2.5" over all length



380 56 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

Ball Hex Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

NEW
From Wiha



380 57 Hex Metric SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

Hex Metric Sizes: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

NEW
From Wiha



380 58 Hex Inch SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

Hex Inch Sizes: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

Wiha Torque Ratchet Bit Sets

Smooth, high torque, silent ratchet handle

Pistol Grip Handle ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

Hex Retainer for bit holder blades



No release of handle is needed, change of direction can be made with index finger and thumb. **Allows for** quick adjustment to right, left or fixed turning.

Opens a new generation of easier torque transmission



282 98 12 Piece Hex Inch Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

Hex Inch Sizes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



282 99 10 Piece Hex Metric Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

Hex Metric Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Plastic storage box is compact, durable and light weight

Slide out drawer allows quick bit access and secure storage



Molded hex cavity in box end
Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

792 Sets Bit-Selector Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



792 76 Bit-Selector With Ball End Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

Ball End Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .30



Item #79246

792 46 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

Hex Inch Sizes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .32

792 56 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

Hex Metric Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm lbs. .30



792 66 Bit-Selector With Security Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:

Hex Inch Sizes: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs. .31

Screw Holding



MagicRing



713 99 Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits

Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits: lbs.

No Ball End .46

Hex Metric Sizes: 3.0, 4.0, 5.0, 6.0mm

Hex Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha MagicRing Insert Bits

Screw Holding Hex Bits



713 MagicRing Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
713 04	3.0	25	1	.01
713 07	4.0	25	1	.01
713 10	5.0	25	1	.01
713 11	6.0	25	1	.01

713 MagicRing Inch Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
713 43	1/8	25	1	.01
713 46	9/64	25	1	.01
713 49	5/32	25	1	.01
713 52	3/16	25	1	.01
713 54	7/32	25	1	.01
713 58	1/4	25	1	.01

Wiha MagicRing Power Bits

Screw Holding Hex Bits



743 MagicRing Metric Power Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
743 01	3.0	50	1	.02
743 05	4.0	50	1	.02
743 07	5.0	50	1	.03
743 19	6.0	50	1	.03

743 MagicRing Inch Power Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
743 69	1/8	50	1	.02
743 71	9/64	50	1	.02
743 73	5/32	50	1	.02
743 75	3/16	50	1	.03
743 77	7/32	50	1	.03
743 79	1/4	50	1	.03

Wiha XSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool

Easy bit access
with hinged
cover



XSelector Pocket Sized
3-1/8" x 2-1/8" x 1/2"

Sets include Clicfix quick
release holder

794 Sets XSelector Bit Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.




794 46 XSelector Bit Set With Hex Inch Bits

Set Includes Quick Release Holder  lbs.
and the following 10 bits: .27

- Hex Inch Sizes: 1/16, 5/64, 3/32, 7/64,
1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha Power Bit Belt Packs



749 89 Power Bit Belt Pack With Screw Holding Hex MagicRing Bits

Set includes the following 10 bits: 

- Hex Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.

- Hex Metric Sizes: 3.0, 4.0, 5.0, 6.0mm .34



749 86 Power Bit Belt Pack With Inch & Metric Hex Bits

Set includes the following 10 bits: 

- Hex Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.

- Hex Metric Sizes: 3.0, 4.0, 5.0, 6.0mm .34

Wiha Security Hex Inch & Metric PokitPaks



NEW
From Wiha

719 98 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits

- Hex Inch Security Hex:  lbs.
3/32, 7/64, 1/8, 9/64, 5/32, 3/16" .12



711 95 PokitPak - Security Hex Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits

- Hex Metric Security Hex:  lbs.
2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm .31

Hex Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine
Hardness HRC 59-61

Wiha Hex Inch & Metric Insert Bits



713 Hex Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
713 03	1.5	25	10	.12
713 06	2.0	25	10	.12
713 08	2.5	25	10	.12
713 09	3.0	25	10	.12
713 12	4.0	25	10	.12
713 15	5.0	25	10	.14
713 18	6.0	25	10	.14
713 21	8.0	25	10	.20
713 24	10.0	25	10	.27



713 Hex Inch Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
713 29	.050	25	10	.12
713 26	1/16	25	10	.12
713 28	5/64	25	10	.12
713 30	3/32	25	10	.12
713 33	7/64	25	10	.12
713 36	1/8	25	10	.12
713 39	9/64	25	10	.12
713 42	5/32	25	10	.12
713 45	3/16	25	10	.13
713 48	7/32	25	10	.13
713 51	1/4	25	10	.13
713 53	5/16	25	10	.20
713 56	3/8	25	10	.25



2 bit pack



713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Inch	mm	lbs.
713 59	.050	25	.03
713 60	1/16	25	.03
713 61	5/64	25	.03
713 62	3/32	25	.03
713 63	7/64	25	.03
713 64	1/8	25	.03
713 65	9/64	25	.03
713 66	5/32	25	.04
713 67	3/16	25	.04
713 68	7/32	25	.04
713 69	1/4	25	.04
713 73	5/16	25	.05
713 87	3/8	25	.06

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	mm	mm	lbs.
733 01	1.5	25	.03
733 02	2.0	25	.03
733 03	2.5	25	.03
733 04	3.0	25	.03
733 05	4.0	25	.03
733 06	5.0	25	.03
733 07	6.0	25	.04
733 08	8.0	25	.05
733 09	10.0	25	.06



713 96 Hex Inch Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

713 96 Set includes the following bits:

Hex Inch Sizes:

1/16, 3/32, 1/8, 5/32
wt. .13 3/16, 1/4" x 1" (25mm)

713 97 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

713 97 Set includes the following bits:

Hex Metric Sizes:

wt. .21 2.0, 2.5, 3.0, 4.0, 5.0, 6.0



719 Tamper Resistant Hex In Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
719 30	5/64	25	10	.12
719 32	3/32	25	10	.12
719 34	7/64	25	10	.12
719 36	1/8	25	10	.12
719 38	9/64	25	10	.12
719 40	5/32	25	10	.12
719 55	3/16	25	10	.13
719 56	7/32	25	10	.14
719 60	1/4	25	10	.15



719 Tamper Resistant Hex Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
719 39	2.0	25	10	.12
719 41	2.5	25	10	.12
719 42	3.0	25	10	.12
719 43	4.0	25	10	.12
719 44	5.0	25	10	.15
719 45	6.0	25	10	.15
719 46	8.0	25	10	.20



2 bit pack

719 Tamper Resistant Hex Inch Insert Bit Packs, 1" CVM S2 modified tool steel.

Item No.	Inch	mm	lbs.
719 70	5/64	25	.03
719 71	3/32	25	.03
719 72	7/64	25	.03
719 73	1/8	25	.03
719 74	9/64	25	.03
719 75	5/32	25	.03
719 76	3/16	25	.04
719 77	7/32	25	.04
719 78	1/4	25	.04

719 Tamper Resistant Hex Metric Insert Bit Packs, 1" CVM S2 modified tool steel.

Item No.	mm	mm	lbs.
719 79	2.0	25	.03
719 80	2.5	25	.03
719 81	3.0	25	.03
719 82	4.0	25	.03
719 83	5.0	25	.04
719 84	6.0	25	.04
719 85	8.0	25	.05


743 Hex Inch Power Bits.

1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Inch	mm	pkg.	lbs.
743 11	3/32	50	10	.30
743 12	7/64	50	10	.30
743 13	1/8	50	10	.30
743 14	9/64	50	10	.30
743 15	5/32	50	10	.30
743 16	3/16	50	10	.30
743 17	7/32	50	10	.30
743 18	1/4	50	10	.30


743 Hex Metric Power Bits.

1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	mm	mm	pkg.	lbs.
743 25	2.5	50	10	.25
743 30	3.0	50	10	.25
743 40	4.0	50	10	.25
743 50	5.0	50	10	.25
743 60	6.0	50	10	.25
743 80	8.0	50	10	.38



2 bit pack

743 Hex Inch Power Bit Packs, 2"

Item			
No.	Inch	mm	lbs.
743 81	3/32	50	.07
743 82	7/64	50	.07
743 83	1/8	50	.07
743 84	9/64	50	.07
743 85	5/32	50	.07
743 86	3/16	50	.07
743 87	7/32	50	.07
743 88	1/4	50	.07



2 bit pack

743 Hex Metric Power Bit Packs, 2"

Item			
No.	mm	mm	lbs.
743 61	2.5	50	.07
743 62	3.0	50	.07
743 63	4.0	50	.07
743 64	5.0	50	.07
743 65	6.0	50	.07
743 66	8.0	50	.09


743 Hex Inch Power Bits.

1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	Inch	mm	pkg.	lbs.
743 41	5/64	70	1	.36
743 42	3/32	70	1	.36
743 43	7/64	70	1	.36
743 44	1/8	70	1	.36
743 45	9/64	70	1	.36
743 46	5/32	70	1	.36
743 47	3/16	70	1	.36
743 48	7/32	70	1	.36
743 49	1/4	70	1	.36

743 Hex Metric Power Bits.

1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	mm	mm	pkg.	lbs.
743 51	2.0	70	1	.36
743 52	2.5	70	1	.36
743 53	3.0	70	1	.36
743 54	4.0	70	1	.36
743 55	5.0	70	1	.36
743 56	6.0	70	1	.36
743 57	8.0	70	1	.36

Wiha Ball End Hex Inch Insert Bits

NEW
From Wiha

717 Ball End Hex Inch Insert Bits, 1/4"

Item				
No.	Inch	mm	pkg.	lbs.
717 01	3/32	25	10	.12
717 02	7/64	25	10	.12
717 03	1/8	25	10	.12
717 04	9/64	25	10	.12
717 05	5/32	25	10	.12
717 06	3/16	25	10	.13
717 07	7/32	25	10	.13
717 08	1/4	25	10	.13



2 bit pack

NEW
From Wiha

717 Ball End Hex Inch Insert Bit Packs, 1"

Item			
No.	Inch	mm	lbs.
717 11	3/32	25	.03
717 12	7/64	25	.03
717 13	1/8	25	.03
717 14	9/64	25	.03
717 15	5/32	25	.04
717 16	3/16	25	.04
717 17	7/32	25	.04
717 18	1/4	25	.04

Ball End Hex Metric Power Bits


2 pc. bit pack!

NEW
From Wiha

717 Ball End Hex Metric Power Bits.

1/4" Hex Drive, Length 1.5"/38mm

Item			
No.	mm	mm	pkg.
717 19	1.5	38	1
717 20	2.0	38	1
717 21	2.5	38	1
717 22	3.0	38	1
717 23	4.0	38	1
717 24	5.0	38	1
717 25	6.0	38	1

Wiha Bit Holders

Quick Release


714 ClicFix Bit Holder, Magnetic For Insert Bits

Item				
No.	Size	Size	mm	Inch
714 90	1/4"	1/4"	60	2.4
714 91	1/4"	1/4"	75	2.9

Quick Release


714 CentroFix Bit Holder For Power Bits

Item				
No.	Size	Size	mm	Inch
714 80	1/4"	1/4"	60	2.3

Wiha Impact Bit Holding Sockets

720 Impact Bit Holding Socket With Retaining Ring For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
720 01	1/4	25	1/4"	.05
720 02	1/4	30	3/8"	.10
720 03	1/4	35	1/2"	.21

720 90 3 Piece Bit Holding Socket Set

for use with 1/4" Insert bits

Drive:		lbs.
1/4", 3/8", 1/2"		.40



Wiha Sockets



713 Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	No.	Inch	mm	lbs.
	713 71	1/16	38	.05
	713 70	5/64	38	.05
	713 72	3/32	38	.05
	713 74	7/64	38	.05
	713 76	1/8	38	.05
	713 78	9/64	38	.05
	713 80	5/32	38	.05
	713 82	3/16	38	.05
	713 84	7/32	38	.05
	713 86	1/4	38	.05



713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item	No.	Inch	mm	lbs.
	713 75	1/8	42	.09
	713 77	9/64	42	.09
	713 79	5/32	42	.09
	713 81	3/16	42	.09
	713 83	7/32	42	.09
	713 85	1/4	42	.09
	713 88	5/16	42	.10
	713 90	3/8	42	.10



713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	No.	mm	mm	lbs.
	713 01	1.5	38	.04
	713 02	2.0	38	.04
	713 05	2.5	38	.04
	713 13	3.0	38	.04
	713 14	4.0	38	.04
	713 17	5.0	38	.05
	713 19	6.0	38	.05
	713 27	8.0	38	.05
	713 40	10.0	38	.05



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	No.	mm	mm	lbs.
	713 00	2.0	42	.09
	713 16	2.5	42	.09
	713 41	3.0	42	.09
	713 31	4.0	42	.09
	713 23	5.0	42	.09
	713 25	6.0	42	.09
	713 20	8.0	42	.10
	713 22	10.0	42	.11



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item	No.	mm	mm	lbs.
	713 32	12.0	75	.22



Replaceable bit

761 Security Hex Inch Sockets

3/8" Square drive socket. 1/4" bits CVM steel.

Item	No.	Inch	mm	lbs.
	761 64	5/64	42	.09
	761 65	3/32	42	.09
	761 66	7/64	42	.09
	761 67	1/8	42	.09
	761 68	9/64	42	.09
	761 69	5/32	42	.09
	761 70	3/16	42	.09
	761 71	7/32	42	.09
	761 72	1/4	42	.09



717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	No.	Inch	mm	lbs.
	717 61	3/32	38	.09
	717 62	7/64	38	.09
	717 63	1/8	38	.09
	717 64	9/64	38	.09
	717 65	5/32	38	.09
	717 66	3/16	38	.09
	717 67	7/32	38	.09
	717 68	1/4	38	.09



717 Ball End Hex Metric Sockets

1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item	No.	mm	mm	lbs.
	717 71	1.5	51	.11
	717 72	2.0	51	.11
	717 73	2.5	51	.11
	717 74	3.0	51	.11
	717 75	4.0	51	.11
	717 76	5.0	51	.12
	717 77	6.0	51	.12

Long Blade Sockets & Sets



771 Hex Inch Sockets 1/4" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	771 28	3/32	6	.12
	771 30	7/64	6	.12
	771 32	1/8	6	.12
	771 34	9/64	6	.12
	771 36	5/32	6	.12
	771 38	3/16	6	.12
	771 39	7/32	6	.12
	771 41	1/4	6	.12

771 91 8 Piece Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" wt. .97



771 Hex Inch Sockets 3/8" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	771 65	3/32	6	.18
	771 67	7/64	6	.18
	771 69	1/8	6	.18
	771 71	9/64	6	.18
	771 73	5/32	6	.18
	771 75	3/16	6	.18
	771 77	7/32	6	.18
	771 79	1/4	6	.18



771 Hex Metric Sockets 1/4" Drive 6" Long Bit Socket

Item	No.	Size	Inch	lbs.
	771 40	2.5	6	.13
	771 42	3.0	6	.13
	771 44	4.0	6	.13
	771 46	5.0	6	.13
	771 48	6.0	6	.13

771 92 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm
lbs. .70



771 98 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"


Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25,

T27, T30, T40

lbs. 2.82

Wiha Socket Sets On Molded Rails



713 91 10 Piece Hex Inch Socket Set

1/4" Square drive replaceable bit socket.


Bits CVM tool steel. OAL 1.5"

Item No. 

713 91 lbs. Set includes the following:

.48 1/16, 5/64, 3/32, 7/64, 1/8
9/64, 5/32, 3/16, 7/32, 1/4"

NEW
From Wiha



717 98 8 Piece Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

1/4" Bits CVM tool steel. OAL

Item No. 

717 98 lbs. Set includes the following:

.72 3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"

NEW
From Wiha



713 98 7 Piece Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

1/4" Bits CVM tool steel. OAL

Item No. 

713 98 lbs. Set includes the following:

.48 3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

NEW
From Wiha



717 97 7 Piece Ball End Hex Metric Socket Set

1/4" Square Drive Replaceable Bit Socket.

1/4" Bits Chrome-vanadium-molybdenum tool steel.

Item No. 

717 97 lbs. Set includes the following:

.72 Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



713 92 8 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. 

713 92 lbs. Set includes the following:

.78 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



713 93 5 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits Chrome-vanadium-molybdenum tool steel.

Item No. 

713 93 lbs. Set includes the following:

.54 Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"



713 94 5 Piece Hex Metric Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

713 94 lbs. Set includes the following:

.56 Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm




719 96 9 Piece Hex Metric Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. 

719 96 lbs. Set includes the following:

.66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
3/8": 5.0, 6.0, 8.0, 10.0mm



719 99 9 Piece Tamper Resistant Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

719 99 lbs. Set includes the following:

.86 Tamper Resistant Hex Inch: 5/64, 3/32, 7/64,
1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



Premium Tools

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
13653	21	26461	28	28116	22	28940	24	33477	10	35211	16	35308	19
13654	21	26463	28	28117	22	31805	21	33480	10	35212	16	35309	19
13655	21	26465	28	28118	22	31807	21	33481	20	35213	17	35310	19
13656	21	26467	28	28119	22	31809	21	33482	20	35214	16	35311	19
13657	21	26490	27	28120	22	31811	21	33483	20	35215	17	35312	19
13658	21	26491	27	28122	22	31813	21	33484	10	35216	17	35313	19
13659	21	26493	28	28123	22	31815	21	33485	20	35217	16	35314	19
13662	21	26499	27	28124	22	31817	21	33486	20	35218	17	35316	19
13663	21	26900	29	28149	22	31890	21	33487	20	35219	16	35317	19
13664	21	26901	29	28150	22	33401	10	33488	10	35220	17	35318	19
13665	21	26913	29	28151	22	33402	10	33489	9	35221	16	35319	19
13666	21	26914	29	28192	22	33403	10	33490	20	35222	17	35320	19
13667	21	26915	29	28298	31	33404	10	33491	20	35223	16	35321	19
13668	21	26916	29	28299	31	33405	10	33492	10	35224	17	35330	19
13669	21	26917	29	28486	22	33406	10	33493	10	35225	17	35331	19
13690	21	26918	29	28487	22	33407	10	33494	9	35226	17	35332	19
13691	21	26919	29	28488	22	33408	10	33496	9	35227	16	35333	19
26307	26	26920	29	28501	23	33409	10	33498	9	35228	17	35334	19
26309	26	26921	29	28502	23	33410	10	33499	9	35230	17	35335	19
26313	26	26923	29	28503	23	33411	10	35104	18	35231	16	35336	19
26315	26	26924	29	28504	23	33412	10	35108	18	35232	17	35337	19
26316	26	26925	29	28505	23	33413	10	35112	18	35233	16	35338	19
26320	26	26926	29	28506	23	33414	10	35116	18	35234	17	35339	19
26323	26	26927	29	28507	23	33415	10	35120	18	35235	16	35340	19
26325	26	26928	29	28508	23	33416	10	35124	18	35236	17	35341	19
26327	26	26929	29	28509	23	33417	10	35128	18	35237	16	35342	19
26330	26	26932	29	28511	23	33418	9	35132	18	35238	17	35343	19
26331	26	26933	29	28513	23	33419	10	35136	18	35239	16	35345	19
26333	26	26934	29	28515	23	33420	9	35140	18	35240	17	35346	19
26336	26	26935	29	28517	23	33421	10	35143	18	35241	16	35347	19
26340	26	26936	29	28518	23	33422	9	35144	18	35242	17	35348	19
26341	28	26937	29	28519	23	33423	10	35145	18	35243	16	35390	19
26343	28	26989	29	28521	23	33424	9	35146	18	35244	17	35391	19
26345	28	26999	29	28523	23	33425	10	35147	18	35245	17	35392	19
26347	28	27505	25	28525	23	33426	9	35150	18	35246	17	35393	19
26349	28	27507	25	28545	23	33427	10	35152	18	35247	17	36710	11
26351	28	27509	25	28546	23	33428	9	35153	18	35248	17	36713	11
26353	28	27510	25	28547	23	33429	10	35155	18	35249	17	36715	12
26363	28	27513	25	28548	23	33430	9	35156	18	35250	17	36716	11
26367	28	27515	25	28549	23	33432	9	35159	18	35251	16	36719	11
26369	28	27520	25	28550	23	33433	9	35162	18	35252	16	36720	12
26371	28	27525	25	28551	23	33434	10	35165	18	35253	16	36723	11
26390	26	27530	25	28552	23	33435	10	35168	18	35254	16	36725	12
26391	26	27535	25	28553	23	33436	10	35171	18	35255	16	36726	11
26392	28	27537	25	28554	23	33437	10	35174	18	35256	16	36728	11
26393	28	27539	25	28555	23	33438	10	35175	18	35257	16	36730	12
26399	26	27541	25	28556	23	33439	9	35176	18	35258	16	36732	11
26413	27	27543	25	28557	23	33440	9	35177	18	35259	16	36734	11
26415	27	27545	25	28558	23	33441	20	35178	18	35260	17	36736	11
26416	27	27547	25	28559	23	33442	9	35179	18	35261	16	36738	11
26419	27	27549	25	28560	23	33443	20	35180	18	35270	17	36740	12
26420	27	27590	25	28587	23	33444	9	35191	18	35280	17	36742	11
26423	27	27591	25	28588	23	33445	20	35192	18	35282	17	36744	11
26425	27	28000	29	28916	24	33446	9	35193	18	35284	17	36750	12
26427	27	28001	29	28917	24	33447	20	35194	18	35285	17	36760	12
26430	27	28021	29	28918	24	33448	9	35195	15	35286	17	36780	12
26431	27	28023	29	28919	24	33450	9	35196	15	35288	17	36786	12
26436	27	28024	29	28920	24	33452	9	35197	15	35290	17	36790	12
26439	27	28025	29	28921	24	33453	10	35198	15	35291	17	36791	11
26440	27	28026	29	28922	24	33454	9	35200	17	35295	16	36792	12
26441	28	28027	29	28923	24	33456	10	35201	16	35297	16	36793	11
26443	28	28028	29	28924	24	33458	9	35202	16	35301	19	36794	11
26445	28	28029	29	28931	24	33459	10	35203	17	35302	19	36904	5
26447	28	28033	29	28933	24	33462	10	35204	16	35303	19	36908	5
26449	28	28034	29	28935	24	33465	10	35205	17	35304	19	36912	5
26455	28	28035	29	28937	24	33468	10	35206	16	35305	19	36916	5
26457	28	28036	29	28938	24	33471	10	35208	16	35306	19	36920	5
26459	28	28037	29	28939	24	33474	10	35210	16	35307	19	36924	5

Premium Tools

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
36928	5	54001	8	66993	6	71372	36	71797	37	74344	35	76164	36
36936	5	54002	8	66994	6	71373	34	71798	37	74345	35	76165	36
36940	6	54003	8	66995	6	71374	36	71930	34	74346	35	76166	36
36941	6	54004	8	66997	15	71375	36	71932	34	74347	35	76167	36
36942	6	54005	8	71195	33	71376	36	71934	34	74348	35	76168	36
36943	6	54006	8	71300	36	71377	36	71936	34	74349	35	76169	36
36944	5	54007	8	71301	36	71378	36	71938	34	74350	35	76170	36
36945	5	54008	8	71302	36	71379	36	71939	34	74351	35	76171	36
36946	5	54009	8	71303	34	71380	36	71940	34	74352	35	76172	36
36947	5	54010	8	71304	32	71381	36	71941	34	74353	35	77128	36
36948	6	54012	7	71305	36	71382	36	71942	34	74354	35	77130	36
36949	6	54014	7	71306	34	71383	36	71943	34	74355	35	77132	36
36950	5	54016	7	71307	32	71384	36	71944	34	74356	35	77134	36
36951	5	54018	7	71308	34	71385	36	71945	34	74357	35	77136	36
36952	5	54020	8	71309	34	71386	36	71946	34	74360	35	77138	36
36953	5	54022	7	71310	32	71387	34	71955	34	74361	35	77139	36
36954	6	54024	7	71311	32	71388	36	71956	34	74362	35	77140	36
36955	5	54025	8	71312	34	71390	36	71960	34	74363	35	77141	36
36956	5	54030	8	71313	36	71391	37	71970	35	74364	35	77142	36
36957	6	54040	7	71314	36	71392	37	71971	35	74365	35	77144	36
36958	6	54042	8	71315	34	71393	37	71972	35	74366	35	77146	36
36959	5	54050	7	71316	36	71394	37	71973	35	74369	32	77148	36
36960	6	54052	8	71317	36	71396	34	71974	35	74371	32	77165	36
36961	6	54060	7	71318	34	71397	34	71975	35	74373	32	77167	36
36962	5	54062	8	71319	36	71398	37	71976	35	74375	32	77169	36
36963	6	54080	7	71320	36	71399	32	71977	35	74377	32	77171	36
36965	5	54082	8	71321	34	71480	35	71978	35	74379	32	77173	36
36968	5	54086	7	71322	36	71490	35	71979	35	74380	35	77175	36
36971	5	54088	8	71323	36	71491	35	71980	35	74381	35	77177	36
36989	19	54090	7	71324	34	71701	35	71981	35	74382	35	77179	36
36990	5	54091	7	71325	36	71702	35	71982	35	74383	35	77191	36
36991	5	54092	8	71326	34	71703	35	71983	35	74384	35	77192	36
36992	5	54094	8	71327	36	71704	35	71984	35	74385	35	77198	36
36993	5	54095	8	71328	34	71705	35	71985	35	74386	35	79246	32
36995	5	54097	8	71329	34	71706	35	71996	37	74387	35	79256	32
36996	15	62994	27	71330	34	71707	35	71998	33	74388	35	79266	32
36997	15	62995	27	71331	36	71708	35	71999	37	74986	33	79276	32
36998	6	66904	4	71332	36	71711	35	72001	35	74989	33	79446	33
38056	31	66908	4	71333	34	71712	35	72002	35	75096	30	91118	26
38057	31	66912	4	71336	34	71713	35	72003	35	75307	30		
38058	31	66916	4	71339	34	71714	35	72090	35	75309	30		
46702	13	66918	6	71340	36	71715	35	73301	34	75313	30		
46704	13	66920	4	71341	36	71716	35	73302	34	75315	30		
46706	13	66922	6	71342	34	71717	35	73303	34	75320	30		
46708	13	66924	4	71343	32	71718	35	73304	34	75322	30		
46710	13	66926	6	71345	32	71719	35	73305	34	75325	30		
46712	13	66928	4	71346	32	71720	35	73306	34	75327	30		
46714	13	66930	6	71348	34	71721	35	73307	34	75330	30		
36715	14	66936	4	71349	32	71722	35	73308	34	75332	30		
46716	13	66937	6	71351	34	71723	35	73309	34	75340	30		
46718	13	66938	6	71352	32	71724	35	74301	32	75342	30		
46720	14	66944	4	71353	34	71725	35	74305	32	75350	30		
46722	13	66945	4	71354	32	71761	36	74307	35	75352	30		
46724	13	66946	4	71356	34	71762	36	74311	35	75354	30		
46725	14	66947	4	71358	32	71763	36	74312	35	75356	30		
46726	13	66950	4	71359	34	71764	36	74313	35	75358	30		
46728	13	66952	4	71360	34	71765	36	74314	35	75360	30		
46730	14	66953	4	71361	34	71766	36	74315	35	75362	30		
46740	14	66955	4	71362	34	71767	36	74316	35	75364	30		
46750	14	66956	4	71363	34	71768	36	74317	35	75366	30		
46760	14	66959	4	71364	34	71771	36	74318	35	75368	30		
46780	14	66962	4	71365	34	71772	36	74319	32	75370	30		
46786	14	66965	4	71366	34	71773	36	74325	35	75372	30		
46793	13	66968	4	71367	34	71774	36	74330	35	75395	30		
46794	13	66971	4	71368	34	71775	36	74340	35	75800	30		
46796	14	66990	4	71369	34	71776	36	74341	35	75801	30		
46797	13	66991	4	71370	36	71777	36	74342	35	75900	30		
46799	14	66992	4	71371	36	71797	37	74343	35	75901	30		



(800) 494-6104
 fax: (800) 494-7456
 email: cservice@wihatools.com



Wiha Quality Tools

1348 Dundas Circle
 Monticello, MN 55362
 tel: 763.295.6591
 fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
 Brampton, ONT L6T 4X4
 tel: 763.295.6591
 fax: 763.295.6598

To:

Catalog Item No. 99934.wo
 version - 11/1/10

Subject to change
 without notice

©2010 Willi Hahn
 Corporation

Coming soon...



Product Guide

Coming soon...



Shop Tools Catalog

Coming soon...



Tech Tools Catalog



99002.wo - Screwdrivers Catalog



99951.wo - Bits Catalog



99001.wo - TorqueControl Catalog



99914.wo - TORX Catalog



99919.wo - Insulated Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog