



Complete Bits Program



TorqueControl Insert & Micro Bit Sets

	DESCRIPTION	Page
	TorqueControl Bit Sets	4


ESD Safe Micro Bit Handles/Bits & Sets

	DESCRIPTION	Page
	Micro Bits	5-7
	ESD Safe Micro Bit Sets	8

ESD 1/4" Quick Release Bit Holder Blade Set

	DESCRIPTION	Page
	1/4" Quick Release	9



Insert & Power Bit Sets

	DESCRIPTION	Page
	Stubby Bit Holder Sets	10
	BitFlip Sets	11
	Topra Ratchet Bit Sets	12
	XSelector/XLSelector Sets	13
	6-in-1 Multi-Bit Sets	14
	Insert Bit Selectors	15-16
	Power Bit Belt Packs	18
	PokitPak Sets	16,20
	Security Bits Collector	17


Cutting Tools

	DESCRIPTION	Page
	Counter Sink	20
	Drill Bit	20



High Performance Bits

	DESCRIPTION	Page
	Slotted Dura Insert Bits Tungsten Carbide Coated	19
	Phillips Dura Bits Insert/Power Bits - Tungsten Carbide Coated	19
	Pozidriv® Dura Bits Insert/Power Bits - Tungsten Carbide Coated	19
	Torx® Dura Insert Bits Tungsten Carbide Coated	19
	Slotted Diamond Bits	19
	Phillips Diamond Bits Insert/Power Bits	19
	Pozidriv® Diamond Bits	19
	Torx® Diamond Bits	19
	Phillips TiN Coated Insert/Power Bits - Titanium	20
	Torx® TiN Coated - Titanium	20


Standard Bits

	DESCRIPTION	Page
	Slotted Insert/Power Bits	21
	Phillips Insert/Power Bits	22
	Torx® Insert/Power Bits	24-27
	Hex Metric & Inch Insert/Power Bits	28-29
	Pozidriv® Insert/Power Bits	31
	Square Insert/Power Bits	30
	Nut Setters	34-35



Specialty Bits

DESCRIPTION	Page
 Xeno Phillips Terminal Block	23
 Ball End Torx®	27
 Torx® Align Bits	25
 Insert/Power Bits	
 Tamper Resistant Torx®	26
 Insert/Power Bits	
 Tamper Resistant Hex	29
 Spanner	31
 Tri-wing	30
 Insert/Power Bits	
 Torq Set	31
 Insert/Power Bits	
 TorxPlus®	27
 Insert/Power Bits	
 Micro Bits - 4mm	5-6
Slotted/Phillips/Hex/Torx®	


Bit Holders

DESCRIPTION	Page
 ESD Safe Bit Holders	9
 SoftFinish® Cushion Grip	32
 MicroFinish Non-Slip Grip	32
 3K Ergo Bit Holder	32
 T-handle	32
 SoftGrip Stubby Bit Holder	32
 Flexible Shaft Bit Holder	32
 Drive-Loc VI Bit Holder	32
 Insulated Bit Holder	33
SoftFinish® Cushion Grip	
Proturn Precision	32
Multi-Bit Holders	33

Bit Holders

DESCRIPTION	Page
 ClicFix Quick Release Insert Bits	27,33
 CentroFix Quick Release	27,33
All 1/4" Drive Tools	
 Proturn Quick Release	33
1/4" Drive	
 Stainless Steel Bit Holder	33
 Magnetic Bit Holders &	34
Retaining Ring Bit Holder	
 Auto Lock Insert Bit Holder	34
 Micro Bit Power Tool Adapter	6

Bit Sockets

DESCRIPTION	Page
 Torx® 1/4" Drive	36
 Torx® 3/8" Drive	36
 Torx® 3/8" - 5/16" Bits	36
 Tamper Resistant Torx® 3/8"	36
 Slotted Bit Sockets 1/2" Drive	37
 Phillips Bit Socket 1/2" Drive	37
 Hex Bit Sockets 1/4" Drive	37
 Hex Bit Sockets 3/8" Drive	37
 Ball End Hex Sockets	37
 Socket Adapters	38
 Impact Bit Holding Sockets	38
 6" Bit Sockets 1/4" & 3/8" Drive	38
Socket Sets	39-40


Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box

 With Certificate
 of Calibration

 With Certificate
 of Calibration

285 90 24 Piece TorqueVario-S Micro-Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		
285 90	Slotted: 1.5, 2.0, 3.0, 4.0mm Phillips: #00, #0, #1	lbs.
	TORX® : T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	
	28504 - Handle Range 7.5 - 20 Inch lbs.	

285 93 24 Piece TorqueVario-S Micro-Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		
285 93	Slotted: 1.5, 2.0, 3.0, 4.0mm Phillips: #00, #0, #1	lbs.
	TORX® : T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	
	28501 - Handle Range 15-80 Inch/oz (+/- 10%)	


53 Piece Set

 With Certificate
 of Calibration

59 Piece Set

 With Certificate
 of Calibration

285 95 53 Piece TorqueVario-S Bit Set, In Storage Box

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

Item No.		
285 95	Slotted: 4.5, 5.5, 6.5, 8.0mm	lbs.
	Phillips: #0, #1, #2, #3	2.85
	TORX® : T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	
	Pozidriv: #0, #1, #2, #3	
	Torq Set: #4, #5, #6, #8	
	Square: #1, #2, #3	
	Triwing: #0, #1, #2, #3, #4	
	28506 - Handle Range 10 - 50 Inch lbs.	
	28581 - 1/4" Bit Holder	

285 89 59 Piece TorqueVario-S Bit Set, In Storage Box

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

Item No.		
285 89	Slotted: 4.5, 5.5, 6.5mm	lbs.
	Phillips: #0, #1, #2	2.58
	TORX® : T5, T6, T7, T8, T9, T10, T15, T20, T25, T30	
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	
	Pozidriv: #1, #2	
	Square: #1, #2, #3	
	Inch Sockets: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"	
	Metric Sockets: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm	
	3 Handles: 15-80 Inch/oz., 5-10 & 10-50 Inch lbs.	
	1/4" Bit Holder & 1/4" Hex to 1/4" Square adapter	

Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits

Tips
Exact fit,
precision
machined

Rotating Cap
for precise
turning and
control

Tapered Handle
allows rapid rotation,
requires less clearance

Bits CVM steel,
hardened

Use bits directly in handle or with 4" bit extension



750 SYSTEM 4 Slotted Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item			
No.	mm	mm	Inch lbs.
750 08	0.8	28	1.1 .01
750 12	1.2	28	1.1 .01
750 15	1.5	28	1.1 .01
750 18	1.8	28	1.1 .01
750 20	2.0	28	1.1 .01
750 25	2.5	28	1.1 .01
750 30	3.0	28	1.1 .01
750 35	3.5	28	1.1 .01
750 40	4.0	28	1.1 .01



751 SYSTEM 4 Phillips Bits

High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item			
No.	Size	mm	Inch lbs.
751 05	000	28	1.1 .01
751 10	00	28	1.1 .01
751 15	0	28	1.1 .01
751 20	1	28	1.1 .01



753 SYSTEM 4 Hex Metric Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item			
No.	mm	mm	Inch lbs.
753 07	.71	28	1.1 .01
753 09	.89	28	1.1 .01
753 13	1.27	28	1.1 .01
753 15	1.5	28	1.1 .01
753 20	2.0	28	1.1 .01
753 25	2.5	28	1.1 .01
753 30	3.0	28	1.1 .01
753 40	4.0	28	1.1 .01



753 SYSTEM 4 Hex Inch Bits

High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item			
No.	Inch	mm	Inch lbs.
753 07	.028	28	1.1 .01
753 09	.035	28	1.1 .01
753 13	.050	28	1.1 .01
753 50	1/16	28	1.1 .01
753 52	5/64	28	1.1 .01
753 54	3/32	28	1.1 .01
753 56	7/64	28	1.1 .01
753 58	1/8	28	1.1 .01
753 60	9/64	28	1.1 .01
753 40	5/32	28	1.1 .01



758 00 SYSTEM 4 Standard Precision Bit Handle

Rotating control cap for precise turning and control. Wiha Precision handle, tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
758 00	4.0	.1574	14.0	.55	.06



758 01 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant.

Advantages:

- For working in ESD sensitive applications
Surface resistant 10^6 - 10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
758 01	4.0	.1574	14.0	.55	.06

Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 TORX® Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
757 03	T3	28	1.1	.01
757 04	T4	28	1.1	.01
757 05	T5	28	1.1	.01
757 06	T6	28	1.1	.01
757 07	T7	28	1.1	.01
757 08	T8	28	1.1	.01
757 09	T9	28	1.1	.01
757 10	T10	28	1.1	.01
757 15	T15	28	1.1	.01
757 20	T20	28	1.1	.01



757 SYSTEM 4 TORX® Tamper Resistant Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
757 27	T7s	28	1.1	.01
757 28	T8s	28	1.1	.01
757 29	T9s	28	1.1	.01
757 35	T10s	28	1.1	.01
757 39	T15s	28	1.1	.01
757 42	T20s	28	1.1	.01



753 SYSTEM 4 Metric Tamper Resistant Hex Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
753 22	2.0	28	1.1	.01
753 27	2.5	28	1.1	.01
753 32	3.0	28	1.1	.01
753 42	4.0	28	1.1	.01



753 SYSTEM 4 Tamper Resistant Hex Inch Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
753 62	5/64	28	1.1	.01
753 64	3/32	28	1.1	.01
753 66	7/64	28	1.1	.01
753 68	1/8	28	1.1	.01
753 70	9/64	28	1.1	.01
753 72	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter



759 02 Micro Bit 1/4" Drive Power Tool Adapter

Shaft CVM steel, hardened, corrosion protected.

For 4mm bits. 2.3" OAL

Item				
No.	Size	mm	mm	lbs.
759 02	4.0	60	4.0	.07

SYSTEM 4 Micro Bit Extension Blades



759 00 Extension blade for SYSTEM 4 Micro Bits

Shaft CVM steel, hardened, corrosion protected.

Ball retainer bit extension for 4 mm bits.

Item				
No.	Size	mm	mm	lbs.
759 00	4.0	100	4.0	.07



759 01 Magnetic Bit extension blade for SYSTEM 4 Micro Bits

Shaft Chrome-vanadium-molybdenum steel, hardened, corrosion protected. Magnetic bit holder.

Item				
No.	Size	mm	mm	lbs.
759 01	4.0	105	4.0	.04

SYSTEM 4 Interchangeable Bit Set

759 90 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Canvas Pouch. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

759 90 Set with ESD Safe Precision Handle

Set includes the following bits:

Slotted Sizes: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips Sizes: 000, 00, 0, 1


TORX® Sizes: T3, T4, T5, T6, T7, T8, T9, T10, T15

Hex Metric Sizes: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

Hex Inch Sizes: .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

105mm Bit Extension

lbs. .65



40 Pc. Set



Wiha SYS 4 Micro Bits & Compact Bit Sets

759 99 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension & 24 interchangeable bits.

Item No. Combination Bit Set

759 99 Set with Standard Precision Handle

Set includes the following bits:

↓  **Slotted:** 1.5, 2.0, 3.0, 4.0mm


 **Phillips:** 000, 00, 0, 1

 **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **105mm Bit Extension**

 **lbs.** .34



26 Pc. Set

757 sets SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs.

In Compact Fold Out Box.

Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item SYSTEM 4 TORX® Bit Set

No. Set with ESD Safe Precision Handle 

757 92 and the following bits:

 **TORX® Sizes:**

T3, T4, T5, T6, T7, T8, T9, T10, T15

 **105mm Bit Extension**

 **lbs.** .26



11 Pc. Set

753 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No. Combination Bit Set

753 95 Set with Standard Precision Handle

Includes the following bits:

 **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **105mm Bit Extension**

 **lbs.** .31



18 Pc. Set

759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/ TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item Handle Options for SYSTEM 4

No. Combination Bit Sets

759 91 Set with Standard Precision Handle

759 92 Set with ESD Safe Precision Handle 

Sets include the following bits:

↓  **Slotted Sizes:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips Sizes:** 000, 00, 0, 1

 **TORX® Sizes:** T3, T4, T5,

T6, T7, T8, T9, T10, T15

 **Hex Inch Sizes:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **105mm Bit Extension**

 **lbs.** .34



27 Pc. Set

759 96 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

759 96 Set with ESD Safe Precision Handle 

Set includes the following bits:

↓  **Slotted Sizes:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

 **Phillips Sizes:** 000, 00, 0, 1

 **TORX® Sizes:** T3, T4, T5,

T6, T7, T8, T9, T10, T15

 **Hex Metric Sizes:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **Hex Inch Sizes:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

 **105mm Bit Extension**

 **lbs.** 1.04



40 Pc. Set



759 94 SYSTEM 4 Slotted/Phillips/Hex Metric/ TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.

Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

759 94 Set with ESD Safe Precision Handle 

Set includes the following bits:

↓  **Slotted Sizes:** 1.5, 2.0, 3.0, 4.0mm

 **Phillips Sizes:** 000, 00, 0, 1

 **TORX® Sizes:**

T3, T4, T5, T6, T7, T8, T9, T10, T15

 **Hex Metric Sizes:**

.71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

 **105mm Bit Extension**

 **lbs.** .26



27 Pc. Set



Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Light weight &
compact

Rotation cap

Handle tapered for
precise control

Bits hardened for
extreme durability

Surface resistance
of handles is
 $10^6 - 10^9$ Ohms

NEW
From Wiha



750 93 SYSTEM 4 Slotted, Phillips, TORX®
Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 93 Set with ESD Safe Precision Handle

Set includes the following bits:

- †  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
-  **Phillips:** 00, 0, 1
-  **TORX®:** T6, T7, T8, T9, T10, T15, T20
-  **105mm Bit Extension**
-  **lbs.** .17



NEW
From Wiha

750 95 SYSTEM 4 Slotted, Phillips, Hex Metric
Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 95 Set with ESD Safe Precision Handle

Set includes the following bits:

- †  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
-  **Phillips:** 00, 0, 1
-  **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **105mm Bit Extension**
-  **lbs.** .17



NEW
From Wiha




750 94 SYSTEM 4 Slotted, Phillips, Hex Inch
Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 94 Set with ESD Safe Precision Handle

Set includes the following bits:

- †  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
-  **Phillips:** 00, 0, 1
-  **Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
-  **105mm Bit Extension**
-  **lbs.** .17



NEW
From Wiha

750 96 SYSTEM 4 Hex Inch & Metric Compact
ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

750 96 Set with ESD Safe Precision Handle

Set includes the following bits:

-  **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **105mm Bit Extension**
-  **lbs.** .17



NEW
From Wiha

Wiha ESD Safe SoftFinish Cushion Grip Bit Holders

NEW
 From Wiha

 Bit holders without
 magnetics

 For working on static
 sensitive components

 Surface resistance
 of handles is
 $10^6 - 10^9$ Ohms

 Dissipative
 material offers
 protection against
 electrostatic
 discharge

NEW
 From Wiha


D



D


NEW
 From Wiha


387 01 ESD Safe Quick Release 1/4" Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173 Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance $10^6 - 10^9$ Ohm.

Item					
No.	Inch	mm	Inch	lbs.	pkg.
387 01	1/4"	57	2.2	.11	1

Item					
No.	Inch	mm	Inch	lbs.	pkg.
281 80	1/4"	57	2.2	.11	1



387 01 ESD Safe Quick Release 1/4" Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173

Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance $10^6 - 10^9$ Ohm.

Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
387 01	1/4"	148	5.8	38	1.5	.18	1


 In Durable
 Pouch

NEW
 From Wiha

 Surface
 resistance
 of handle is
 $10^6 - 10^9$
 Ohms


D

387 90 ESD Safe 1/4" Quick Release Blade Holder Set With Interchangeable 70mm Blades & Quick Release Blade Holder

20 Pc. set includes ESD Safe Quick Release Holder, cushion grip handle. 70mm blades are CVM tool steel, hardened. Also includes a Quick Release blade extension.

Item

No. 387 90

Slotted: 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm **Phillips:** 0, 1, 2
TORX®: T6, T7, T8, T9, T10, T15 **Pozidriv®:** 0, 1, 2



Wiha SoftFinish® Cushion Grip Stubby Bit Holder

Stubby 6 in 1 Multi-Bit Driver Sets

Ergo soft grip handles

Stainless steel bit holder

Bits hardened for extreme durability

Just 2.5" over all length



380 43 SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

↓	Slotted Sizes: 4.5, 6.5	↔
⊕	Phillips Sizes: #1, #2	lbs.
⊕	Pozidriv® Sizes: #1, #2	.20



380 48 SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

↓	Slotted Sizes: 4.5, 6.5	↔
⊕	Phillips Sizes: #1, #2	lbs.
□	Square Sizes: #1, #2	.20



380 45 TORX® SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

⊕	TORX® Sizes: T8, T10, T15, T20, T25, T30	lbs. .20
---	--	----------



380 47 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

⊕	Security TORX® Sizes: T8s, T10s,	lbs.
	T15s, T20s, T25s, T30s	.20



380 56 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

⬢	Ball Hex Sizes: 1/8, 9/64, 5/32,	lbs.
	3/16, 7/32, 1/4"	.21



380 58 Hex Inch SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

⬢	Hex Inch Sizes: 3/16, 5/32, 9/64,	lbs.
	1/8, 7/64, 3/32"	.21



380 57 Hex Metric SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

⬢	Hex Metric Sizes: 2.0, 2.5, 3.0,	lbs.
	4.0, 5.0, 6.0mm	.21

Wiha BitFlip Sets - Insulated & Standard

“8 In 1 Bit Sets”

BitFlip standard SoftFinish® handle, multi-component, cushion grip, easy access & 8 bit storage



Blade CVM tool steel, hardened

BitFlip Insulated

Each insulated tool individually tested to 10,000 volts

BitFlip Insulated



380 16 Slotted/Phillips/Square BitFlip Insulated

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 6.5mm	↔
⊕ Phillips Sizes: 0, 1, 2, 3	lbs.
○ Square Sizes: 1, 2	.45

BitFlip Standard



380 26 Slotted/Phillips/Square BitFlip Standard

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 6.5mm	↔
⊕ Phillips Sizes: 0, 1, 2, 3	lbs.
○ Square Sizes: 1, 2	.44

BitFlip Insulated



380 17 Slotted/Phillips/TORX® BitFlip Insulated

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 6.5mm	↔
⊕ Phillips Sizes: 1, 2	lbs.
⊛ TORX® Sizes: T10, T15, T20, T25	.45

BitFlip Standard



380 27 Slotted/Phillips/TORX® BitFlip Standard

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 6.5mm	↔
⊕ Phillips Sizes: 1, 2	lbs.
⊛ TORX® Sizes: T10, T15, T20, T25	.44

BitFlip Insulated



380 18 Slotted/Phillips BitFlip Insulated

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:

↓ ● Slotted Sizes: 4.5, 5.5, 6.5, 8.0mm	lbs.
⊕ Phillips Sizes: 0, 1, 2, 3	.45

BitFlip Standard



380 28 TORX® BitFlip Standard

with Wiha cushion grip handle and insulated shaft.

Set includes the following 1/4" bits:

⊛ TORX® Sizes: T8, T10, T15, T20, T25, T27, T30, T40	lbs.
	.44

Wiha Torque Ratchet Bit Sets

Smooth, high torque, silent ratchet handle

Pistol Grip Handle ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

Hex Retainer
for bit holder
blades



No release
of handle is needed, change
of direction can be made with
index finger and thumb.
Allows for quick adjustment to
right, left or fixed turning.

**Opens a new generation of easier
torque transmission**



282 00 Topra Handle

Wiha-Topra handle, high quality plastic, impact resistant. Rated to 150in/lbs. Fits all Wiha Drive-Loc VI Blades.


Item						
No.	mm	mm	Inch	mm	Inch	lbs.
282 00	6.0	100	3.94	85	3.35	.48



282 96 Slotted/Phillips/TORX® Topra Ratchet Bit Set, 12 Pc.

Set includes Topra Handle, Magnetic bit holder and the following bits:

	lbs.
↓ Slotted Sizes: 5.5, 6.5, 8.0mm	.69
⊕ Phillips Sizes: 0, 1, 2, 3	
⊛ TORX® Sizes: T10, T15, T20	



282 98 Hex Inch Topra Ratchet Bit Set, 12 Pc.

Set includes Topra Handle, Magnetic bit holder and the following bits:

	lbs.
⬡ Hex Inch Sizes:	.65
1/16, 5/64, 3/32, 7/64, 1/8,	
9/64, 5/32, 3/16, 7/32, 1/4"	



282 99 Hex Metric Topra Ratchet Bit Set, 10 Pc.

Set includes Topra Handle, Magnetic bit holder and the following bits:

	lbs.
⬡ Hex Metric Sizes:	.65
1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	



282 91 57 Piece Topra Ratchet Set

Set includes: Topra Handle & Dynamic Handle 1/4" Bit Holder & 1/4" Hex to 1/4" Square Adapter

2.03	Slotted: 4.5, 5.5, 6.5mm Phillips: 0, 1, 2
	TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30
	Pozidriv®: 1, 2 Square: 1, 2, 3 Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
	Sockets Inch: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"
	Sockets Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm



lbs.

2.03

lbs.

lbs.

lbs.

lbs.

lbs.

Wiha XSelector & XLSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



XSelector Pocket Sized
3 1/8" x 2 1/8" x 1/2"

Easy bit access
with hinged
cover

XLSelector
Pocket Sized
5.3" x 3.1" x .7"



Sets include
Clickfix quick release holder

794 Sets XSelector Bit Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.



794 43 XSelector Bit Set With Slotted, Phillips, and TORX® Bits

Set Includes Quick Release Holder

and the following 10 bits: lbs.

† Slotted Sizes: 5.5, 6.5, 8.0mm .27

⊕ Phillips Sizes: 0, 1, 2, 3

⊗ TORX® Sizes: T10, T15, T20



794 45 XSelector Bit Set With TORX® Bits

Set Includes Quick Release Holder

and the following 10 bits: lbs.

⊗ TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



794 47 XSelector Bit Set With Tamper Resistant TORX® Bits

Set Includes Quick Release Holder

and the following 10 bits: lbs.

⊗ TR TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



794 50 XSelector Bit Set With Security TORXPlus® Bits

Set Includes Quick Release Holder lbs.

and the following 7 bits: .24

⊗ TORXPlus® Sizes: IPR8, IPR10, IPR15, IPR20, IPR25, IPR27, IPR30



794 46 XSelector Bit Set With Hex Inch Bits

Set Includes Quick Release Holder lbs.

and the following 10 bits: .27

⬢ Hex Inch Sizes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha XLSelector 31Piece Bit Sets



794 95 XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits

31 Piece Set Includes: lbs.

Universal Bit Holder-magnetic .29

and the following 30 bits:

† Slotted: 5.5, 6.5, 8.0mm ⊕ Phillips: 0, 1, 2, 3

⊗ TORX®: T6, T7, T8, T9, T10, T15, T20, T25

⬢ Metric Hex: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

⬢ Inch Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



794 90 XLSelector Security Bit Set

31 Piece Set Includes: lbs.

Universal Bit Holder-magnetic .28

and the following 30 bits:

† Slotted: 6.5mm ⊕ Phillips: 1, 2

⊗ Tamper Resistant TORX®: T8s, T10s, T15s, T20s, T25s

⬢ Tamper Resistant Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

⊕ Spanner: 4, 6, 8, 10 ⊕ Torq Set: 6, 8, 10

⬢ Square: 1, 2 ⊕ Pozidriv: 1, 2

⬢ Triwing: 2, 3, 4, 5

Wiha Multi-Bit Screwdrivers

Six Tools in One!

1/4" Magnetic Bit Holder directs magnetism through the bit for powerful screw holding

Cap rotates eliminating palm blisters **Allows one handed** turning & frees other hand for positioning the work piece

Ergonomic Powerhandle for maximum comfort and exceptional torque

Cap snaps on & off, doesn't unscrew while you're using the tool

Chambered Bit Storage

- In the handle
- Turn the transparent selector to the bit you need
- No time wasted fumbling or sorting to find the right bit

380 Sets Multi-Bit Screwdriver Sets with Wiha Powerhandle, cellulose-acetate, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector and 6 bits. 1/4" Bit holder, stainless steel. Shaft chrome-vanadium-molybdenum steel, hardened, chrome-plated. Packaged in clear blister package. Blade Length = 120mm (4.7") Overall Length = 230mm (9")



380 03 TORX® Multi-Bit Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

	TORX® Sizes:	lbs.
	T5, T6, T7, T8, T9, T10	.40

380 04 TORX® Multi-Bit Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

	TORX® Sizes:	lbs.
	T8, T9, T10, T15, T20, T25	.40

380 08 TORX® Multi-Bit Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

	TORX® Sizes:	lbs.
	T10, T15, T20, T25, T30, T40	.36

380 09 Tamper Resistant TORX® Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

	Tamper Resistant TORX® Sizes:	lbs.
	T7s, T8s, T9s, T10s, T15s, T20s	.36

380 10 Tamper Resistant TORX® Screwdriver with Wiha Powerhandle.

Set includes the following 1/4" bits: 

	Tamper Resistant TORX® Sizes:	lbs.
	T10s, T15s, T20s, T25s, T30s, T40s	.41

Wiha ClicFix Quick Release Magnetic Holder



380 06 Slotted/Phillips Multi-Bit Screwdriver with Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits: 

	Slotted Sizes: 5.5, 6.5mm	lbs.
---	----------------------------------	------

	Phillips Sizes: 0, 1, 2, 3	.39
---	-----------------------------------	-----

380 07 Slotted/Phillips/Square Multi-Bit Screwdriver with Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits: 

	Slotted Sizes: 6.5, 8.0mm	lbs.
---	----------------------------------	------

	Phillips Sizes: 1, 2	.41
---	-----------------------------	-----

	Square Sizes: 1, 2	
---	---------------------------	--



380 30 ClicFix Quick Release Magnetic Bit Holder

Blade high alloy chrome-vanadium-molybdenum steel, hardened, chrome-plated. Wiha Powerhandle high quality plastic, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs	pkg.
380 30	1/4"	120	4.7	230	9.0	.27	10



380 33 Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder 7 Pc. Set with Wiha Powerhandle and CVM steel, hardened shaft.

Set includes the following 1/4" bits: 

	Slotted: 6.5, 8.0mm	lbs.
---	----------------------------	------

	Phillips: 0, 1, 2, 3	.43
---	-----------------------------	-----

Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Plastic storage box is compact, durable and light weight

Slide out drawer allows quick bit access and secure storage



Molded hex cavity in box end
Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

792 Sets Bit-Selector Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



792 43 Bit-Selector With Slotted, Phillips and TORX® Bits

Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.

↓ Slotted Sizes: 5.5, 6.5, 8.0mm .31

⊕ Phillips Sizes: 0, 1, 2, 3

⚙ TORX® Sizes: T10, T15, T20

792 48 Bit-Selector With Slotted, Phillips and Square Bits

Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.

↓ Slotted Sizes: 5.5, 6.5, 8.0mm .32

⊕ Phillips Sizes: 0, 1, 2, 3

◻ Square Sizes: 1, 2, 3

710 90 Bit-Selector with Slotted, Phillips & Hex 1/4" Bits

Set includes magnetic 1/4" ClicFix bit holder and the following 9 bits: lbs.

↓ Slotted Sizes: 4.5, 5.5, 6.5 .25

⊕ Phillips Sizes: 1, 2, 3

⬡ Hex Sizes: 1/8, 5/32, 3/16



792 42 Bit-Selector With TORX® Bits

Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.

⚙ TORX® Sizes: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30

792 45 Bit-Selector With TORX® Bits

Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.

⚙ TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

792 47 Bit-Selector With Tamper Resistant TORX® Bits

Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.

⚙ Tamper Resistant TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

701 90 Bit-Selector With Tamper Resistant TORX® Bits

Set includes the following 7 bits: lbs.

⚙ Tamper Resistant TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s .21



792 46 Bit-Selector With Hex Inch Bits

Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.

⬡ Hex Inch Sizes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

792 56 Bit-Selector With Hex Metric Bits

Set includes magnetic 1/4" bit holder and the following 8 bits: lbs.

⬡ Hex Metric Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



792 66 Bit-Selector With Tamper Resistant Hex Inch Bits

Set includes magnetic 1/4" bit holder and the following 9 bits: lbs.

⬡ Hex Inch Sizes: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha Insert Bit Selectors



- 716 90** Bit-Selector With **TORXPlus®** Bits
Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
TORXPlus® Sizes: .31
 IP7, IP8, IP9, IP10, IP15, IP20, IP25
 IP27, IP30, IP40

- 716 92** Bit-Selector With **TORXPlus®** Bits
Set includes magnetic 1/4" bit holder and the following 10 bits: lbs.
TORXPlus® Sizes: .31
 IP3, IP4, IP5, IP6, IP7, IP8, IP9,
 IP10, IP15, IP20



Bits
Tungsten
Carbide
Coated

- 710 94** Bit-Selector With Dura Insert 1/4" Bits
Set Includes Magnetic 1/4" Bit Holder lbs.
 & The Following 10 Bits: .29
 † Slotted Sizes: 5.5, 6.5, 8.0mm
 + Phillips Sizes: 1, 2, 3
 * **TORX®** Sizes: T10, T15, T20, T25



- 713 99** Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits
Set Includes Magnetic 1/4" Bit Holder lbs.
 & The Following 10 Bits: .46
 No Ball End
 ● Hex Metric Sizes: 3.0, 4.0, 5.0, 6.0mm
 ● Hex Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"




- 792 76** Bit-Selector With Ball End Hex Inch Bits
Set includes magnetic 1/4" bit holder lbs.
 and the following 8 bits: .30
 ● Ball End Hex Inch: 3/32, 7/64, 1/8,
 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha Insert PokitPaks



NEW
From Wiha

- 711 95** PokitPak - **TORX®** Insert Bits In Molded Case -
Set includes 6 - 1/4" Insert Bits & Magnetic Bit Holder
 * **TORX®**: lbs.
 T8, T10, T15, T20, T25, T30 .15



- 711 98** PokitPak - Slotted & Phillips Insert Bits In Molded Case -
Set Includes 6 - 1/4" Insert Bits & Magnetic Bit Holder
 † Slotted: 4.5, 6.5mm lbs.
 + Phillips: 0, 1, 2, 3 .15



- 715 96** PokitPak - **TORX®** Dura Insert Bits In Molded Case -
Set Includes 6 - 1/4" Insert Bits lbs.
 * T10, T15, T20, T25, T30, T40 .36



NEW
From Wiha

- 719 98** PokitPak - Security Hex Inch Insert Bits In Molded Case -
Set includes 6 - 1/4" Insert Bits
 ● Inch Security Hex: lbs.
 3/32, 7/64, 1/8, 9/64, 5/32, 3/16" .12



- 719 95** PokitPak - Security Hex Metric Insert Bits In Molded Case
Set Includes 6 - 1/4" Insert Bits lbs.
 ● Metric: 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm .31

Wiha Security Bits Collector



719 90 Bits Collector with Security Bits, Tamper Resistant **TORX®**, Triwing, Torq Set, Spanner, Tamper Resistant Hex, Slotted, Phillips, Pozidriv®, and Square bits. 39 Piece Set
 Set includes: Handle, 1/4" magnetic bit holder, 1/4" Bit holding socket adapter, storage box and the following 1/4" bits:

⚙ **Tamper Resistant TORX® Sizes:**

T8s, T10s, T15s, T20s,
 T25s, T27s, T30s, T40s

⚙ **Triwing Sizes:** 1, 2, 3, 4

⚙ **Torq Set Sizes:** 6, 8, 10

⚙ **Spanner Sizes:** 4, 6, 8, 10

⚙ **Tamper Resistant Hex Sizes:**

5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⚙ **Slotted Sizes:** 6.5, 8.0mm

⚙ **Phillips Sizes:** 1, 2

⚙ **Pozidriv® Sizes:** 0, 1, 2, 3

⚙ **Square Sizes:** 1, 2, 3

⚙ **lbs.** 1.03



**With Quick
 Release Holder**

719 91 Bits Collector with Security Bits, Tamper Resistant **TORX®**, Triwing, Torq Set, Spanner, Tamper Resistant Hex, Slotted, Phillips, Pozidriv®, and Square bits. 39 Piece Set
 Set includes: Handle, Clicfix quick release bit holder 1/4" Bit holding socket adapter, storage box and the following 1/4" bits:

⚙ **Tamper Resistant TORX® Sizes:**

T8s, T10s, T15s, T20s,
 T25s, T27s, T30s, T40s

⚙ **Triwing Sizes:** 1, 2, 3, 4

⚙ **Torq Set Sizes:** 6, 8, 10

⚙ **Spanner Sizes:** 4, 6, 8, 10

⚙ **Tamper Resistant Hex Sizes:**

5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⚙ **Slotted Sizes:** 6.5, 8.0mm

⚙ **Phillips Sizes:** 1, 2

⚙ **Pozidriv® Sizes:** 0, 1, 2, 3

⚙ **Square Sizes:** 1, 2, 3

⚙ **lbs.** 1.04

NEW
 From Wiha



719 94 Bits Collector with **TORX®**, Slotted, Phillips, Pozidriv®, Square and Hex Inch bits. 26 Piece Set

Set includes: Handle, 1/4" bit holder, storage box and the following 1/4" bits:

⚙ **TORX® Sizes:** T8, T10, T15, T20, T25, T27, T30, T40

⚙ **Slotted Sizes:** 4.5, 5.5, 6.5mm

⚙ **Phillips Sizes:** 1, 2


⚙ **Pozidriv® Sizes:** 1, 2, 3

⚙ **Square Sizes:** 1, 2

⚙ **Hex Inch:** 1/16, 5/64, 3/32, 1/8, 5/32, 3/16"

⚙ **lbs.** .89

Drive-Loc VI Adjustable



Adjustable locking
 (7/8" - 3 1/2" in
 1/8" increments)

719 97 Drive-Loc VI Bits Collector with Security Bits, Tamper Resistant **TORX®**, Triwing, Torq Set, Spanner, Tamper Resistant Hex, Slotted, Phillips, Pozidriv®, and Square bits. 39 Piece Set
 Set includes: Drive-Loc VI Handle & 4" Bit Holder, Socket, storage box and the following 1/4" bits:

⚙ **Tamper Resistant TORX® Sizes:**

T8s, T10s, T15s, T20s,
 T25s, T27s, T30s, T40s

⚙ **Triwing Sizes:** 1, 2, 3, 4

⚙ **Torq Set Sizes:** 6, 8, 10

⚙ **Spanner Sizes:** 4, 6, 8, 10

⚙ **Tamper Resistant Hex Sizes:**

5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

⚙ **Slotted Sizes:** 6.5, 8.0mm

⚙ **Phillips Sizes:** 1, 2

⚙ **Pozidriv® Sizes:** 0, 1, 2, 3

⚙ **Square Sizes:** 1, 2, 3

⚙ **lbs.** 1.05

Wiha Power Bit Belt Packs



NEW
From Wiha



749 81 Power Bit Belt Pack With **TORX**® Align Bits

Set includes the following 10 bits:

TORX® Sizes: T6, T7, T8, T9, lbs.
T10, T15, T20, T25, T27, T30 .28



NEW
From Wiha



749 82 Power Bit Belt Pack With **TORXPlus**® Bits

Set includes the following 10 bits:

TORXPlus® Sizes: IP6, IP7, IP8, IP9, lbs.
IP10, IP15, IP20, IP25, IP27, IP30 .28



NEW
From Wiha



749 83 Power Bit Belt Pack With Slotted, Phillips & **TORX**® Bits

Set includes the following 10 bits:

Slotted Sizes: 4.5, 5.5, 6.5mm lbs.
 Phillips Sizes: 1, 2, 3 .30
 TORX® Sizes: T10, T15, T20, T25



NEW
From Wiha




749 85 Power Bit Belt Pack With **TORX**® Bits

Set includes the following 10 bits:

TORX® Sizes: T6, T7, T8, T9, lbs.
T10, T15, T20, T25, T27, T30 .28



NEW
From Wiha



749 86 Power Bit Belt Pack With Inch & Metric Hex Bits

Set includes the following 10 bits:

Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.
 Metric Sizes: 3.0, 4.0, 5.0, 6.0mm .34



NEW
From Wiha



749 87 Power Bit Belt Pack With Security **TORX**® Bits

Set includes the following 10 bits:

Security **TORX**® Sizes: T7s, T8s, T9s, lbs.
T10s, T15s, T20s, T25s, T27s, T30s, T40s .29



NEW
From Wiha



749 88 Power Bit Belt Pack With Slotted, Phillips & Square Bits

Set includes the following 10 bits:

Slotted Sizes: 3.0, 4.5, 5.5, 6.5mm lbs.
 Phillips Sizes: 1, 2, 3 .30
 Square Sizes: 1, 2, 3



NEW
From Wiha



749 89 Power Bit Belt Pack With Screw Holding Hex MagicRing Bits

Set includes the following 10 bits:

Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.
 Metric Sizes: 3.0, 4.0, 5.0, 6.0mm .34

749 99 Power Bit Belt Pack With Ball End Screw Holding Hex Bits

Inch Sizes: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" lbs.
 Metric Sizes: 3.0, 4.0, 5.0, 6.0mm .37

With the Dura bit Wiha has again proved it's power of innovation.

The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



Positive location in the screw head with decrease of:

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

Dura Torsion Insert and Power Bits

Carbide Coated



711 Dura Bits, Phillips, 1/4"

Item	Icon	Size	mm	lbs.
No.				
711 11	1	25	.02	
711 12	2	25	.02	
711 13	3	25	.02	



712 Dura Bits, Pozidriv, 1/4"

Item	Icon	Size	mm	lbs.
No.				
712 11	1	25	.02	
712 12	2	25	.02	
712 13	3	25	.02	



741 Dura Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	Icon	Size	mm	lbs.
No.				
741 41	1	50	.04	
741 42	2	50	.04	
741 43	3	50	.04	



710 Dura Bits, Slotted, 1/4"

Item	Icon	mm	Inch	mm	Inch	mm
No.						
710 10	0.6	.024	4.5	.177	25	
710 11	0.8	.030	5.5	.216	25	
710 12	1.0	.039	5.5	.216	25	
710 13	1.2	.039	6.5	.255	25	
710 14	1.2	.039	8.0	.315	25	



715 Dura Bits, TORX®, 1/4"

Item	Icon	Size	mm	lbs.
No.				
715 74	T10	25	.02	
715 76	T15	25	.02	
715 78	T20	25	.02	
715 80	T25	25	.02	
715 82	T30	25	.02	
715 84	T40	25	.03	




742 Dura Pozidriv® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	Icon	Size	mm	lbs.
No.				
742 41	1	50	.04	
742 42	2	50	.04	
742 43	3	50	.04	

Diamond Torsion Insert and Power Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.



- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time
- working costs
- Cam-out effect

The ideal bit even for the most difficult of applications



710 Diamond Bits, Slotted, 1/4"

Item	Icon	mm	Inch	mm	Inch	mm
No.						
710 20	4.5	.177	0.6	.024	25	
710 21	5.5	.216	0.8	.030	25	
710 22	5.5	.216	1.0	.039	25	
710 23	6.5	.255	1.2	.039	25	
710 24	8.0	.315	1.2	.063	25	



711 Diamond Bits, Phillips, 1/4"

Item	Icon	Size	mm	lbs.
No.				
711 81	1	25	.02	
711 82	2	25	.02	
711 83	3	25	.02	



712 Diamond Bits, Pozidriv®, 1/4"

Item	Icon	Size	mm	lbs.
No.				
712 21	1	25	.02	
712 22	2	25	.02	
712 23	3	25	.02	

Diamond Coated



715 Diamond Bits, TORX®, 1/4"

Item	Icon	Size	mm	lbs.
No.				
715 16	T10	25	.02	
715 17	T15	25	.02	
715 18	T20	25	.02	
715 19	T25	25	.02	
715 21	T30	25	.02	
715 22	T40	25	.03	




741 Diamond Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	Icon	Size	mm	lbs.
No.				
741 61	1	50	.03	
741 62	2	50	.03	
741 63	3	50	.04	

Wiha TiN Coated Insert/Power Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance

Titanium Coated



741 Phillips TiN Coated Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	↶
No.	Size	mm	lbs.
741 01	1	50	.04
741 05	2	50	.04
741 08	3	50	.04

TiN - Titanium Nitride



715 TORX® TiN Coated Insert Bits, 1/4"

Item	+	—	↶
No.	Size	mm	lbs.
715 85	T5	25	.02
715 86	T6	25	.02
715 87	T7	25	.02
715 88	T8	25	.02
715 62	T9	25	.02
715 63	T10	25	.02
715 64	T15	25	.02
715 65	T20	25	.02
715 66	T25	25	.02
715 69	T27	25	.02
715 67	T30	25	.02
715 68	T40	25	.02

TiN - Titanium Nitride



711 Phillips TiN Coated Insert Bits, 1/4"

Item	+	—	↶
No.	Size	mm	lbs.
711 21	1	25	.02
711 22	2	25	.02
711 23	3	25	.02

TiN - Titanium Nitride



711 Phillips TiN Coated Insert Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	↶
No.	Size	mm	lbs.
711 41	1	50	.04
711 42	2	50	.04
711 43	3	50	.04

TiN - Titanium Nitride

Wear Characteristics

Wiha TiN Coated Bit

Wiha Diamond Bit

Wiha Dura Bit



711 96 PokitPak - Phillips TiN Coated Insert Bits In Molded Case -

- Set Includes 6 - 1/4" Insert Bits
- Phillips Sizes: 2 of each - 1, 2, 3
- lbs. .31

Countersink & Drill Bits

High quality HSS steel, ground with radial relief. Universal application in metal, plastic and wood. Guarantees outstanding chip removal, chatter free operation & smooth surface finish.

High Precision Tool Holder For Countersinks & Drill Bits



Quick release tool holder
for Drills, Countersinks &
Power bits

714 80 CentroFix Bit Holder

Item	+	↶	—	↶	↶
No.	Size	Size	mm	Inch	lbs.
714 80	1/4"	1/4"	60	2.3	.09

90° Countersink Bit - 1/4" Shank



786 HSS 1/4" Drive Countersinks

High quality HSS steel, ground with radial relief. 1/4" Hex shank according to DIN 3126 C 6.3.

Item	—	—	screw	—
No.	Size	Inch	mm	Inch
786 15	6.3	.26	35	1.38
786 17	8.3	.33	35	1.38
786 19	10.4	.41	35	1.38
786 21	12.4	.49	35	1.38
786 22	16.5	.65	35	1.38
786 24	20.5	.81	35	1.38

1/4" Shank High Speed Drill Bits



780 1/4" Shank Stubby High Speed Drill Bits DIN 3126 C 6.3.

Item	—	—	↶
No.	Size	Inch	pkg
780 02	1/16	1.26	1
780 05	3/32	1.41	1
780 08	1/8	1.57	1
780 11	5/32	1.73	1
780 15	3/16	1.97	1
780 18	1/4	1.97	1

Slotted Bits

The ideal multi-purpose bits for all around quality & performance

**Made in Germany -
Production Quality**

Highly resistant
to wear and
tear for a
long tool
life

Impact resistant
modified CVM, tool
steel, hardened

**Wiha Slotted
Insert Bits
and Power Bits**

Suitable for all
applications
for both manual
and machine
Hardness
HRC 59-61



**710 Slotted Insert Bits, 1/4" Hex Drive,
Length 25mm/984"**

Item	mm	Inch	mm	Inch	pkg.
No.	mm	Inch	mm	Inch	pkg.
710 01	4.5	.177	0.6	.024	10
710 04	5.5	.216	0.8	.030	10
710 02	6.5	.255	1.2	.039	10
710 03	8.0	.315	1.6	.063	10



**740 Slotted Power Bits, 1/4" Hex Drive,
Length 2.0"/50mm 10pk. weight .20 lbs.**

Item	mm	Inch	mm	Inch	pkg.
No.	mm	Inch	mm	Inch	pkg.
740 03	3.0	.118	0.5	.020	10
740 06	3.5	.139	0.6	.024	10
740 09	4.0	.157	0.5	.020	10
740 10	4.0	.157	0.8	.030	10
740 12	4.5	.177	0.6	.024	10
740 15	5.5	.216	0.8	.032	10
740 18	6.5	.255	1.2	.039	10
740 21	8.0	.315	1.2	.039	10
740 23	8.0	.315	1.6	.063	10

2 pc. bit pack!



**710 Slotted Insert Bits, 1/4" Hex Drive,
Length 1.54"/39mm 2 pc. Bit pack.**

Item	mm	Inch	mm	Inch	pkg.
No.	mm	Inch	mm	Inch	pkg.
710 30	3.0	.118	0.5	.020	1
710 31	3.5	.139	0.6	.024	1
710 32	4.0	.157	0.8	.031	1
710 33	4.5	.177	0.6	.024	1
710 34	5.5	.216	1.0	.039	1
710 35	6.5	.255	1.2	.047	1
710 36	8.0	.315	1.6	.063	1



**740 Slotted Power Bits,
1/4" Hex Drive, Length 2.75"/70mm**

Item	mm	Inch	mm	Inch	pkg.
No.	mm	Inch	mm	Inch	pkg.
740 33	2.5	.098	0.4	.015	1
740 34	3.0	.118	0.5	.020	1
740 35	3.5	.139	0.6	.024	1
740 36	4.0	.157	0.5	.020	1
740 39	5.5	.216	0.8	.032	1
740 41	6.5	.255	1.2	.039	1



**743 Slotted and Phillips Double End Bits,
1/4" Hex Drive, Length 2.36"/60mm**

Item	mm	Size	mm	pkg.	lbs.
No.	mm	Size	mm	pkg.	lbs.
743 03	4.5 x 1	60	10	.22	
743 06	5.5 x 2	60	10	.30	
743 09	7.0 x 3	60	10	.30	



**720 Slotted Insert Bits, 5/16" Hex Drive,
Length 41mm**

Item	mm	Inch	mm	pkg.	lbs.
No.	mm	Inch	mm	pkg.	lbs.
720 48	6.5	.255	1.2	10	.27
720 49	8.0	.315	1.6	10	.31
720 50	10.0	.393	1.6	10	.46
720 51	12.0	.472	2.0	10	.56

2 bit pack

720 Slotted Insert Bit Packs, 1"

CVM S2 modified tool steel. 5/16" Hex Drive.

Item	mm	Inch	mm	lbs.
No.	mm	Inch	mm	lbs.
720 25	1.2	6.5	.255	41 .06
720 31	1.6	8.0	.315	41 .08
720 39	1.6	10.0	.393	41 .10
720 47	2.0	12.0	.472	41 .12

NEW
From Wiha



2 bit
pack

**710 Slotted Insert Bit Packs, 1" CVM S2
modified tool steel.**

Item	mm	Inch	mm	lbs.
No.	mm	Inch	mm	lbs.
710 51	0.6	4.5	.177	25 .03
710 52	0.8	5.5	.216	25 .03
710 53	1.2	6.5	.255	25 .03
710 54	1.6	8.0	.315	25 .03



**710 55 Slotted Insert Bit Packs, 1" CVM S2
modified tool steel. Extra hard with natural**

finish. Exact fit machined tips. 3 pc. bit pack.

710 55 Set includes the following bits:

Slotted Sizes:

wt. .04 5.5, 6.5, 8.0 x 1" (25mm)



**740 50 Slotted Power Bit Packs, 2" CVM
S2 modified tool steel. Extra hard with natural**

finish. Exact fit machined tips. 3 pc. bit pack.

740 50 Set includes the following bits:

Slotted Sizes:

wt. .08 4.5, 5.5, 6.5 x 2" (50mm)



2 bit
pack

740 Slotted Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	mm	mm	lbs.
No.	mm	mm	lbs.
740 61	3.0	50	.05
740 62	3.5	50	.05
740 63	4.0	50	.05
740 64	4.0	50	.05
740 65	4.5	50	.05
740 66	5.5	50	.05
740 67	6.5	50	.06
740 68	8.0	50	.08
740 69	8.0	50	.08

Phillips Bits

The ideal multi-purpose bits for all around quality and performance

Made in Germany - Production Quality

Suitable for all applications
for both manual and machine
Hardness HRC 59-61

Impact resistant modified
chrome-vanadium-molybdenum,
tool steel, hardened

Highly resistant to wear
and tear for a long tool life

Wiha Phillips Insert Bits and Power Bits

High grade CVM steel, hardened torsion zone
to prevent uneven torque distribution DIN 3126
ISO 1173 with anti-camout ribs



711 Phillips Insert Bits, 1/4"

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
711 00	0	25	10	.10
711 01	1	25	10	.11
711 02	2	25	10	.11
711 03	3	25	10	.11

711 Phillips Insert Bit Bulk Packs, 1/4"

No.	Size	mm	pkg.	lbs.
711 25	2	25	25 pc	.29
711 50	2	25	50 pc	.60
711 99	2	25	100 pc	1.16



711 Phillips ACR Insert Bits, 1/4"

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
711 26	1	25	10	.11
711 27	2	25	10	.11
711 28	3	25	10	.11



711 Phillips Long Insert Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
711 05	1	50	10	.25
711 06	2	50	10	.25
711 07	3	50	10	.27



721 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. 5/16" Hex Drive.

Item			
No.	Size	mm	lbs.
721 02	2	32	.05
721 03	3	32	.06
721 04	4	38	.07



711 Phillips Long Insert Bit Packs, 2"

CVM S2 modified tool steel

Item			
No.	Size	mm	lbs.
711 65	1	50	.06
711 66	2	50	.06
711 67	3	50	.06



2 bit
pack



711 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel

VW 52 modular tool steel			
Item			
No.	Size	mm	lbs.
711 49	0	25	.03
711 51	1	25	.03
711 52	2	25	.03
711 53	3	25	.04



710 56 Slotted/Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. Extra hard with
natural finish, exact fit machined tips. 6 pc. bit pk.

710 56 Set includes the following bits:

① **Slotted Sizes:**

4.5, 5.5, 6.5 x 1" (25mm)

⊕ **Phillips Sizes:** — — lbs.

1, 2, 3 x 1" (25mm) .08



711 54 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural
finish. Exact fit machined tips. 3 pc. bit pack.

711 54 Set includes the following bits:

— ⊕ **Phillips Sizes:**

wt. .04 1, 2, 3 x 1" (25mm)



711 55 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural
finish. Exact fit machined tips. 6 pc. bit pack.

711 55 Set includes the following bits:

— ⊕ **Phillips Sizes:**

wt. .08 6 pieces 2 x 1" (25mm)

Wiha Phillips Insert Bits and Power Bits



741 Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	+	+	+	+
No.	Size	mm	pkg.	lbs.
741 03	1	50	10	.24
741 12	2	50	10	.25
741 24	3	50	10	.26



741 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	+	+	+	+
No.	Size	mm	pkg.	lbs.
741 67	00	70	1	.29
741 68	0	70	1	.29
741 06	1	70	1	.29
741 15	2	70	1	.37
741 27	3	70	1	.41



741 Phillips Power Bits 1/4" Hex Drive, Length 3.5"/90mm

Item	+	+	+	+
No.	Size	mm	pkg.	lbs.
741 09	1	90	10	.34
741 18	2	90	10	.47
741 30	3	90	10	.53



741 Phillips Power Bits 1/4" Hex Drive, Length 4.33"/110mm

Item	+	+	+	+
No.	Size	mm	pkg.	lbs.
741 11	1	110	10	.40
741 21	2	110	10	.56
741 31	3	110	10	.65



741 Phillips Power Bits 1/4" Hex Drive, Length 127mm/5"

Item	+	+	+	+
No.	Size	mm	pkg.	lbs.
741 13	1	127	1	.04
741 23	2	127	1	.06
741 33	3	127	1	.07



741 Phillips Power Bits 1/4" Hex Drive, Length 150mm/5.9"

Item	+	+	+	+
No.	Size	mm	pkg.	lbs.
741 16	1	150	1	.05
741 26	2	150	1	.07
741 36	3	150	1	.09



714 Phillips Double End Bits 1/4" Hex Drive, Length 2.36"/60mm

Item					
No.	Size	Size	mm	pkg.	lbs.
714 04	1 x	1	60	10	.31
714 14	2 x	2	60	10	.31
714 24	3 x	3	60	10	.32



743 Slotted & Phillips Double End Bits. 1/4" Hex Drive, Length 2.36"/60mm

Item					
No.	mm	Size	mm	pkg.	lbs.
743 03	4.5	x 1	60	10	.22
743 06	5.5	x 2	60	10	.30
743 09	7.0	x 3	60	10	.30



741 Phillips Power Bit Packs, 2"

CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
741 64	1	50	.06
741 65	2	50	.06
741 66	3	50	.06



741 50 Phillips Power Bit Packs, 2" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

741 50 Set includes the following bits:

+	+	+	+
wt.	.09	1, 2, 3	x 2" (50mm)



714 Phillips Double End Power Bit Packs, 60mm OAL

Item	+	+	+	+
No.	Size	Size	mm	lbs.
714 64	1	+ 1	60	.07
714 65	2	+ 2	60	.07
714 66	3	+ 3	60	.07



743 Slotted/Phillips Double End Power Bit Packs, 60mm OAL

Item	+	+	+	+
No.	mm	Size	mm	lbs.
743 04	4.5	+ 1	60	.07
743 08	5.5	+ 2	60	.07
743 10	7.0	+ 3	60	.07

Terminal Block Xeno Bits



714 Xeno Combination Terminal Block Power Bits. 1/4" Hex Drive, OAL 2.0"/50mm

Item	+	+	+	+
No.	Size	mm	pkg.	lbs.
714 52	1	50	10	.24
714 53	2	50	10	.25



714 Xeno Combination Terminal Block Power Bit Packs, 2" CVM S2 modified tool steel

Item				
No.	Size	mm	lbs.	
714 55	1	50	.06	
714 56	2	50	.06	

TORX® Bits

The ideal multi-purpose bits for all around quality and performance

Made in Germany - Production Quality

Suitable for all applications
for both manual and machine
Hardness HRC 59-61

Impact resistant
modified CVM,
tool steel, hardened



Highly resistant to wear and
tear for a long tool life



715 TORX® Bits, 1/4"

Item	No.	Size	mm	pkg.	lbs.
	715 05	T5	25	10	.12
	715 06	T6	25	10	.12
	715 07	T7	25	10	.12
	715 08	T8	25	10	.12
	715 09	T9	25	10	.12
	715 10	T10	25	10	.12
	715 15	T15	25	10	.12
	715 20	T20	25	10	.12
	715 25	T25	25	10	.12
	715 27	T27	25	10	.13
	715 30	T30	25	10	.14
	715 40	T40	25	10	.15



725 TORX® Bits, 5/16"

Item	No.	Size	mm	pkg.	lbs.
	725 25	T25	35	10	.27
	725 27	T27	35	10	.27
	725 30	T30	35	10	.27
	725 40	T40	35	10	.28
	725 45	T45	35	10	.31
	725 50	T50	35	10	.32
	725 55	T55	35	10	.52

2 bit
pack



CVM S2 Modified
tool steel

725 TORX® Insert Bit Packs, 5/16"

Item	No.	Size	mm	lbs.
	725 31	T30	35	.28
	725 41	T40	35	.28
	725 46	T45	35	.31
	725 51	T50	35	.32
	725 56	T55	35	.52

30 Piece Contractor Grade Bits

725 TORX® Insert Bit Packs, 30 Pcs., 1/4"

Item	No.	Size	mm	lbs.
	725 73	T8	25	.36
	725 75	T10	25	.36
	725 76	T15	25	.36
	725 77	T20	25	.36
	725 78	T25	25	.36
	725 79	T27	25	.36
	725 80	T30	25	.36



745 TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Size	mm	pkg.	lbs.
	745 11	T6	50	10	.18
	745 12	T7	50	10	.18
	745 13	T8	50	10	.18
	745 17	T9	50	10	.18
	745 19	T10	50	10	.18
	745 21	T15	50	10	.18
	745 23	T20	50	10	.18
	745 29	T25	50	10	.18
	745 31	T27	50	10	.18
	745 33	T30	50	10	.18
	745 35	T40	50	10	.18



745 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	No.	Size	mm	pkg.	lbs.
	745 36	T6	70	1	.02
	745 38	T7	70	1	.02
	745 42	T8	70	1	.02
	745 44	T9	70	1	.02
	745 46	T10	70	1	.02
	745 48	T15	70	1	.02
	745 51	T20	70	1	.03
	745 53	T25	70	1	.03
	745 56	T27	70	1	.04
	745 58	T30	70	1	.04
	745 61	T40	70	1	.04



745 TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm

Item	No.	Size	mm	pkg.	lbs.
	745 63	T6	90	1	.03
	745 65	T7	90	1	.03
	745 67	T8	90	1	.03
	745 69	T9	90	1	.03
	745 71	T10	90	1	.03
	745 73	T15	90	1	.03
	745 75	T20	90	1	.04
	745 77	T25	90	1	.04
	745 79	T27	90	1	.04
	745 81	T30	90	1	.04
	745 83	T40	90	1	.04



745 TORX® Power Bits 1/4" Hex Drive, Length 6.0"/152mm

Item	No.	Size	mm	pkg.	lbs.
	745 86	T10	152	1	.04
	745 87	T15	152	1	.04
	745 88	T20	152	1	.04
	745 89	T25	152	1	.04
	745 90	T27	152	1	.04
	745 91	T30	152	1	.04

Wiha TORX® Bit Packs



2 bit
pack

715 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel.

Item	No.	Size	mm	lbs.
	715 50	T5	25	.03
	715 51	T6	25	.03
	715 52	T7	25	.03
	715 53	T8	25	.03
	715 54	T9	25	.03
	715 55	T10	25	.03
	715 56	T15	25	.03
	715 57	T20	25	.03
	715 58	T25	25	.03
	715 59	T27	25	.04
	715 60	T30	25	.04
	715 61	T40	25	.04

Wiha TORX® Bit Packs



715 71 Torx® Insert Bit Packs, 1" CVM S2

modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

715 71 Set includes the following bits:

Torx® Sizes:

T15, T20, T25, T27,
wt. .08 T30, T40 x 1" (25mm)

715 70 Torx® Insert Bit Packs, 1" CVM S2

modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

715 70 Set includes the following bits:

Torx® Sizes:

T5, T6, T7, T8, T9,
wt. .07 T10 x 1" (25mm)



745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel.

Item			
No.	Size	mm	lbs.
745 01	T6	50	.05
745 02	T7	50	.05
745 03	T8	50	.05
745 04	T9	50	.05
745 06	T10	50	.05
745 08	T15	50	.05
745 10	T20	50	.05
745 14	T25	50	.06
745 15	T27	50	.06
745 16	T30	50	.06
745 18	T40	50	.06



744 TORX® Double End Bits

1/4" Hex Drive, Length 2.56"/65mm

Item					
No.	Size	Size	mm	pkg.	lbs.
744 11	T6	T6	65	10	.32
744 13	T7	T7	65	10	.32
744 15	T8	T8	65	10	.32
744 17	T9	T9	65	10	.32
744 19	T10	T10	65	10	.32
744 21	T15	T15	65	10	.32
744 23	T20	T20	65	10	.32
744 29	T25	T25	65	10	.33
744 31	T27	T27	65	10	.34
744 33	T30	T30	65	10	.35
744 35	T40	T40	65	10	.38

Wiha TORX® Align Insert Bits and Power Bits

Torx® Align Tapered For Snug Fit In Screw

Highly resistant
to wear and
tear for a
long tool life



Impact resistant modified
chrome-vanadium-
molybdenum, tool steel,
hardened

**Made in Germany -
Production Quality**

Suitable for all applications
for both manual and machine
Hardness HRC 59-61



715 TORX® Align Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
715 36	T6	25	10	.12
715 37	T7	25	10	.12
715 38	T8	25	10	.12
715 39	T9	25	10	.12
715 41	T10	25	10	.12
715 42	T15	25	10	.12
715 43	T20	25	10	.12
715 44	T25	25	10	.13
715 45	T27	25	10	.13
715 46	T30	25	10	.14
715 47	T40	25	10	.15

*Also Known As Torx Wedge Fit



733 TORX® Align Insert Bit Packs, 1"

CVM S2 modified tool steel

Item			
No.	Size	mm	lbs.
733 10	T6	25	.03
733 11	T7	25	.03
733 12	T8	25	.03
733 13	T9	25	.03
733 14	T10	25	.03
733 15	T15	25	.03
733 16	T20	25	.03
733 17	T25	25	.03
733 18	T27	25	.03
733 19	T30	25	.03
733 20	T40	25	.04



747 TORX® Align Bits 1/4" Hex Drive, Length 2.0"/50mm

Item			
No.	Size	mm	pkg. lbs.
747 11	T6	50	10 .18
747 14	T7	50	10 .18
747 17	T8	50	10 .18
747 21	T9	50	10 .18
747 24	T10	50	10 .18
747 28	T15	50	10 .20
747 32	T20	50	10 .22
747 36	T25	50	10 .22
747 39	T27	50	10 .22
747 42	T30	50	10 .22

*Also Known As Torx Wedge Fit



747 TORX® Align Power Bit Packs, 2"

Item			
No.	Size	mm	lbs.
747 60	T6	50	.05
747 61	T7	50	.05
747 62	T8	50	.05
747 63	T9	50	.05
747 64	T10	50	.05
747 65	T15	50	.05
747 66	T20	50	.06
747 67	T25	50	.06
747 68	T27	50	.06
747 69	T30	50	.06

Wiha Tamper Resistant **TORX®** Insert Bits and Power Bits

Tamper Resistant Torx®

Made in Germany - Production Quality



Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine
Hardness HRC 59-61



701 TR Tamper Resistant **TORX®** Bits, 1/4"

Item				
No.	Size	mm	pkg.	lbs.
701 27	T7s	25	10	.12
701 28	T8s	25	10	.12
701 29	T9s	25	10	.12
701 35	T10s	25	10	.12
701 39	T15s	25	10	.12
701 42	T20s	25	10	.12
701 48	T25s	25	10	.12
701 60	T27s	25	10	.13
701 63	T30s	25	10	.13
701 68	T40s	25	10	.14



2 bit pack

701 Tamper Resistant Torx® Insert Bit Packs, 1" CVM S2 modified tool steel.

Item				
No.	Size	mm	lbs.	
701 50	T7s	25	.03	
701 51	T8s	25	.03	
701 52	T9s	25	.03	
701 53	T10s	25	.03	
701 54	T15s	25	.03	
701 55	T20s	25	.03	
701 56	T25s	25	.03	
701 57	T27s	25	.03	
701 58	T30s	25	.03	
701 59	T40s	25	.03	



5/16"

725 TR Tamper Resistant **TORX®** Bits, 5/16"

Item				
No.	Size	mm	pkg.	lbs.
725 42	T40s	35	10	.28
725 47	T45s	35	10	.32
725 52	T50s	35	10	.34
725 57	T55s	35	10	.52

2 bit pack



725 TR Tamper Resistant **TORX®** Bits, 5/16" 2 Bit Pack

Item				
No.	Size	mm	lbs.	
725 62	T40s	35	.28	
725 63	T45s	35	.29	
725 64	T50s	35	.30	
725 67	T55s	35	.32	



2 bit pack



705 Tamper Resistant **TORX®**

Power Bit Packs, 2"

Item				
No.	Size	mm	lbs.	
705 56	T7s	50	.07	
705 57	T8s	50	.07	
705 58	T9s	50	.07	
705 59	T10s	50	.07	
705 60	T15s	50	.07	
705 61	T20s	50	.07	
705 62	T25s	50	.07	
705 63	T27s	50	.07	
705 64	T30s	50	.07	
705 65	T40s	50	.07	
705 66	T45s	50	.07	
705 67	T50s	50	.07	
705 68	T55s	50	.07	

Torx® Profiles



Torx®



Security Torx®



TorxPlus®



Security TorxPlus®



Ball End Torx®

Wiha Tamper Resistant **TORXPlus®** Insert Bit



705 Tamper Resistant **TORX®** Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Size	mm	pkg.	lbs.
705 07	T7s	50	10	.18
705 08	T8s	50	10	.18
705 09	T9s	50	10	.18
705 10	T10s	50	10	.19
705 15	T15s	50	10	.19
705 20	T20s	50	10	.21
705 25	T25s	50	10	.23
705 27	T27s	50	10	.23
705 30	T30s	50	10	.23
705 40	T40s	50	10	.23
705 45	T45s	50	10	.33
705 50	T50s	50	10	.37
705 55	T55s	50	10	.37



716 Security **TORXPlus®** Insert Bits, 1/4" Hex, 1" OAL

Item				
No.	Size	mm	pkg.	lbs.
716 48	IPR8	25	1	.11
716 50	IPR10	25	1	.11
716 52	IPR15	25	1	.11
716 54	IPR20	25	1	.12
716 56	IPR25	25	1	.13
716 57	IPR27	25	1	.13
716 58	IPR30	25	1	.14
716 60	IPR40	25	1	.14

IPR - 5 point Security TorxPlus bits are available for special order to authorized OEM's and their certified service agents. You must submit a written certification/documentation to purchase this product. Call our customer service department: (800) 494-6104 for information.

Wiha TORXPlus® Insert Bits and Power Bits
TORXPlus®
*Made in Germany -
Production Quality*

 Highly resistant
to wear and
tear for a
long tool life

 Impact resistant modified
chrome-vanadium-molybdenum,
tool steel, hardened

 Suitable for all applications
for both manual and machine
Hardness HRC 59-61

716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item No.	Size	mm	pkg.	lbs.
716 03	IP3	25	10	.12
716 04	IP4	25	10	.12
716 05	IP5	25	10	.12
716 06	IP6	25	10	.12
716 07	IP7	25	10	.12
716 08	IP8	25	10	.12
716 09	IP9	25	10	.12
716 10	IP10	25	10	.12
716 15	IP15	25	10	.12
716 20	IP20	25	10	.12
716 25	IP25	25	10	.12
716 27	IP27	25	10	.13
716 30	IP30	25	10	.13
716 40	IP40	25	10	.15


 2 bit
pack

716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
716 31	IP3	25	.03
716 32	IP4	25	.03
716 33	IP5	25	.03
716 34	IP6	25	.03
716 35	IP7	25	.03
716 36	IP8	25	.03
716 37	IP9	25	.03
716 38	IP10	25	.03
716 39	IP15	25	.03
716 41	IP20	25	.03
716 42	IP25	25	.03
716 43	IP27	25	.03
716 44	IP30	25	.03
716 45	IP40	25	.04



746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

Item No.	Size	mm	pkg.	lbs.
746 01	IP5	50	10	.18
746 02	IP6	50	10	.18
746 03	IP7	50	10	.18
746 04	IP8	50	10	.18
746 08	IP9	50	10	.18
746 12	IP10	50	10	.20
746 16	IP15	50	10	.20
746 20	IP20	50	10	.20
746 24	IP25	50	10	.20
746 28	IP27	50	10	.25
746 32	IP30	50	10	.25
746 36	IP40	50	10	.25


 2 bit
pack

746 TorxPlus® Power Bit Packs, 2"

Item No.	Size	mm	lbs.
746 59	IP5	50	.05
746 60	IP6	50	.05
746 61	IP7	50	.05
746 62	IP8	50	.05
746 63	IP9	50	.05
746 64	IP10	50	.05
746 65	IP15	50	.05
746 66	IP20	50	.05
746 67	IP25	50	.05
746 68	IP27	50	.05
746 69	IP30	50	.05
746 70	IP40	50	.05

Wiha Ball End TORX® Bits

NEW
From Wiha

745 Ball End TORX® Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
745 24	T9	50	10	.18
745 26	T10	50	10	.18
745 28	T15	50	10	.18
745 32	T20	50	10	.18
745 34	T25	50	10	.18
745 37	T27	50	10	.18
745 39	T30	50	10	.18
745 41	T40	50	10	.18


 2 bit
pack

NEW
From Wiha

745 Ball End TORX® Power Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
745 05	T9	50	.05
745 20	T10	50	.05
745 22	T15	50	.05
745 43	T20	50	.05
745 45	T25	50	.06
745 47	T27	50	.06
745 49	T30	50	.08
745 50	T40	50	.08

1/4" Ball End MagicRing Bits

Screw Holding Hex Bits


717 MagicRing Metric Power Ball End Bits

Item No.	mm	mm	pkg.	lbs.
717 30	3.0	50	1	.02
717 40	4.0	50	1	.02
717 50	5.0	50	1	.03
717 60	6.0	50	1	.03

717 MagicRing Inch Power Ball End Bits

Item No.	mm	mm	pkg.	lbs.
717 26	1/8	50	1	.02
717 28	9/64	50	1	.02
717 32	5/32	50	1	.02
717 34	3/16	50	1	.03
717 36	7/32	50	1	.03
717 38	1/4	50	1	.03

Hex Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine
Hardness HRC 59-61

Wiha Hex Inch & Metric Insert Bits



713 Hex Metric Insert Bits, 1/4"

Item				
No.	mm	mm	pkg.	lbs.
713 03	1.5	25	10	.12
713 06	2.0	25	10	.12
713 08	2.5	25	10	.12
713 09	3.0	25	10	.12
713 12	4.0	25	10	.12
713 15	5.0	25	10	.14
713 18	6.0	25	10	.14
713 21	8.0	25	10	.20
713 24	10.0	25	10	.27



713 Hex Inch Insert Bits, 1/4"

Item				
No.	Inch	mm	pkg.	lbs.
713 29	.050	25	10	.12
713 26	1/16	25	10	.12
713 28	5/64	25	10	.12
713 30	3/32	25	10	.12
713 33	7/64	25	10	.12
713 36	1/8	25	10	.12
713 39	9/64	25	10	.12
713 42	5/32	25	10	.12
713 45	3/16	25	10	.13
713 48	7/32	25	10	.13
713 51	1/4	25	10	.13
713 53	5/16	25	10	.20
713 56	3/8	25	10	.25



2 bit pack



713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item			
No.	Inch	mm	lbs.
713 59	.050	25	.03
713 60	1/16	25	.03
713 61	5/64	25	.03
713 62	3/32	25	.03
713 63	7/64	25	.03
713 64	1/8	25	.03
713 65	9/64	25	.03
713 66	5/32	25	.04
713 67	3/16	25	.04
713 68	7/32	25	.04
713 69	1/4	25	.04
713 73	5/16	25	.05
713 87	3/8	25	.06

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item			
No.	mm	mm	lbs.
733 01	1.5	25	.03
733 02	2.0	25	.03
733 03	2.5	25	.03
733 04	3.0	25	.03
733 05	4.0	25	.03
733 06	5.0	25	.03
733 07	6.0	25	.04
733 08	8.0	25	.05
733 09	10.0	25	.06



713 96 Hex Inch Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

713 96 Set includes the following bits:

 Hex Inch Sizes:

1/16, 3/32, 1/8, 5/32
wt. .13 3/16, 1/4" x 1" (25mm)

713 97 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

713 97 Set includes the following bits:

 Hex Metric Sizes:

wt. .21 2.0, 2.5, 3.0, 4.0, 5.0, 6.0



719 Tamper Resistant Hex Inch Insert Bits, 1/4"

Item				
No.	Inch	mm	pkg.	lbs.
719 30	5/64	25	10	.12
719 32	3/32	25	10	.12
719 34	7/64	25	10	.12
719 36	1/8	25	10	.12
719 38	9/64	25	10	.12
719 40	5/32	25	10	.12
719 55	3/16	25	10	.13
719 56	7/32	25	10	.14
719 60	1/4	25	10	.15



719 Tamper Resistant Hex Metric Insert Bits, 1/4"

Item				
No.	mm	mm	pkg.	lbs.
719 39	2.0	25	10	.12
719 41	2.5	25	10	.12
719 42	3.0	25	10	.12
719 43	4.0	25	10	.12
719 44	5.0	25	10	.15
719 45	6.0	25	10	.15
719 46	8.0	25	10	.20



2 bit pack

719 Tamper Resistant Hex Inch Insert Bit Packs, 1" CVM S2 modified tool steel.

Item			
No.	Inch	mm	lbs.
719 70	5/64	25	.03
719 71	3/32	25	.03
719 72	7/64	25	.03
719 73	1/8	25	.03
719 74	9/64	25	.03
719 75	5/32	25	.03
719 76	3/16	25	.04
719 77	7/32	25	.04
719 78	1/4	25	.04

719 Tamper Resistant Hex Metric Insert Bit Packs, 1" CVM S2 modified tool steel.

Item			
No.	mm	mm	lbs.
719 79	2.0	25	.03
719 80	2.5	25	.03
719 81	3.0	25	.03
719 82	4.0	25	.03
719 83	5.0	25	.04
719 84	6.0	25	.04
719 85	8.0	25	.05


743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Inch	mm	pkg.	lbs.
	743 11	3/32	50	10	.30
	743 12	7/64	50	10	.30
	743 13	1/8	50	10	.30
	743 14	9/64	50	10	.30
	743 15	5/32	50	10	.30
	743 16	3/16	50	10	.30
	743 17	7/32	50	10	.30
	743 18	1/4	50	10	.30


743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	No.	mm	mm	pkg.	lbs.
	743 25	2.5	50	10	.25
	743 30	3.0	50	10	.25
	743 40	4.0	50	10	.25
	743 50	5.0	50	10	.25
	743 60	6.0	50	10	.25
	743 80	8.0	50	10	.38



2 bit pack

743 Hex Inch Power Bit Packs, 2"

Item	No.	Inch	mm	lbs.
	743 81	3/32	50	.07
	743 82	7/64	50	.07
	743 83	1/8	50	.07
	743 84	9/64	50	.07
	743 85	5/32	50	.07
	743 86	3/16	50	.07
	743 87	7/32	50	.07
	743 88	1/4	50	.07



2 bit pack

743 Hex Metric Power Bit Packs, 2"

Item	No.	mm	mm	lbs.
	743 61	2.5	50	.07
	743 62	3.0	50	.07
	743 63	4.0	50	.07
	743 64	5.0	50	.07
	743 65	6.0	50	.07
	743 66	8.0	50	.09


743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	No.	Inch	mm	pkg.	lbs.
	743 41	5/64	70	1	.36
	743 42	3/32	70	1	.36
	743 43	7/64	70	1	.36
	743 44	1/8	70	1	.36
	743 45	9/64	70	1	.36
	743 46	5/32	70	1	.36
	743 47	3/16	70	1	.36
	743 48	7/32	70	1	.36
	743 49	1/4	70	1	.36

743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	No.	mm	mm	pkg.	lbs.
	743 51	2.0	70	1	.36
	743 52	2.5	70	1	.36
	743 53	3.0	70	1	.36
	743 54	4.0	70	1	.36
	743 55	5.0	70	1	.36
	743 56	6.0	70	1	.36
	743 57	8.0	70	1	.36

Wiha Ball End Hex Inch Insert Bits

717 Ball End Hex Inch Insert Bits, 1/4"

Item	No.	Inch	mm	pkg.	lbs.
	717 01	3/32	25	10	.12
	717 02	7/64	25	10	.12
	717 03	1/8	25	10	.12
	717 04	9/64	25	10	.12
	717 05	5/32	25	10	.12
	717 06	3/16	25	10	.13
	717 07	7/32	25	10	.13
	717 08	1/4	25	10	.13



2 bit pack

717 Ball End Hex Inch Insert Bit Packs, 1"

Item	No.	Inch	mm	lbs.
	717 11	3/32	25	.03
	717 12	7/64	25	.03
	717 13	1/8	25	.03
	717 14	9/64	25	.03
	717 15	5/32	25	.04
	717 16	3/16	25	.04
	717 17	7/32	25	.04
	717 18	1/4	25	.04

Ball End Hex Metric Power Bits

717 Ball End Hex Metric Insert Bits. 1/4" Hex Drive, Length 1.5"/38mm

Item	No.	mm	mm	pkg.
	717 19	1.5	38	1
	717 20	2.0	38	1
	717 21	2.5	38	1
	717 22	3.0	38	1
	717 23	4.0	38	1
	717 24	5.0	38	1
	717 25	6.0	38	1


Wiha MagicRing Insert Bits
Screw Holding Hex Bits

713 MagicRing Metric Insert Bits, 1/4"

Item	No.	mm	mm	pkg.	lbs.
	713 04	3.0	25	1	.01
	713 07	4.0	25	1	.01
	713 10	5.0	25	1	.01
	713 11	6.0	25	1	.01

713 MagicRing Inch Insert Bits, 1/4"

Item	No.	Inch	mm	pkg.	lbs.
	713 43	1/8	25	1	.01
	713 46	9/64	25	1	.01
	713 49	5/32	25	1	.01
	713 52	3/16	25	1	.01
	713 54	7/32	25	1	.01
	713 58	1/4	25	1	.01


743 MagicRing Metric Power Bits, 1/4"

Item	No.	mm	mm	pkg.	lbs.
	743 01	3.0	50	1	.02
	743 05	4.0	50	1	.02
	743 07	5.0	50	1	.03
	743 19	6.0	50	1	.03


743 MagicRing Inch Power Bits, 1/4"

Item	No.	mm	mm	pkg.	lbs.
	743 69	1/8	50	1	.02
	743 71	9/64	50	1	.02
	743 73	5/32	50	1	.02
	743 75	3/16	50	1	.03
	743 77	7/32	50	1	.03
	743 79	1/4	50	1	.03

Specialty Bits

The ideal multi-purpose tools to meet production requirements for both quality and performance

Highly resistant to wear and tear for a long tool life



Square Bits



718 Square Insert Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
718 01	1	25	10	.11
718 02	2	25	10	.11
718 03	3	25	10	.11



748 Square Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
748 13	1	50	10	.20
748 16	2	50	10	.20
748 19	3	50	10	.20



748 90 Square Power Bit Packs, 2.0" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

748 90 Set includes the following bits:

Square Sizes:
wt. .08 1, 2, 3 x 2.0" (50mm)



2 bit pack

718 Square Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
718 51	1	25	.03
718 52	2	25	.03
718 53	3	25	.03



2 bit pack

718 54 Square Insert Bit Packs, 1" CVM

S2 modified tool steel. 3 pc. bit pack

718 54 Set includes the following bits:

Square Sizes:
wt. .04 1, 2, 3 x 1" (25mm)



2 bit pack

748 Square Power Bit Packs, 2"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
748 60	1	50	.05
748 61	2	50	.05
748 62	3	50	.05

Tri Wing Bits



719 Triwing Insert Bits, 1/4"/25mm

Item No.	Size	mm	pkg.	lbs.
719 00	0	25	10	.10
719 01	1	25	10	.10
719 02	2	25	10	.10
719 03	3	25	10	.10
719 04	4	25	10	.13
719 05	5	25	10	.13



749 Triwing Power Bits, 1/4"/50mm

Item No.	Size	mm	pkg.	lbs.
749 01	3	50	10	.24
749 02	4	50	10	.24
749 03	5	50	10	.24
749 04	6	50	10	.46



2 bit pack

719 Triwing Insert Bit Packs, 1"

Item No.	Size	mm	lbs.
719 49	0	25	.03
719 50	1	25	.03
719 51	2	25	.03
719 52	3	25	.03
719 53	4	25	.03
719 13	5	25	.04



719 54 Triwing Insert Bit Packs, 1"

6 pc. bit pack.

719 54 Set includes the following bits:

Triwing Sizes:
wt. .07 0, 1, 2, 3, 4, 5 x 1" (25mm)



2 bit pack

749 Tri Wing Power Bit Packs, 2"

Item No.	Size	mm	lbs.
749 60	3	50	.06
749 61	4	50	.06
749 62	5	50	.06
749 63	6	50	.10

Torq Set Bits



719 Torq Set Insert Bits, 1/4"

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
719 21	0	25	10	.10
719 22	1	25	10	.10
719 23	2	25	10	.10
719 24	3	25	10	.10
719 07	4	25	10	.10
719 09	5	25	10	.10
719 06	6	25	10	.10
719 08	8	25	10	.13
719 10	10	25	10	.13



749 Torq Set Power Bits, 1/4"/50mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
749 11	4	50	10	.03
749 12	5	50	10	.03
749 13	6	50	10	.03
749 14	8	50	10	.04
749 15	10	50	10	.04



719 Torq Set Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	+	—	—	—
No.	Size	mm	lbs.	
719 11	4	25	.03	
719 12	5	25	.03	
719 57	6	25	.03	
719 58	8	25	.04	
719 59	10	25	.04	



749 Torq Set Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	+	—	—	—
No.	Size	mm	lbs.	
749 64	4	50	.06	
749 65	5	50	.06	
749 66	6	50	.06	
749 67	8	50	.07	
749 68	10	50	.07	

Pozidriv® Bits



712 Pozidriv® Insert Bits, 1/4"

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
712 00	0	25	10	.10
712 01	1	25	10	.10
712 02	2	25	10	.10
712 03	3	25	10	.10



742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
742 03	1	50	10	.24
742 12	2	50	10	.25
742 21	3	50	10	.26



742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item	+	—	—	—
No.	Size	mm	pkg.	
742 01	1	70	1	
742 05	2	70	1	
742 14	3	70	1	



742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
742 07	1	90	10	.34
742 16	2	90	10	.46
742 25	3	90	10	.53



712 Pozidriv® Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	+	—	—	—
No.	Size	mm	lbs.	
712 50	0	25	.03	
712 51	1	25	.03	
712 52	2	25	.03	
712 53	3	25	.04	



712 54 Pozidriv® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

712 54 Set includes the following bits:

+ Pozidriv® Sizes:

wt. .04 1, 2, 3 x 1" (25mm)



742 Pozidriv® Power Bit Packs, 2"

CVM S2 modified tool steel.

Item	+	—	—	—
No.	Size	mm	lbs.	
742 61	1	50	.06	
742 62	2	50	.06	
742 63	3	50	.07	

Spanner Bits



719 Spanner Insert Bits, 1/4"

Item	+	—	—	—
No.	Size	mm	pkg.	lbs.
719 14	4	25	10	.11
719 16	6	25	10	.12
719 18	8	25	10	.12
719 20	10	25	10	.12



719 Spanner Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	+	—	—	—
No.	Size	mm	lbs.	
719 63	4	25	.03	
719 64	6	25	.03	
719 65	8	25	.04	
719 66	10	25	.04	

Wiha Bit Holders



380 30 ClicFix Quick Release Magnetic Bit Holder Blade high alloy CVM steel, hardened, hard chromed. Wiha Powerhandle impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
380 30	1/4"	120	4.7	230	9.0	.27	1



388 00 Bit Holder With Wiha T-handle Magnetic, holds bit and screw. Retainer out of stainless steel. Hex shaft CVM steel, nickel-plated. Wiha-T-handle high quality plastic, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
388 00	1/4"	150	6.0	80	3.0	.18	1




386 00 Bit Holder 1/4" with Retaining Ring With Flexible Shaft Plastic coated flexible metal. Stainless steel with retaining ring. Wiha-SoftFinish® handle multi-component, cushion grips.

Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
386 00	1/4"	150	5.9	268	10.6	.30	1



281 03 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle For working in confined spaces. Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item					
No.	Inch	mm	Inch	lbs.	pkg.
281 03	1/4"	57	2.2	.11	1



284 89 Drive-Loc VI Bit Holder

High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item				
No.	Inch	Extends	lbs.	pkg.
284 89	1/4"	1-3/4" to 4-7/8"	.36	1



Magnetic

384 1/4" Magnetic Bit Holding Screwdrivers, With Wiha-

SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
384 50	1/4"	125	5.0	240	9.46	.23	1
384 60	1/4"	300	11.8	400	15.69	.37	1



526 50 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle

Non-slip grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
526 50	1/4"	125	5.0	225	8.9	.24	1



484 01 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
484 01	1/4"	125	5.0	211	8.3	.24	1



484 00 1/4" Bit Holding Screwdriver, With Wiha-Proturn Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
484 00	1/4"	125	5.0	243	9.6	.24	10




668 50 1/4" Bit Holding Screwdriver, With Wiha-Proturn Precision

handle. Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium-molybdenum steel, nickel-plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
668 50	1/4"	60	2.36	170	6.7	.07	1


Wiha Bit Holders



326 50 Retaining Ring Bit Holding Screwdriver, With Wiha-SoftFinish® Handle Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Holds 1/4" drive bits.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
326 50	1/4"	120	4.9	240	9.4	.23	1

Insulation meets ASTM & IEC specifications




380 25 Magnetic Bit Holder, 1/4", Wiha-Powerhandle, Insulated, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, shielded, magnetic, holds bit and screw. Cavity holds up to 6 bits.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
380 25	1/4"	120	4.7	230	9.0	.26	1



380 15 Magnetic Bit Holder, 1/4", Wiha-Powerhandle impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, stainless steel, magnetic, holds bit and screw. Shaft CVM steel. Cavity holds up to 6 bits.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
380 15	1/4"	120	4.7	230	9.0	.25	1



714 Protturn 1/4" Quick Release Bit Holder With magnets

Item No.	Size	mm	Inch	lbs.
714 75	2.4"	60	2.4	.06
714 76	3.9"	100	3.9	.09
714 77	5.9"	150	5.9	.11
714 78	7.9"	200	7.8	.14
714 79	9.9"	250	9.8	.17

714 74 5 Pc. Protturn 1/4" Quick Release Bit Holder Set
Includes: 60mm, 100mm, 150mm, 200mm, 250mm

Wiha Magnetic Bit Holders



- Internal bit lock mechanism
- Spring loaded - No fumbling
- One handed bit changes



714 ClicFix Bit Holder, Magnetic For Insert Bits

Item No.	Size	Size	mm	Inch	lbs.	pkg.
714 90	1/4"	1/4"	60	2.4	.07	1
714 91	1/4"	1/4"	75	2.9	.07	1

High Precision Tool Holder



Quick release tool holder for Drills, Countersinks & Power bits

714 80 CentroFix Bit Holder

Item No.	Size	Size	mm	Inch	lbs.	pkg.
714 80	1/4"	1/4"	60	2.3	.09	1



714 94 Stainless Steel Bit Holder, 1/4" For Insert Bits

Internal C-ring for bit holding & magnet.

Item No.	Size	Size	mm	Inch	lbs.
714 94	1/4"	1/4"	54	2.1"	.05



Wiha Bit Holders



711 Universal Magnetic Bit Holder,
1/4" For Insert Bits

Item No.	Size	Size	mm	Inch	lbs.
711 30	1/4"	1/4"	74	2.9	.06
711 31	1/4"	1/4"	59	2.3	.05



Magnetic

Holds
1" (25mm) Bits

All Stainless with
Rubber O-Ring



714 Screw Cap Bit Holder with O-Ring

Item No.	Size	Size	mm	Inch	lbs.
714 92	1/4"	1/4"	62	2.4	.08
714 93	1/4"	1/4"	76	3.0	.08



714 70 Auto Lock Magnetic Bit Holder, Spring Loaded Bit
Ejection, 1/4" For Insert & Power Bits

Item No.	Size	Size	mm	Inch	lbs.
714 70	1/4"	1/4"	60	2.4	.08

Retaining Ring Bit Holders



Magnetic



714 Bit Holder, Retaining Ring & Magnetic

Item No.	Size	Size	mm	Inch	lbs.
714 31	1/4"	1/4"	60	2.4	.05
714 33	1/4"	1/4"	67	2.6	.05
714 35	1/4"	1/4"	100	3.9	.07
714 37	1/4"	1/4"	150	5.9	.11
714 39	1/4"	1/4"	200	7.8	.13
714 41	1/4"	1/4"	253	10.0	.16

714 99 5 Pc. Bit Holder Set In Vinyl Pouch

Includes: 60mm, 100mm, 150mm, 200mm, 253mm

lbs.
.60

Wiha Inch & Metric Nut Setters



Magnetic 1/4"


704 Metric Nut Setters Standard With Permanent Industrial Magnet,
1/4" Hex Metric Nut Setters

Item No.	Size	mm	lbs.
704 37	5.0	55	.04
704 38	5.5	55	.05
704 40	6.0	55	.05
704 42	7.0	55	.05
704 45	8.0	55	.05
704 48	10.0	55	.06
704 50	13.0	55	.07



704 Nut Setters Standard. 1/4" Hex Inch
Permanent industrial magnet.


Item No.	Length	mm	lbs.
704 62	2.5"	65	.06
704 63	4.0"	102	.10
704 64	6.0"	152	.15
704 66	12.0"	305	.27



704 Nut Setters Standard. 5/16" Hex Inch
Permanent industrial magnet.

Item No.	Length	mm	lbs.
704 68	2.5"	65	.07
704 69	4.0"	102	.12
704 70	6.0"	152	.17
704 72	12.0"	305	.28

Wiha Inch & Metric Nut Setters



704 Nut Setters Standard. 3/8" Hex Inch

Permanent industrial magnet.

Item No.	Length	mm	lbs.
704 74	2.5"	65	.08
704 76	4.0"	102	.14
704 77	6.0"	152	.18
704 79	12.0"	305	.41



Non Magnetic

704 Nut Setters Standard. 1/4" Hex Inch

Item No.	Size	mm	lbs.
704 24	1/4	55	.05
704 27	5/16	55	.05
704 30	3/8	55	.06



704 94 3 pc. Hex Metric Nut Setter Set

Permanent industrial magnet. 55mm OAL
Hex Metric Nut Setters.

Item No. 704 94	Set includes the following:
↔ lbs.	
.21	7, 8, 10 x 55mm



704 90 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 65mm OAL
Hex Inch Nut Setters.

Item No. 704 90	Set includes the following:
↔ lbs.	
.25	1/4, 5/16, 3/8 x 2.5"



704 91 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 102mm OAL Hex Inch Nut Setters.

Item No. 704 91	Set includes the following:
↔ lbs.	
.39	1/4, 5/16, 3/8 x 4.0"



704 92 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 152mm OAL Hex Inch Nut Setters.

Item No. 704 92	Set includes the following:
↔ lbs.	
.54	1/4, 5/16, 3/8 x 6.0"



704 93 3 pc. Hex Inch Nut Setter Set

Permanent industrial magnet. 305mm OAL
Hex Inch Nut Setters.

Item No. 704 93	Set includes the following:
↔ lbs.	
1.03	1/4, 5/16, 3/8 x 12.0"



Canvas Belt Clip Pouch



749 90 19 Piece Quick Change Bit Belt Pack Set

Set includes: 1/4" quick release bit holder
and the following 1/4" bits and Nut Setters:

⚙	Slotted - Power: 4.5, 5.5, 6.5mm x 50mm	↔ lbs.
⊕	Phillips - Power: #1, #2, #3 x 50mm	lbs.
◻	Square - Power: #1, #2, #3 x 50mm	.93
⌘	Torx® - Insert: T10, T15, T20, T25, T27, T30 x 25mm	
○	Nut Setters - Power: 1/4, 5/16, 3/8" Magnetic	

Wiha TORX®, TORXPlus® & Security TORX® Bit Sockets



Set Screw
Replaceable
Bits

761 TORX® Sockets. 1/4" Square Drive

Item	No.	Size	mm	lbs.
	761 06	T6	38	.04
	761 07	T7	38	.04
	761 09	T8	38	.04
	761 11	T9	38	.04
	761 13	T10	38	.04
	761 17	T15	38	.04
	761 19	T20	38	.04
	761 21	T25	38	.04
	761 23	T27	38	.04
	761 29	T30	38	.05
	761 31	T40	38	.05



763 TORX® Sockets. 3/8" Square drive, Set screw replaceable bit. 1/4" bits.

Item	No.	Size	mm	lbs.
	763 12	T9	42	.09
	763 14	T10	42	.09
	763 16	T15	42	.09
	763 18	T20	42	.09
	763 22	T25	42	.09
	763 24	T27	42	.09
	763 26	T30	42	.09
	763 28	T40	42	.09



763 TORX® Sockets. 3/8" Square drive, Set screw replaceable bit. 5/16" bits. 2" OAL

Item	No.	Size	mm	lbs.
	763 46	T40	51	.11
	763 48	T45	51	.11
	763 52	T50	51	.11
	763 54	T55	51	.13



Set Screw
Replaceable
Bits

763 Tamper Resistant TORX® Sockets 3/8" Square drive, 5/16" bits.

Item	No.	Size	mm
	763 39	T40s	51
	763 40	T45s	51
	763 41	T50s	51
	763 42	T55s	51



Set Screw
Replaceable
Bits

763 Tamper Resistant TORX® Sockets 1/4" Square drive, 1/4" bits.

Item	No.	Size	mm
	763 29	T7s	38
	763 30	T8s	38
	763 31	T9s	38
	763 32	T10s	38
	763 33	T15s	38
	763 34	T20s	38
	763 35	T25s	38
	763 36	T27s	38
	763 37	T30s	38
	763 38	T40s	38



Set Screw
Replaceable
Bits

701 Tamper Resistant TORX® Sockets 3/8" Square drive, 1/4" bits. 2" OAL

Item	No.	Size	mm	lbs.
	701 07	T7s	42	.09
	701 08	T8s	42	.09
	701 09	T9s	42	.09
	701 10	T10s	42	.09
	701 13	T15s	42	.09
	701 15	T20s	42	.09
	701 17	T25s	42	.09
	701 19	T27s	42	.09
	701 21	T30s	42	.09
	701 23	T40s	42	.09



716 TORXPlus® Sockets. 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item	No.	Size	mm	lbs.
	716 61	IP6	38	.04
	716 62	IP7	38	.04
	716 63	IP8	38	.04
	716 64	IP9	38	.04
	716 65	IP10	38	.04
	716 66	IP15	38	.04
	716 67	IP20	38	.04
	716 68	IP25	38	.04
	716 69	IP27	38	.04
	716 70	IP30	38	.04
	716 71	IP40	38	.04



716 TORXPlus® Sockets. 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item	No.	Size	mm	lbs.
	716 73	IP9	42	.09
	716 74	IP10	42	.09
	716 75	IP15	42	.09
	716 76	IP20	42	.09
	716 77	IP25	42	.09
	716 78	IP27	42	.09
	716 80	IP30	42	.09
	716 81	IP40	42	.09

1/2" Square Drive Sockets



Set Screw
Replaceable
Bits

764 Slotted Bit Sockets, 1/2" Square Drive

Item	No.	mm	mm	lbs.	pkg.
	764 17	8	59	.12	1
	764 18	10	59	.12	1
	764 19	12	59	.12	1



Set Screw
Replaceable
Bits

764 Phillips Bit Sockets, 1/2" Square Drive

Item	No.	Size	mm	lbs.	pkg.
	764 22	2	59	.15	1
	764 23	3	59	.15	1
	764 24	4	59	.15	1

1/2" Square Drive Sockets



Set Screw
Replaceable
Bits

764 TORX® Sockets. 1/2" Square Drive

Item	No.	Size	mm	lbs.	pkg.
	764 03	T30	59	.10	1
	764 04	T40	59	.10	1
	764 05	T45	59	.10	1
	764 06	T50	59	.10	1
	764 07	T55	59	.11	1



Set Screw
Replaceable
Bits

764 Tamper Resistant TORX® Sockets 1/2" Square Drive

Item	No.	Size	mm	lbs.	pkg.
	764 11	T40s	59	.11	1
	764 12	T45s	59	.11	1
	764 13	T50s	59	.11	1
	764 14	T55s	59	.12	1

Wiha Hex Inch & Metric Bit Sockets



713 Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	Inch	mm	lbs.	
713 71	1/16	38	.05	
713 70	5/64	38	.05	
713 72	3/32	38	.05	
713 74	7/64	38	.05	
713 76	1/8	38	.05	
713 78	9/64	38	.05	
713 80	5/32	38	.05	
713 82	3/16	38	.05	
713 84	7/32	38	.05	
713 86	1/4	38	.05	



713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item				
No.	Inch	mm	lbs.	
713 75	1/8	42	.09	
713 77	9/64	42	.09	
713 79	5/32	42	.09	
713 81	3/16	42	.09	
713 83	7/32	42	.09	
713 85	1/4	42	.09	
713 88	5/16	42	.10	
713 90	3/8	42	.10	



713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
713 01	1.5	38	.04
713 02	2.0	38	.04
713 05	2.5	38	.04
713 13	3.0	38	.04
713 14	4.0	38	.04
713 17	5.0	38	.05
713 19	6.0	38	.05
713 27	8.0	38	.05
713 40	10.0	38	.05



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
713 00	2.0	42	.09
713 16	2.5	42	.09
713 41	3.0	42	.09
713 31	4.0	42	.09
713 23	5.0	42	.09
713 25	6.0	42	.09
713 20	8.0	42	.10
713 22	10.0	42	.11



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item			
No.	mm	mm	lbs.
713 32	12.0	75	.22



761 Security Hex Inch Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
761 64	5/64	42	.09
761 65	3/32	42	.09
761 66	7/64	42	.09
761 67	1/8	42	.09
761 68	9/64	42	.09
761 69	5/32	42	.09
761 70	3/16	42	.09
761 71	7/32	42	.09
761 72	1/4	42	.09

Wiha Ball End Hex Inch & Metric Bit Sockets

NEW
From Wiha



717 Ball End Hex Inch Sockets

1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item				
No.	Inch	mm	lbs.	
717 61	3/32	38	.05	
717 62	7/64	38	.05	
717 63	1/8	38	.05	
717 64	9/64	38	.05	
717 65	5/32	38	.05	
717 66	3/16	38	.05	
717 67	7/32	38	.05	
717 68	1/4	38	.05	

NEW
From Wiha



717 Ball End Hex Metric Sockets

1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
717 71	1.5	51	.11
717 72	2.0	51	.11
717 73	2.5	51	.11
717 74	3.0	51	.11
717 75	4.0	51	.11
717 76	5.0	51	.12
717 77	6.0	51	.12



Socket Adapters



721 Hex To Square 1/4" socket bit adapter.

Item				
No.	Size	mm	Drive	lbs.
721 10	1/4"	25	1/4"	.03
721 15	1/4"	30	3/8"	.05



724 Tool Shaft

1/4" drive socket power adapter.

Item				
No.	Drive	mm	Drive	lbs.
724 01	1/4"	100	1/4"	.09
724 05	1/4"	50	1/4"	.03
724 10	1/4"	100	3/8"	.17
724 15	1/4"	50	3/8"	.06

Impact Bit Holding Sockets



720 Impact Bit Holding Socket With Retaining Ring For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
720 01	1/4	25	1/4"	.05
720 02	1/4	30	3/8"	.10
720 03	1/4	35	1/2"	.21

720 90 3 Piece Bit Holding Socket Set

for use with 1/4" Insert bits

Drive: lbs.

1/4", 3/8", 1/2" .40



720 Impact Bit Holding Socket With Retaining Ring For 5/16" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
720 04	5/16	25	1/4"	.04
720 05	5/16	30	3/8"	.04
720 06	5/16	35	1/2"	.04

Wiha Long Blade Sockets & Sets



771 Hex Inch Sockets

1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 28	3/32	6	.12
771 30	7/64	6	.12
771 32	1/8	6	.12
771 34	9/64	6	.12
771 36	5/32	6	.12
771 38	3/16	6	.12
771 39	7/32	6	.12
771 41	1/4	6	.12

771 91 8 Pc. Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" wt. .81



771 Hex Inch Sockets

3/8" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 65	3/32	6	.12
771 67	7/64	6	.12
771 69	1/8	6	.12
771 71	9/64	6	.12
771 73	5/32	6	.12
771 75	3/16	6	.12
771 77	7/32	6	.12
771 79	1/4	6	.12



771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 40	2.5	6	.12
771 42	3.0	6	.12
771 44	4.0	6	.12
771 46	5.0	6	.12
771 48	6.0	6	.12

771 92 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm

lbs. .51



771 TORX® Sockets

1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 51	T8	6	.12
771 53	T9	6	.12
771 52	T10	6	.12
771 54	T15	6	.12
771 56	T20	6	.12
771 58	T25	6	.12
771 60	T27	6	.12
771 62	T30	6	.12
771 64	T40	6	.12

771 93 7 Pc. TORX® Socket Blade Set

TORX®: T10, T15, T20, T25,

T27, T30, T40 wt. .69



771 TORX® Sockets

3/8" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
771 01	T8	6	.12
771 03	T9	6	.12
771 05	T10	6	.12
771 07	T15	6	.12
771 09	T20	6	.12
771 11	T25	6	.12
771 13	T27	6	.12
771 15	T30	6	.12
771 17	T40	6	.12

771 95 9 Pc. TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40 wt. 93



771 98 22 Pc. Hex & TORX® Long Blade Socket Set, 1/4" Drive


Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

lbs. 2.82

Wiha Socket Sets On Molded Rails



713 91 10 Piece Hex Inch Socket Set

1/4" Square drive replaceable bit socket.
 Bits CVM tool steel. OAL 1.5"

Item No. 

713 91 lbs. **Set includes the following:**
 .48 1/16, 5/64, 3/32, 7/64, 1/8
 9/64, 5/32, 3/16, 7/32, 1/4"



713 92 8 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. 

713 92 lbs. **Set includes the following:**
 .78 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



713 93 5 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits Chrome-vanadium-molybdenum tool steel.

Item No. 

713 93 lbs. **Set includes the following:**
 .54 Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"



713 94 5 Piece Hex Metric Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

713 94 lbs. **Set includes the following:**
 .56 Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm



719 96 9 Piece Hex Metric Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. 

719 96 lbs. **Set includes the following:**
 .66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
 3/8": 5.0, 6.0, 8.0, 10.0mm




719 99 9 Piece Tamper Resistant Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

719 99 lbs. **Set includes the following:**
 .86 Tamper Resistant Hex Inch: 5/64, 3/32, 7/64,
 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

NEW
 From Wiha




717 98 8 Piece Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.
 1/4" Bits CVM tool steel. OAL

Item No. 

717 98 lbs. **Set includes the following:**
 .72 3/32, 7/64, 1/8, 9/64, 5/32,
 3/16, 7/32, 1/4"

NEW
 From Wiha



713 98 7 Piece Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.
 1/4" Bits CVM tool steel. OAL

Item No. 

713 98 lbs. **Set includes the following:**
 .48 3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

NEW
 From Wiha



717 97 7 Piece Ball End Hex Metric Socket Set

1/4" Square Drive Replaceable Bit Socket.
 1/4" Bits Chrome-vanadium-molybdenum tool steel.

Item No. 

717 97 lbs. **Set includes the following:**
 .72 Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

Wiha Socket Sets On Molded Rails



761 91 10 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Socket.
Bits CVM tool steel. OAL 1.5"

Item No.

761 91 lbs. **Set includes the following:**
.48 T7, T8, T9, T10, T15,
T20, T25, T27, T30, T40

Security Torx®



701 95 10 pc. Tamper Resistant TORX® Socket Set 1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.

Item No.


701 95 lbs. **Set includes the following:**
.48 T7s, T8s, T9s, T10s, T15s,
T20s, T25s, T27s, T30s, T40s



761 94 6 pc. TORX® Socket Set
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No.

761 94 lbs. **Set includes the following:**
.20 T10, T15, T20, T25, T27, T30



763 97 9 pc. Tamper Resistant TORX® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.


763 97 lbs. **Set includes the following:**
.85 1/4": T10s, T15s, T20s, T25s, T27s, T30s
3/8": T40s (1/4" bit)
3/8": T45s, T50s (5/16" bit)



763 95 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.

763 95 lbs. **Set includes the following:**
.75 T9, T10, T15, T20, T25,
T27, T30, T40



NEW
From Wiha

763 99 12 pc. Tamper Resistant TORX® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.


763 99 lbs. **Set includes the following:**
.77 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
5/16": T45s, T50s, T55s



763 96 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.

763 96 lbs. **Set includes the following:**
.84 1/4": T20, T25, T27, T30, T40,
5/16": T45, T50, T55



716 98 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.

Item No.

716 98 lbs. **Set includes the following:**
.60 1/4": IP9, IP10, IP15, IP20
3/8": IP25, IP27, IP30, IP40

Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page
28103 32	70148 26	70565 26	71181 19	71349 29	71476 33
28180 9	70150 26	70566 26	71182 19	71351 28	71477 33
28200 12	70151 26	70567 26	71183 19	71352 29	71478 33
28291 12	70152 26	70568 26	71195 16	71353 28	71479 33
28295 12	70153 26	71001 21	71196 20	71354 29	71480 20,33
28296 12	70154 26	71002 21	71198 16	71356 28	71490 33
28297 12	70155 26	71003 21	71199 22	71358 29	71491 33
28298 12	70156 26	71004 21	71200 31	71359 28	71492 34
28299 12	70157 26	71010 19	71201 31	71360 28	71493 34
28489 32	70158 26	71011 19	71202 31	71361 28	71494 33
28589 4	70159 26	71012 19	71203 31	71362 28	71499 34
28590 4	70160 26	71013 19	71211 19	71363 28	71505 24
28593 4	70163 26	71014 19	71212 19	71364 28	71506 24
28595 4	70168 26	71020 19	71213 19	71365 28	71507 24
32650 33	70190 15	71021 19	71221 19	71366 28	71508 24
38003 14	70195 40	71022 19	71222 19	71367 28	71509 24
38004 14	70424 35	71023 19	71223 19	71368 28	71510 24
38006 14	70427 35	71024 19	71250 31	71369 28	71515 24
38007 14	70430 35	71030 21	71251 31	71370 37	71516 19
38008 14	70437 34	71031 21	71252 31	71371 37	71517 19
38009 14	70438 34	71032 21	71253 31	71372 37	71518 19
38010 14	70440 34	71033 21	71254 31	71373 28	71519 19
38015 33	70442 34	71034 21	71300 37	71374 37	71520 24
38016 11	70445 34	71035 21	71301 37	71375 37	71521 19
38017 11	70448 34	71036 21	71302 37	71376 37	71522 19
38018 11	70450 34	71051 21	71303 28	71377 37	71525 24
38025 33	70462 34	71052 21	71304 29	71378 37	71527 24
38026 11	70463 34	71053 21	71305 37	71379 37	71530 24
38027 11	70464 34	71054 21	71306 28	71380 37	71536 25
38028 11	70466 34	71055 21	71307 29	71381 37	71537 25
38030 14,32	70468 34	71056 22	71308 28	71382 37	71538 25
38033 14	70469 34	71090 15	71309 28	71383 37	71539 25
38043 10	70470 34	71094 16	71310 29	71384 37	71540 24
38045 10	70472 34	71100 22	71311 29	71385 37	71541 25
38047 10	70474 35	71101 22	71312 28	71386 37	71542 25
38048 10	70476 35	71102 22	71313 37	71387 28	71543 25
38056 10	70477 35	71103 22	71314 37	71388 37	71544 25
38057 10	70479 35	71105 22	71315 28	71390 37	71545 25
38058 10	70490 35	71106 22	71316 37	71391 39	71546 25
38450 32	70491 35	71107 22	71317 37	71392 39	71547 25
38460 32	70492 35	71111 19	71318 28	71393 39	71550 24
38600 32	70493 35	71112 19	71319 37	71394 39	71551 24
38701 9	70494 35	71113 19	71320 37	71396 28	71552 24
38790 9	70507 26	71121 20	71321 28	71397 28	71553 24
38800 32	70508 26	71122 20	71322 37	71398 39	71554 24
48400 32	70509 26	71123 20	71323 37	71399 16	71555 24
48401 32	70510 26	71125 22	71324 28	71404 23	71556 24
52650 32	70515 26	71126 22	71325 37	71414 23	71557 24
66850 32	70520 26	71127 22	71326 28	71424 23	71558 24
70107 36	70525 26	71128 22	71327 37	71431 34	71559 24
70108 36	70527 26	71130 34	71328 28	71433 34	71560 24
70109 36	70530 26	71131 34	71329 28	71435 34	71561 24
70110 36	70540 26	71141 20	71330 28	71437 34	71562 20
70113 36	70545 26	71142 20	71331 37	71439 34	71563 20
70115 36	70550 26	71143 20	71332 37	71441 34	71564 20
70117 36	70555 26	71149 22	71333 28	71452 23	71565 20
70119 36	70556 26	71150 22	71336 28	71453 23	71566 20
70121 36	70557 26	71151 22	71339 28	71455 23	71567 20
70123 36	70558 26	71152 22	71340 37	71456 23	71568 20
70127 26	70559 26	71153 22	71341 37	71464 23	71569 20
70128 26	70560 26	71154 22	71342 28	71465 23	71570 25
70129 26	70561 26	71155 22	71343 29	71466 23	71571 25
70135 26	70562 26	71165 22	71345 28	71470 34	71574 19
70139 26	70563 26	71166 22	71346 29	71474 33	71576 19
70142 26	70564 26	71167 22	71348 28	71475 33	71578 19

Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page
71580 19	71698 40	71907 31	71997 17	73312 25	74162 19
71582 19	71701 29	71908 31	71998 16	73313 25	74163 19
71584 19	71702 29	71909 31	71999 39	73314 25	74201 31
71585 20	71703 29	71910 31	72001 38	73315 25	74203 31
71586 20	71704 29	71911 31	72002 38	73316 25	74205 31
71587 20	71705 29	71912 31	72003 38	73317 25	74207 31
71588 20	71706 29	71913 30	72004 38	73318 25	74212 31
71596 16	71707 29	71914 31	72005 38	73319 25	74214 31
71603 27	71708 29	71916 31	72006 38	73320 25	74216 31
71604 27	71711 29	71918 31	72025 21	74003 21	74221 31
71605 27	71712 29	71920 31	72031 21	74006 21	74225 31
71606 27	71713 29	71921 31	72039 21	74009 21	74241 19
71607 27	71714 29	71922 31	72047 21	74010 21	74242 19
71608 27	71715 29	71923 31	72048 21	74012 21	74243 19
71609 27	71716 29	71924 31	72049 21	74015 21	74261 31
71610 27	71717 29	71930 28	72050 21	74018 21	74262 31
71615 27	71718 29	71932 28	72051 21	74021 21	74263 31
71620 27	71719 29	71934 28	72090 38	74023 21	74301 29
71625 27	71720 29	71936 28	72102 22	74033 21	74303 21,23
71627 27	71721 29	71938 28	72103 22	74034 21	74304 23
71630 27	71722 29	71939 28	72104 22	74035 21	74305 29
71631 27	71723 29	71940 28	72110 38	74036 21	74306 21,23
71632 27	71724 29	71941 28	72115 38	74039 21	74307 29
71633 27	71725 29	71942 28	72401 38	74041 21	74308 23
71634 27	71726 27	71943 28	72405 38	74050 21	74309 21,23
71635 27	71728 27	71944 28	72410 38	74061 21	74310 23
71636 27	71730 27	71945 28	72415 38	74062 21	74311 29
71637 27	71732 27	71946 28	72525 24	74063 21	74312 29
71638 27	71734 27	71949 30	72527 24	74064 21	74313 29
71639 27	71736 27	71950 30	72530 24	74065 21	74314 29
71640 27	71738 27	71951 30	72531 24	74066 21	74315 29
71641 27	71740 27	71952 30	72540 24	74067 21	74316 29
71642 27	71750 27	71953 30	72541 24	74068 21	74317 29
71643 27	71760 27	71954 30	72542 26	74069 21	74318 29
71644 27	71761 37	71955 28	72545 24	74101 20	74319 29
71645 27	71762 37	71956 28	72546 24	74103 23	74325 29
71648 26	71763 37	71957 31	72547 26	74105 20	74330 29
71650 26	71764 37	71958 31	72550 24	74106 23	74340 29
71652 26	71765 37	71959 31	72551 24	74108 20	74341 29
71654 26	71766 37	71960 28	72552 26	74109 23	74342 29
71656 26	71767 37	71963 31	72555 24	74111 23	74343 29
71657 26	71768 37	71964 31	72556 24	74112 23	74344 29
71658 26	71771 37	71965 31	72557 26	74113 23	74345 29
71660 26	71772 37	71966 31	72562 26	74115 23	74346 29
71661 36	71773 37	71970 28	72563 26	74116 23	74347 29
71662 36	71774 37	71971 28	72564 26	74118 23	74348 29
71663 36	71775 37	71972 28	72567 26	74121 23	74349 29
71664 36	71776 37	71973 28	72573 24	74123 23	74350 29
71665 36	71777 37	71974 28	72575 24	74124 23	74351 29
71666 36	71797 39	71975 28	72576 24	74126 23	74352 29
71667 36	71798 39	71976 28	72577 24	74127 23	74353 29
71668 36	71801 30	71977 28	72578 24	74130 23	74354 29
71669 36	71802 30	71978 28	72579 24	74131 23	74355 29
71670 36	71803 30	71979 28	72580 24	74133 23	74356 29
71671 36	71851 30	71980 28	73301 28	74136 23	74357 29
71673 36	71852 30	71981 28	73302 28	74141 19	74360 29
71674 36	71853 30	71982 28	73303 28	74142 19	74361 29
71675 36	71854 30	71983 28	73304 28	74143 19	74362 29
71676 36	71900 30	71984 28	73305 28	74150 23	74363 29
71677 36	71901 30	71985 28	73306 28	74164 23	74364 29
71678 36	71902 30	71990 17	73307 28	74165 23	74365 29
71680 36	71903 30	71991 17	73308 28	74166 23	74366 29
71681 36	71904 30	71994 17	73309 28	74167 23	74369 29
71690 16	71905 30	71995 16	73310 25	74168 23	74371 29
71692 16	71906 31	71996 39	73311 25	74161 19	74373 29

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
74375	29	74549	27	74767	25	75340	5	76312	36	77146	38
74377	29	74550	27	74768	25	75342	6	76314	36	77148	38
74379	29	74551	24	74769	25	75350	5	76316	36	77151	38
74380	29	74553	24	74813	30	75352	5	76318	36	77152	38
74381	29	74556	24	74816	30	75354	5	76322	36	77153	38
74382	29	74558	24	74819	30	75356	5	76324	36	77154	38
74383	29	74561	24	74860	30	75358	5	76326	36	77156	38
74384	29	74563	24	74861	30	75360	5	76328	36	77158	38
74385	29	74565	24	74862	30	75362	6	76329	36	77160	38
74386	29	74567	24	74890	30	75364	6	76330	36	77162	38
74387	29	74569	24	74901	30	75366	6	76331	36	77164	38
74388	29	74571	24	74902	30	75368	6	76332	36	77165	38
74411	25	74573	24	74903	30	75370	6	76333	36	77167	38
74413	25	74575	24	74904	30	75372	6	76334	36	77169	38
74415	25	74577	24	74911	31	75395	7	76335	36	77171	38
74417	25	74579	24	74912	31	75703	6	76336	36	77173	38
74419	25	74581	24	74913	31	75704	6	76337	36	77175	38
74421	25	74583	24	74914	31	75705	6	76338	36	77177	38
74423	25	74586	24	74915	31	75706	6	76339	36	77179	38
74429	25	74587	24	74960	30	75707	6	76340	36	77191	38
74431	25	74588	24	74961	30	75708	6	76341	36	77192	38
74433	25	74589	24	74962	30	75709	6	76342	36	77193	38
74435	25	74590	24	74963	30	75710	6	76346	36	77195	38
74501	25	74591	24	74964	31	75715	6	76348	36	77198	38
74502	25	74601	27	74965	31	75720	6	76352	36	78002	20
74503	25	74602	27	74966	31	75727	6	76354	36	78005	20
74504	25	74603	27	74967	31	75728	6	76395	40	78008	20
74505	27	74604	27	74968	31	75729	6	76396	40	78011	20
74506	25	74608	27	74981	18	75735	6	76397	40	78015	20
74508	25	74612	27	74982	18	75739	6	76399	40	78018	20
74510	25	74616	27	74983	18	75742	6	76403	36	78615	20
74511	24	74620	27	74985	18	75792	7	76404	36	78617	20
74512	24	74624	27	74986	18	75800	5	76405	36	78619	20
74513	24	74628	27	74987	18	75801	5	76406	36	78621	20
74514	25	74632	27	74988	18	75900	6	76407	36	78622	20
74515	25	74636	27	74989	18	75901	6	76411	36	78624	20
74516	25	74659	27	74990	35	75902	6	76412	36	79242	15
74517	24	74660	27	74999	18	75990	6	76413	36	79243	15
74518	25	74661	27	75008	5	75991	7	76414	36	79245	15
74519	24	74662	77	75012	5	75992	7	76417	36	79246	15
74520	27	74663	27	75015	5	75994	7	76418	36	79247	15
74521	24	74664	27	75018	5	75996	7	76419	36	79248	15
74523	24	74665	27	75020	5	75999	7	76422	36	79256	15
74522	27	74666	27	75025	5	76106	36	76423	36	79266	15
74524	27	74667	27	75030	5	76107	36	76424	36	79276	16
74526	27	74668	27	75035	5	76109	36	77101	38	79443	13
74528	27	74669	27	75040	5	76111	36	77103	38	79445	13
74529	24	74670	27	75093	8	76113	36	77105	38	79446	13
74531	24	74711	25	75094	8	76117	36	77107	38	79447	13
74532	27	74714	25	75095	8	76119	36	77109	38	79450	13
74533	24	74717	25	75096	8	76121	36	77111	38	79490	13
74534	27	74721	25	75105	5	76123	36	77113	38	79495	13
74535	24	74724	25	75110	5	76129	36	77115	38		
74536	24	74728	25	75115	5	76131	36	77117	38		
74537	27	74732	25	75120	5	76164	37	77128	38		
74538	24	74736	25	75307	5	76165	37	77130	38		
74539	27	74739	25	75309	5	76166	37	77132	38		
74541	27	74742	25	75313	5	76167	37	77134	38		
74542	24	74760	25	75315	5	76168	37	77136	38		
74543	27	74761	25	75320	5	76169	37	77138	38		
74544	24	74762	25	75322	6	76170	37	77139	38		
74545	27	74763	25	75325	5	76171	37	77140	38		
74546	24	74764	25	75327	6	76172	37	77141	38		
74547	27	74765	25	75330	5	76191	40	77142	38		
74548	24	74766	25	75332	6	76194	40	77144	38		



Premium Tools

(800) 494-6104

fax: (800) 494-7456

email: cservice@wihatools.com



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 763.295.6591
fax: 763.295.6598

Catalog Item No. 99951.wo
version - 11/1/10

Subject to change
without notice

©2010 Willi Hahn Corp www.wihatools.com

To:

Coming soon...



Product Guide

Coming soon...



Shop Tools Catalog

Coming soon...



Tech Tools Catalog



99002.wo - Screwdrivers Catalog



99914.wo - TORX Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99919.wo - Insulated Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog